Global tephra studies: role and importance of the international tephra research group 'Commission on Tephrochronology' in its first 60 years

David J. Lowe[1], Peter M. Abbott[2], Takehiko Suzuki[3], and Britta J.L. Jensen[4]

[1]School of Science/Te Aka Mātuatua, University of Waikato, Hamilton, New Zealand
[2]Climate and Environmental Physics, Physics Institute, and Oeschger Centre for Climate Change Research, University of Bern, Bern, Switzerland
[3]Department of Geography, Tokyo Metropolitan University, Tokyo, Japan
[4]Department of Earth and Atmospheric Sciences, University of Alberta, Edmonton, Alberta, Canada

Correspondence: **David J. Lowe (david.lowe@waikato.ac.nz)**

History of Geo- and Space Sciences

Revised version dated 18 May 2022

Abstract. Tephrochronology is a unique correlational and age-equivalent dating method whereby practitioners characterize, map, and date tephra (or volcanic ash) layers and use them stratigraphically as linking and dating tools in the geosciences (including volcanology), studies of past environments, and archaeology. Modern tephra studies *per se* began around 100 years ago (in the 1920s) but the first collective of tephrochronologists with a common purpose and nascent global outlook was not formed until 7 September, 1961, in Warsaw, Poland. On that date, the inaugural 'Commission on Tephrochronology' (COT) was ratified under the aegis of the International Union for Quaternary Research (INQUA). COT's formation is attributable largely to the leadership of Kunio Kobayashi of Japan, the commission's president for its first 12 years. We were motivated to record and evaluate COT's role and importance because tephrochronology continues to grow globally and its heritage needs to be preserved and appreciated. In addition, studies on cryptotephras, which are fine-grained glass-shard and/or crystal concentrations preserved in sediments or soils but insufficiently numerous to be visible as a layer to the naked eye, have also expanded dramatically in recent times. In this article, we therefore review the role and impacts of COT under the umbrella of INQUA for 53 of the last 60 years, or under IAVCEI (International Association of Volcanology and Chemistry of the Earth's Interior) for seven of the last 60 years, including since 2019. The commission also functioned under other names (abbreviated as COTS, CEV, ICCT, COTAV, SCOTAV, and INTAV). As well as identifying key persons of influence, we describe the development of the commission, its leaders, and its activities that include organising nine specialist tephra-field meetings in seven different countries. Members of the commission have participated in numerous other conferences (including specialist tephra sessions) or workshops of regional to international scale, and played leading roles in international projects such as INTIMATE and SMART. As well as strongly supporting early-career researchers, the commission has generated ten tephra-themed journal volumes and two books. It has published numerous other articles including field guidebooks, reports, and specialist internet documents. Although its fortunes have ebbed as well as flowed, the commission began to prosper after 1987 when key changes in leadership occurred. COT has blossomed further, especially in the past decade or so as an entire new cohort of specialists, including many engaged in cryptotephra studies, has emerged alongside new geoanalytical and dating techniques to become a vibrant global group today. We name 29 elected officers involved with COT since 1961 and their roles, and 15 honorary life members. After reviewing the aims of the commission, we conclude by evaluating its legacies and by documenting current and future work.

Short summary. The Commission on Tephrochronology, formed in 1961, comprises global researchers who characterize, map, and date tephra (volcanic ash) layers and use them stratigraphically as linking and dating tools in geological, palaeoenvironmental, and archaeological research. We review the commission's history – its growth, leadership, and activities for 60 yrs that include hosting specialist meetings, symposia, and workshops, developing new analytical and dating methods and protocols, and supporting ECRs.

This article is dedicated to the memory of Kunio Kobayashi, who led the founding of the Commission on Tephrochronology in 1961 and helped guide its earliest years

1 Introduction

In this article we review for the first time the history and significance of global collaboration over the past 60 years by specialists – known as tephrochronologists – in the study of tephra, or volcanic ash, deposits undertaken via an international tephra research group known as the 'Commission on Tephrochronology' (COT). We begin by defining the discipline of tephrochronology and its functioning before outlining the basis and scope of our review of COT and its role and impacts as a global organisation over the past 60 years.

1.1 What is tephrochronology?

'Tephrochronology' is a unique geoscientific method that uses characterized volcanic ash, or tephra, deposits to connect and date geological, palaeoenvironmental, or archaeological sequences or events, and to transfer and apply relative or numerical ages to them where such ages have been attained for the tephra (Thórarinsson, 1970; Lowe, 2011a) (Table 1). This method of transferring ages from one site to another using dated tephra deposits common to each is known as age-equivalent dating (Lowe and Alloway, 2015). The age transfer at the heart of tephrochronology is well-founded because tephras are erupted and deposited essentially instantaneously (in terms of the geological time-scale), forming an isochron, or chronostratigraphic horizon or time-plane, which is a thin layer or surface essentially of the same age everywhere it occurs: most volcanic eruption events, especially very explosive, tephra-generating phases, typically last for only hours or days, some perhaps weeks or months (Lowe, 2011a). Examples of geological isochrons additional to tephra layers include magnetic polarity reversal horizons and tektite deposits (Pillans, 2013). Even where a tephra layer is of uncertain or unknown age, it nevertheless provides a correlatable datum because it still represents an isochron that allows the sequence in which it is found – on land, sea, or ice – to be correlated with other sequences where the same tephra occurs. Hence sedimentary deposits or paleosols with their palaeoarchival evidence are able to be positioned very precisely, or synchronized, on a common timescale using identified tephra layers as stratigraphically fixed tie-points (Lowe, 2011a).

Undertaking tephrochronology relies on the principles of stratigraphy and on characterizing or 'fingerprinting' tephra layers to enable them to be connected spatially (i.e., correlated) using both physical properties evident in an outcrop in the field (e.g., Cas and Wright, 1987, pp. 477–8) and those obtained from laboratory analysis, including mineralogical examination by optical microscopy or geochemical analysis of glass shards or crystals using the electron microprobe and other techniques (Alloway et al., 2013; Lowe and Alloway, 2015). Numerical ages for a tephra layer may be obtained using (i) radiometric methods such as radiocarbon, fission-track dating (zircon, glass), U-series including (U-Th)/He, Ar/Ar, or luminescence; (i) incremental dating including dendrochronology, varved sediments, or layering in ice cores; (iii) age-equivalent methods such as magnetopolarity, astronomical (orbital) tuning, or correlation with marine oxygen isotope stages; (iv) age modelling including Bayesian flexible depositional modelling and wiggle-match dating; and (v) historical records or observations (e.g., Colman et al., 1987; Lowe and Alloway, 2015; Hopkins et al., 2021a). A range of visual and statistical methods can be used to facilitate correlation that may also include some measure of probability (e.g., Pouget et al., 2014; Lowe et al., 2017a; Petrelli et al., 2017; Bolton et al., 2020; Uslular et al., 2022).

Table 1. Tephra-related nomenclature*

Term	Definition
Tephra *(sensu lato)*	Explosively-erupted, pyroclastic products of a volcanic eruption encompassing all grain sizes (i.e., ash, lapilli, blocks/bombs) and compositions irrespective of emplacement mechanism (from Greek *τέφρα* [*téphra*], 'ash', 'ashes').
Cryptotephra	Explosively-erupted, ash-sized glass-shard and/or crystal concentration preserved in sediments or soils/paleosols but insufficiently numerous or too fine to be visible as a layer to the naked eye (from Greek *κρυπτός* [*kryptós*], 'hidden', 'secret').
Tephrochronology *(sensu stricto)*	Use of primary tephra/cryptotephra deposits as isochrons to connect and **s**ynchronize depositional sequences, or soils/paleosols, and to transfer relative or numerical ages to them using lithostratigraphic, compositional, chronological, and other data relating to the tephras or cryptotephras.
Tephrochronology *(sensu lato)*	All aspects of tephra or cryptotephra studies and their application.
Tephrochronometry	Obtaining a numerical age or calendrical date for a tephra layer or cryptotephra deposit.
Tephrostratigraphy	Study of sequences of tephra or cryptotephra deposits (and stratigraphically associated materials), their lithologies, spatial distribution, stratigraphic relationships, and relative and numerical ages; involves defining, describing, characterizing, and mapping tephra/cryptotephra deposits.

*Mainly after Lowe (2011a) and Alloway et al. (2013).

In using the term 'tephrochronology', it should be appreciated that the original final 'a' of the root word téphra (Table 1) is normally replaced with the connecting vowel 'o' in deriving compound words in English based on Greek root words (Froggatt and Lowe, 1990; Lowe and Hunt, 2001).

1.2 Application of tephrochronology

Now recognised globally as one of the most versatile methods available to geoscientists, palaeoenvironmental scientists, and archaeologists and palaeoanthropologists, tephrochronology is potentially applicable over timescales spanning years to millions of years (Abbott et al., 2020a). Moreover, the method has the potential to correlate sequences over distances ranging from metres to thousands of kilometres, and the capability of linking and dating proximal, metre-thick deposits to diminutive distal layers comprising barely a handful of glass shards that have no visible expression (i.e., cryptotephras) (Hunt, 1999b; Abbott et al., 2020a). Applications of tephrochronology, chiefly for the Quaternary period, are equally varied and are becoming increasingly important in wide-ranging geological, geochronological, palaeoenvironmental, archaeological, and volcanological studies (Lowe, 2011a; Alloway et al., 2013; Cashman and Sparks, 2013; Lane and Woodward, 2022). Correlating dispersed tephra deposits, especially where well dated, back to their volcanic sources allows tephrochronological studies to provide information on the eruption frequency (i.e., eruption history) and geochemical evolution (petrogenesis) of volcanic regions and individual volcanoes (e.g., Thordarson and Larsen, 2007; Cashman and Sparks, 2013; Abbott et al., 2020a), as well as informing volcanic hazard modelling relating to, for example, aviation hazards (e.g., Prata and Rose, 2015; Bourne et al., 2016), impacts on human health (e.g., Newnham et al., 2010; Baxter and Horwell, 2015), and understanding volcano-climate interactions (e.g., Robock, 2015; Cooper et al., 2018; Marshall et al., 2022).

1.3 Defining tephras, cryptotephras

'Tephra' is a collective term comprising all the explosively-erupted, fragmental volcanic material – pyroclasts – of any grain size (ash, lapilli, blocks or bombs), composition, or emplacement mechanism (Wright et al., 1981; Froggatt and Lowe, 1990; Cashman and Scheu, 2015). Throughout this article, 'tephra' refers mainly to pyroclastic *deposits* (cf. *material*) that are predominantly unconsolidated (Schmid, 1981; Le Maitre, 2002). Pluralization as 'tephras', with the appended 's', is appropriate in modern geoscientific usage of transliterations and avoids ambiguity (Froggatt and Lowe, 1990; Juvigné, 1990; Lowe, 2011a).

'Cryptotephras' are explosively erupted, ash-sized, glass-shard and/or crystal concentrations that are preserved in sediments (including ice), or soils and paleosols, but which are insufficiently numerous (too sparse or disseminated), too thin, or too fine-grained, to be visible as a layer to the naked eye (Hunt, 1999a; Lowe, 2011a; Lane et al., 2017a). The prefix crypto- derives from a Greek word for 'hidden' or 'secret' (Table 1), conveying the hidden or concealed nature of these deposits (Lowe and Hunt, 2001).

1.4 Development of cryptotephra studies and advent of the modern era

The rise of cryptotephra studies is remarkable and they have been very influential over the past three decades, largely through the development of new techniques that have facilitated the discovery of numerous non-visible tephra deposits well beyond their previously known occurrences, in some cases by thousands of kilometres. In turn, such occurrences have greatly extended the geographical utility of cryptotephras as isochrons for correlating and dating historical, archaeological, palaeoclimatic/palaeoecologic, and geological events, and for volcanological applications (see reviews by Lowe, 2008, 2011a; Davies, 2015; Ponomareva et al., 2015).

In terrestrial settings, fledgling cryptotephra studies began more than six decades ago: in Scandinavia, Christer Persson was the first to publish articles, in the 1960s–1970s, from his pioneering work on sparse, non-visible ash deposits preserved in peat bogs (Persson, 1966, 1971; see also Thórarinsson, 1970; Wastegård, 2005). Then in New Zealand, sparse glass shards – and crystals – preserved in soils/paleosols, or peat, lake, or marine sediments, were investigated from the mid-1970s to mid-1980s by Hodder et al. (1976), Stewart et al. (1977, 1984), Lowe et al. (1981), Robertson and Mew (1982), Hogg and McCraw (1983), Kyle and Seward (1984), and Lowe (1986) (see also Hopkins et al., 2021a). Even earlier, however, some embryonic studies on marine sediments showed that volcanic glass shards formed 'volcanic ash zones' in which the shards were sometimes described as "ill-defined layers" or as being "not concentrated in distinct layers" (Bramlette and Bradley, 1940, p. 3). Similarly, Kennett and Watkins (1970), in separating sand-size fractions from marine sediments, noted that constituent "volcanic shards…do not form megascopically distinct layers…" (p. 932). In both these, and likely many other cases, especially those reported from the 1970s onward (e.g., Ruddiman and McIntyre, 1973; Huang et al., 1975), such indistinct glass-shard concentrations would qualify nowadays as cryptotephras (see also Kennett, 1981).

Despite these early cryptotephra studies, tephrochronologists today recognise that the new discipline of 'cryptotephrochronology' was propelled into the modern *systematic* era from 1990 by the publication of Andrew Dugmore's seminal UK-based paper of 1989 (Dugmore, 1989). The term 'cryptotephra', although introduced in 1999 as 'crypto tephras' (Hunt, 1999a, p. viii), was first defined only in 2001 (Juvigné et al., 2001; Lowe and Hunt, 2001). The discipline has subsequently witnessed new or improved techniques and applications which, along with an entirely new type of researcher, have emerged to cater for the demanding, forensic-like requirements of such research (e.g., Kalliokoski et al., 2020; Krüger and van den Bogaard, 2021; Larsson et al., 2022). Initially targeting archives mainly comprising peat and lake sediment, ice cores and marine sediments soon became another important focus (e.g., Abbott and Davies, 2012; Davies et al., 2014; Abbott et al., 2018a, 2020a). Aeolian deposits including loess (e.g., Eden et al., 1992, 1996; Neall et al., 2001; Matsu'ura et al., 2012; Obreht et al., 2016), and caves and rock shelters, have also yielded cryptotephras (e.g., Lane et al., 2011; Barton et al., 2015; Bruins et al., 2019; Hirniak et al., 2020), as have stalagmites (Klaes et al., 2022). We list here further examples including benchmark methodological papers, regional reviews, and recent papers on long sedimentary sequences that collectively emphasise the growing importance of cryptotephrochronological research: Turney (1998), Hunt (1999b), Hall and Pilcher (2002), van den Bogaard and Schmincke (2002), Davies et al. (2004, 2014), Gehrels et al. (2008), Wastegård and Davies (2009), Swindles et al. (2011, 2019), Lawson et al. (2012), Matsu'ura et al. (2012, 2021), Wastegård and Boygle (2012), Lane et al. (2013, 2014), Riede and Thastrup (2013), Smith et al. (2013), Abbott et al. (2018a, b, 2020a), Menke et al. (2018), Wulf et al. (2018), Albert et al. (2019), Leicher et al. (2019), Jones et al. (2020), Freundt et al. (2021), Jensen et al. (2021), and Kinder et al. (2021).

1.5 Reviewing the Commission on Tephrochronology (COT)

The discipline of tephrochronology (and its burgeoning offspring, cryptotephrochronology), as outlined above, is growing from strength to strength. To date, however, information about COT, its leadership, its activities, and its fortunes, is scattered and sparse, and so we have assembled this review mainly because we recognised that such knowledge, especially relating to the early years, was fast fading, and needed preserving and evaluating for succeeding generations. We think that our review is thus timely and important. We were also motivated by the especially strong support of commission members over the past decade, growing to over ~200 including increasing numbers of early-career researchers (ECRs), many now becoming proficient and experienced, as expressed at well-attended tephra meetings held in Kirishima, Japan (2010), Nagoya, Japan (2015), Portland, Oregon (2017), Moieciu de Sus, Romania (2018), and Dublin, Ireland (2019) (see Sect. 3). These contemporary practitioners wanted to maintain and enhance the active global collective the commission had now become.

Although currently (and initially) known as the Commission on Tephrochronology, the tephra research group has functioned under six other names since its formation (Table 2). As well, the commission has been hosted at different times by one or the other of two large scientific unions, INQUA and IAVCEI (see Sect. 2.2).

Table 2. Progression of names (with abbreviations) of the international tephra research group associated with INQUA[1] or IAVCEI[2]

2019-on	– Commission on Tephrochronology (COT) – IAVCEI
2007-2019	– International Focus Group on Tephrochronology and Volcanism (INTAV) – INQUA
2003-2007	– Subcommission on Tephrochronology and Volcanism (SCOTAV) – INQUA
1995-2003	– Commission on Tephrochronology and Volcanism (COTAV, COTS)[3] – INQUA
1991-1995	– Commission on Tephrochronology (COT) – INQUA
1987-1991	– Inter-congress Committee on Tephrochronology (ICCT) – INQUA
1982-1987	– Commission on Explosive Volcanism (CEV)[4], International Association of Volcanology and Chemistry of the Earth's Interior – IAVCEI
1961-1982	– Commission on Tephrochronology or Commission on Tephra (COT), International Union for Quaternary Research – INQUA

[1] For a history of INQUA (and Quaternary science), see Neustadt (1969), Porter (1999), and Smalley (2011)
[2] For a history of IAVCEI, see Cas (2019, 2022). A wider perspective on the development of international cooperation in geosciences is given by Ismail-Zadeh (2016)
[3] According to Lowe (1995, 1996a), the commission from 1995 was initially Commission on Tephra Studies (COTS)
[4] COT was effectively replaced with CEV in this period (see Table 4) (CEV exists today alongside COT within IAVCEI). Note that CEV was initially called Working Group on Explosive Volcanism (see Sect. 4.3)

In undertaking the review, we drew on our own and others' experience, various papers, and snippets from conference proceedings and reports as available to provide a historical framework for the commission and some of its globally-focussed activities (mainly conferences or workshops) since its founding in 1961. We include a variety of images to add colour and to show a range of the activities, and some of the people, involved in securing the accomplishments of COT.

We refer in the narrative to a number of key people and events, and critical progress in the development of analytical and other techniques or protocols pertaining to COT. Although we contend that the achievement of disciplinarity of tephrochronology has arisen in part because of the development of COT, we acknowledge that multiple factors have been influential (e.g., see Paredes-Marino et al., 2022), such as discussed in a broader philosophical context by Good (2000). Wider developments in the discipline of tephrochronology and its advances are documented extensively elsewhere (e.g., Kittleman, 1979; Kennett, 1981; Thórarinsson, 1981; Westgate and Gorton, 1981; Fisher and Schmincke, 1984; Einarsson, 1986; Bitschene and Schmincke, 1990; Knox, 1993; Feibel, 1999; Sarna-Wojcicki, 2000; Shane, 2000; Turney and Lowe, 2001; Machida and Arai, 2003; Dugmore et al., 2004; Suzuki, 2007; Froese et al., 2008a; Lowe, 2008, 2011, 2014; Dugmore and Newton, 2009; Lowe et al., 2011a, 2017a; Alloway et al., 2013; Houghton, 2015; Lowe and Alloway, 2015; Lane et al., 2017a; Abbott et al., 2020a).

Numerous geoscientists, including many in leadership roles, have been involved with the commission. We record the names of those who have held positions as elected officers or who convened conferences or workshops on behalf of the global tephra community. The contributions of various individuals to the discipline of tephrochronology, addressed in some cases in our article, have been reported in special editorials, historical articles, or obituaries (see Einarsson, 1982; Vucetich, 1982; Björnsson, 1983; Royal Geographical Society, 1983; Noe-Nygaard, 1984; Steinthórsson, 1985, 2012; Lowe, 1990a; Wilson, 2005; Self and Sparks, 2006; Tonkin and Neall, 2007; Froese et al., 2008b; Lowe et al., 2008a, 2015a, 2017b; Slate and Knott, 2008; Hunt, 2011; Moriwaki et al., 2011a; Suzuki et al., 2011; Benediktsson et al., 2012a; Alloway et al., 2013; Kile, 2013; Thomas and Lamothe, 2014; Plunkett et al., 2017; Lundqvist et al., 2019; Bunting et al., 2020; Mazei et al., 2020; Hopkins et al., 2021a; Stork-Bullock Mortuary, 2021).

2 Formation of COT

In this section we describe how COT was formed largely by the substantial, far-sighted efforts of a tephra specialist from Japan, Professor Kunio Kobayashi, initially with the support of two key colleagues and the National Committee of Quaternary Research of Japan. We then describe the relationship of the commission to its two hosting organisations, INQUA and IAVCEI, over the past 60 years.

2.1 Forming COT in 1961

The formation of the commission was initiated at a meeting of the National Committee of Quaternary Research, Science Council of Japan, in Tokyo on 6 February, 1961. Attendants at the meeting agreed that a proposal to form a commission on tephrochronology should be developed and presented at the forthcoming VIth Congress of the International Union for Quaternary Research (INQUA) being held in Warsaw, Poland, in

September that year. Kunio Kobayashi (Fig. 1), Sohei Kaizuka, and Masao Minato were appointed to develop the proposal (Kobayashi, 1965).

Figure 1. Professor Kunio Kobayashi (19 February, 1918–19 June, 1979), driving force and founding president of COT. Photo taken 12 October, 1978 (from Committee for Publishing of Selected Papers by Professor Kunio Kobayashi, 1990).

The Japanese troika prepared the proposal and, before the Warsaw Congress, mailed it to those engaged in tephrochronological studies in various volcanic regions of the world and to the congress Secretariat. The Secretariat copied part of the proposal, along with a list of publications on tephra studies provided by the Kanto Loam Research Group of Japan, for distribution to conference participants. The pre-congress proposal to form a COT within INQUA was as follows (Kobayashi, 1965, p. 782):

> "Aims of the Commission: To advance the progress to the method [i.e., to further develop the method] of tephrochronology and Quaternary researches based on tephrochronology.
>
> Means of achieving these aims: 1. Gathering and exchange of information on tephrochronological studies in various countries; 2. Report on the results of studies at the next INQUA congress.
>
> Proposed by Masao Minato (Hokkaido University), Kunio Kobayashi (Shinshu University), Sohei Kaizuka (Tokyo Metropolitan University)."

At the Warsaw Congress, the three proposers and others convened on 6 September, 1961, to formulate a resolution to present to the General Assembly. Despite all the preparatory work, it seems the process was by no means plain sailing. On arrival in Warsaw, Kobayashi had scanned the list of scientists coming to the congress and discovered to his consternation that no tephra specialists were attending (other than from Japan). However, Terah ('Ted') L. Smiley, a dendrochronologist from Tucson, USA, helped Kobayashi garner support from various delegates from a wide range of disciplines (which, on reflection, may have ultimately been to Kobayashi's advantage) including Väinö Auer, a pioneering palynologist from Finland who had worked in tephras in South America from 1928 (e.g., Auer, 1965, 1974), Neville Moar, a New Zealand palynologist who was well aware of the growing importance of tephra studies in his own work (e.g., Moar, 1961), André Cailleux, a French glacial geologist, and Carl Troll, a German geographer (Kobayashi, 1962, p. 129).

The full resolution as presented to the General Assembly is recorded below (Kobayashi, 1962, p. 130):

> "[A] session of the proposed Commission on Tephrochronology was held yesterday afternoon. The significance of studies on volcanic ash layers as a key [means] of correlation of events in the Quaternary was [described] by the chairman and [the] establishment of a commission to promote the international co-operation of this matter was discussed. As a result of discussion, [and] considering the significance of investigation to clarify the sequence of events in … Quaternary volcanic activities, and also considering eolian Quaternary volcanic ash layers to be useful as a key [method for] correlation of … Quaternary formations, geomorphic surfaces and so on, the following persons cited below agreed to propose the foundation of the Commission on Tephrochronology in INQUA.
>
> They ask the General Assembly to agree [to] the foundation of a new commission and appoint Prof. Kobayashi as the organizer [chair/president] of the commission. The [president] should arrange the organization of the Commission on Tephrochronology till the following Congress of INQUA 1965 and report the activities of the commission after this congress."

The resolution was signed by E.H. Muller (USA), N.T. Moar (New Zealand), Ladislav Bánesz (Czechoslovakia), F. Mancini (Italy), H.D. Kahlke (Germany), P. Bellair (France), T.L. Smiley (USA), T. Yoshikawa (Japan), and Shoji Horie (Japan) (Kobayashi, 1962, p. 130). The following day on 7 September, 1961, it was adopted by the General Assembly of INQUA with Kobayashi declared the commission's founding president (Kobayashi, 1962, 1965) (see Sect. 4 below).

We note here that Neustadt (1969, p. 90) referred to the commission (which was the eighth to be formed in INQUA's history) as the "Commission pour la téphrochronologie", i.e., Commission *for* rather than *on* tephrochronology. However, we prefer 'on' as reported by Kobayashi (1962, 1965), and COT forms a mellifluous acronym. Also, it seems that Kobayashi was the sole officer (president) within COT from 1961 to 1969. By the start of the 1969 Paris Congress, two other commissions in INQUA similarly comprised just a president, but the remaining seven commissions had either two or three officers (Neustadt, 1969).

Interestingly, prior to the Warsaw resolution, Kobayashi had received a letter of support for the commission from Sigurdur Thórarinsson, regarded by many as the founder of the science of tephrochronology (Steinthórsson, 2012), with IAVCEI awarding a medal in his honour every four years. Thórarinsson emphasised that the term ‘tephrochronology’ rather than ‘ash’ should be used in the commission’s name. In his letter of 1961, Thórarinsson defined tephrochronology as “chronology based on the study of the successive deposits of fragmental volcanic products” (Thórarinsson, 1965, p. 785). This definition relates to the original sense (*sensu stricto*) of the term tephrochronology – essentially as proposed by Thórarinsson (1944, 1954) and as outlined in the introduction and Table 1 – namely, the use of tephra layers as isochrons to connect or correlate sequences, and to transfer relative or numerical ages to such sequences where the tephras have been identified and dated. In recent times, however, the term ‘tephrochronology’ has been used more broadly as a portmanteau term to encompass all aspects of tephra studies (including correlating and dating via tephrochronology), and this wider sense (*sensu lato* of Lowe and Hunt, 2001) is preferable in denominating the commission. A list under the heading “Names and addresses of researchers” (Kobayashi, 1965, p. 787) seems to comprise the first (1961–65) general membership of COT (see Sect. 4.2 for an explanation of categories of membership developed later). Twenty scientists representing institutions in 11 countries are recorded, with perhaps the most prominent in tephrochronology *per se* being S. Thórarinsson (Iceland), V. Auer (Finland), H. Straka and J. Frechen (West Germany), J. Healy (New Zealand), R. Wilcox (USA), and K. Kobayashi and S. Kaizuka (Japan).

2.2 Hosting of commission by INQUA or IAVCEI

For most of the time since 1961, the commission has been hosted under the umbrella of INQUA (Table 2), but with the creation of the new COT in 2019, the collective is now hosted by IAVCEI, where the group was, in effect, temporarily housed between 1982 and 1987. The penultimate incarnation, INTAV, was formed in 2007 as an International Focus Group (IFG) within the newly-formed Stratigraphy and Chronology Commission (SACCOM) of INQUA (Table 2). INTAV operated under the INTREPID projects I and II (2009–2015, ‘Enhancing tephrochronology as a global research tool’) and then the EXTRAS project (2015–2019, ‘EXTending TephRAS as a global geoscientific research tool stratigraphically, spatially, analytically, and temporally within the Quaternary’) (Lowe, 2013, 2015, 2018a).

Most recently, discussions at the ‘Tephra Hunt’ meeting in Romania in 2018 led to an almost unanimous decision to form a new commission (COT) within the IAVCEI framework rather than INQUA. The rationale for change is outlined in Lowe et al. (2018), and some of the difficulties of INQUA’s cumbersome structure and processes were expressed by Ashworth (2018). The main reason for switching to IAVCEI was that the global tephra community very strongly indicated that it wanted to remain part of a formal and, critically, *ongoing* global collective of tephra specialists as a *stand-alone entity*. This stand-alone status was available within IAVCEI (which, as a commission, would be a potential recipient of funding from that parent body) but not within INQUA. It would also allow for regular meetings of members at *specialist tephra conferences or workshops* rather than members taking part as specialists within conferences for other disciplines or multiple disciplines (important though such meetings are). Within INQUA, the original commissions such as COT had been replaced by subcommissions in 2003 at the Reno INQUA Congress, and then removed entirely because five much broader, over-arching commissions (including SACCOM) were formed in 2007 at the Cairns INQUA Congress. These new broad commissions adopted a project-based approach rather than relying on the small individual commissions, some of which were inactive, to initiate and undertake projects involving IFGs including INTAV. But such focus groups had a limited shelf-life, normally two inter-congress periods (i.e., eight years) at most, after which they were to end, although INTAV managed to persist, somewhat aberrantly, for 12 years.

Another reason for change relates to the considerable efforts that were needed to justify the continuation of the INTAV focus group to INQUA. Such efforts included preparing annual reports and bidding for and reporting on the INTREPID and EXTRAS projects; reports were also required for *Quaternary Perspectives*, the INQUA newsletter (e.g., Lowe, 2013, 2015, 2018a, b). The increased burden of maintaining some version of COT within INQUA, the continual need to justify its existence annually, and the loss of a structural model within which it could exist as a coherent, ongoing group ultimately led to the decision to move to IAVCEI in 2019. Moreover, the move allows for greater stability and a more predictable workload for the executive officers.

Given the past support and long history associated with the commission's affiliation with INQUA, the decision for change was not taken lightly. It is emphasised that cooperation and involvement in quadrennial INQUA congresses are not precluded – in fact such involvement is welcomed – under the new arrangement with IAVCEI. Unfortunately, however, the rapid emergence of COVID-19 in 2020, and its commensurate impacts, have severely limited planning and future activities. The next specialist tephra meeting of COT in Sicily, originally planned for 2020/2021, is delayed provisionally until September, 2024. However, tephra symposia and other activities planned for the next IAVCEI Scientific Assembly in Rotorua, New Zealand (in late January/early February, 2023), and for the next INQUA Congress in Rome, Italy (in July, 2023), currently appear be going ahead.

3 Development of the commission through specialist conferences and other activities

Nine international specialist tephra-focussed field conferences, led by 23 convenors in total and attracting between 37 and 92 participants, have been organised in seven different countries around the globe since 1964 (Table 3). Each meeting, including some stand-out aspects, is described briefly below (Sect. 3.1 to 3.10). They have been referred to as 'inter-congress' or 'inter-INQUA' conferences because of their occurrence between the four-yearly, full-congress meetings of INQUA. Three of the nine meetings have been held in Japan. In terms of the entire 60-year history, the number of meetings has doubled in the last 30 years, with six meetings taking place since 1991 (i.e., approximately every five years on average). The average number of participants at each meeting is 58. The field conferences are exceptionally important because they not only facilitate an opportunity for the presentation and discussion of the latest advances in tephra studies or their application, but also they provide exceptional insight into the geological, palaeoenvironmental, and archaeological history of a specific region encompassing the conference location (Davies and Alloway, 2006). Furthermore, Lowe et al. (2018, p. 1) noted that "one of the joys of science, and tephrochronology and volcanic studies in particular, is the opportunity to meet like-minded colleagues and keen students in the field where formalities and reserve seem to dissipate in the face of shared interests, friendly discussions at the outcrop, and in meeting new people and cultures whilst being graciously hosted in new countries." As well, the conferences provide opportunities and critical support (including mentoring) and inspiration for ECRs including PhD and masterate students. We also record some of the many other activities undertaken by members of COT in addition to the specialist tephra meetings (Sect. 3.11).

3.1 Tokyo, Japan, 1964

The first stand-alone specialist tephra meeting of COT took place in Tokyo, Japan, from 26–29 November, 1964. Including field excursions to see Asama volcano and sites in Tokyo (Ikuta, Chitose, Todoroki) (Fig. 2), the meeting attracted 50 participants, seven from beyond Japan including Sigurdur Thórarinsson (Iceland) and dendrochronologist Paul E. Damon (USA), along with Hiroshi Machida (Japan) attending his first COT meeting, who appears to be COT's longest standing member, 57 years, as at December, 2021. Seven scientific presentations were made (Neustadt, 1969).

Figure 2. Some of the participants on a field trip at Ikuta (an important area for Quaternary studies in Japan) during the first COT meeting in Tokyo, November 1964 (from Suzuki et al., 2011, p. 8). We include this figure despite its limitations because it is the only known photograph available from the first meeting.

Table 3. List of nine international tephra-centred field meetings of the commission and outputs*

2018 – Tephra Hunt in Transylvania, Moieciu de Sus, Romania (24 June–1 July, 92 participants)[1]
Convenors: Daniel Veres, Ulrich Hambach

2010 – Active Tephra in Kyushu, Kirishima, Japan (9–17 May, 76 participants)[2]
Convenors: Takaaki Fukuoka, Hiroshi Moriwaki, Takehiko Suzuki

2005 – Tephra Rush in Yukon, Dawson City, Canada (31 July–8 August, 41 participants)[3]
Convenors: Duane Froese, John Westgate (with Brent Alloway)

1998 – Tephrochronology and Co-existence of Humans and Volcanoes (Inter-INQUA and Inter-IUSPP), Brives-Charensac (Haute-Loire), France (24 August–1 September, 53 participants)[4]
Convenors: Étienne Juvigné, Jean-Paul Raynal

1994 – Tephrochronology-Loess studies-Paleopedology, Hamilton, New Zealand (7–17 February, 62 participants)[5]
Convenor: David J. Lowe

1993 – Climatic Impact of Explosive Volcanism (PAGES/INQUA-COT Workshop), Meiji University, Chiyoda-ku, Tokyo, Japan (1–5 December, 37 participants)[6]
Convenors: Hiroshi Machida, James (Jim) Begét

1990 – Mammoth Hot Springs, Yellowstone National Park, USA (17–26 June, 53 participants)[7]
Convenors: John Westgate, Nancy Naeser, Bill Hackett

1980 – Tephra Studies as a Tool in Quaternary Research, Laugarvatn (and Reykjavík), Iceland (18–29 June, 60 participants)[8]
Convenors: Stephen Sparks, Stephen Self, Guðrún Larsen (with Sigurdur Thórarinsson)

1964 – Tephra Field Meeting of COT (inaugural meeting), Tokyo, Japan (26–29 November, 50 participants)
Convenors: Kunio Kobayashi, Sohei Kaizuka, Takeshi Matsui

*Special tephra-focussed volumes/issues arising from these meetings as outputs are as follows: 1, Abbott et al. (2020b); 2, Lowe et al. (2011b); 3, Froese et al. (2008c); 4, Juvigné and Raynal (2001b); 5, Lowe (1996c); 6, Begét et al. (1996); 7, Westgate et al. (1992b); 8, Self and Sparks (1981c). Two further substantial publications developed by the commission comprise Westgate and Gold (1974) (see Sect. 3.2), and Lane et al. (2017b), the latter deriving from tephra symposia at the Nagoya INQUA Congress (2015). Note also three tephra-related volumes by Firth and McGuire (1999), Hunt (1999b), and Austin et al. (2014b) that arose indirectly or directly from specialist tephra or explosive-volcanism meetings in the UK.

3.2 Significant change after INQUA Congress, Christchurch, New Zealand, 1973

At the 1964 Tokyo COT meeting, the decision was taken to develop and publish a world bibliography of Quaternary tephrochronology (Westgate, 1974). The agreement was reinforced at the 1965 INQUA Congress in late August/early September at Boulder, USA, at a COT session that included representatives from institutions in ten counties (Neustadt, 1969). Kunio Kobayashi and Roald ('Fryx') Fryxell handled the project initially and then John Westgate took over on his election as secretary of COT at the INQUA Congress in Paris in 1969. Westgate had first become involved with COT at the 1965 INQUA Congress in Boulder, and has thus been a member for 56 years as at December, 2021. An ambitious deadline for completing the book's compilation was set for December, 1971 (Steen-McIntyre, 1971). Substantial grants to COT provided by INQUA and other funders in the early 1970s enabled the volume, entitled *World Bibliography and Index of Quaternary Tephrochronology*, to be published by Westgate and Gold (1974), ten years after it was first mooted (Kaizuka, 1974).

Amongst a treasure trove of wide-ranging information, the volume contains an update by Thórarinsson (1974) on the term 'tephra' twenty and thirty years on, respectively, from the definitions he wrote in 1954 and 1944. In 1973, Thórarinsson, an influential 'formal member' of COT at the time (later an honorary president of the commission from 1977–1982), was successfully persuaded at the 1973 INQUA Congress in Christchurch, New Zealand, that the term 'tephra' be broadened to include unconsolidated pyroclastic flow/density current deposits, i.e., non-welded ignimbrites, as well as 'airborne' fall deposits (Cole et al., 1972; Howorth, 1975; Westgate and Fulton, 1975; Thórarinsson, 1981). Although endorsed by COT, this amplification was considered by some to have ruined the use of the word 'tephra' (*sensu stricto*), and there are still tephrochronologists who do not use the wider meaning (*sensu lato*) of the word (Vince Neall personal communications, 2017, 2021). Even though Thórarinsson's (1954) definition did not specifically exclude flow deposits, Neall (1972, p. 510) argued that because pyroclastic flow deposits 'flow from a crater during an eruption' they should not be considered 'tephra' and hence should be classified separately as 'flow deposits'. Also, the original meaning of 'tephra' was retained by Crandell and Mullineaux (1978) and Crandell et al. (1979), for example, because this narrower meaning was better suited to their volcanic hazard analyses (Vince Neall personal communication, 2017). Similarly, Gage (1977, p. 11) rued that the 'extension of meaning seems rather to detract from the value and clarity of the term'.

Nevertheless, by 1973–74, the term 'tephra' (*sensu lato*) (Table 1) was no longer restricted to fall deposits because it had been recognised that ignimbrites could be partly or entirely non-welded and unconsolidated (Ross and Smith, 1961; Sparks et al., 1973; Schmid, 1981; Froggatt and Lowe, 1990). Previously, the term 'ignimbrite', first used by Marshall (1932, 1935), was employed only for welded deposits (Cole et al., 1972, p. 686–7; Freundt et al., 2000; Lowe and Pittari, 2019) which, being 'mainly consolidated', are also referred to as 'pyroclastic rocks' (following definitions in Schmid, 1980; Le Maitre, 2002). Furthermore, it was argued by Thórarinsson (1974), who had used the term 'tephra flow' to describe a small pyroclastic flow descending slopes of Mt. Lamington in an eruption in 1951, and also for the non-welded uppermost layer of the Thorsmörk ignimbrite in Iceland (Thórarinsson, 1969), that such flow deposits, strictly, were 'airborne' in their emplacement (e.g., Sheridan, 1979; Wilson, 1985; Branney and Kokelaar, 2002; Lube et al., 2019). Finally, most agree that the term must also include co-ignimbrite ash-fall deposits (Machida and Arai, 1976; Sparks and Walker, 1977; Crandell and Mullineaux, 1978; Cas and Wright, 1987) that arise from fallout of ash-rich convective plumes formed by the buoyant detachment of a gas-ash mixture ('ash cloud'), or by elutriation, from the top of a pyroclastic flow (density current) (Bitschene and Schmincke, 1990; Brown and Andrews, 2015; Cioni et al., 2015). We note that the term 'air-fall' is now rarely used, with tephra-fall/fallout, or ash-fall/fallout if appropriate, typically employed instead (Cole et al., 1972; Schmid, 1981; Lowe and Hunt, 2001; Lowe, 2008).

3.3 Laugarvatn and Reykjavík, Iceland, 1980

The next specialist tephra conference, in June, 1980, took place 16 years after the 1964 Tokyo meeting. Held mainly in Laugarvatn (also Reykjavík), Iceland, it was supported by the NATO Advanced Studies Institute and COT (Self and Sparks, 1981a, b) (Fig. 3).

Figure 3. (Left) Logo for the Icelandic INQUA-COT tephra meeting in June 1980 that was designed by Sue Selkirk (Arizona State University) (Self and Sparks, 1981a), depicting the distribution of the historic silicic tephra, H_1, erupted from Hekla in 1104 AD, the outermost isopach being 2 mm. The isopach map is based on Thórarinsson (1970, p. 306) and Larsen and Thórarinsson (1977, p. 29), although it was originally mapped by Thórarinsson in 1939 (Steinthórsson, 2012, p. 5). **(Right)** Some participants in the field in Iceland during the meeting. Figure centre-front with blue coat and ubiquitous red hat (Noe-Nygaard, 1984) is Sigurdur Thórarinsson; alongside him are Guðrún Larsen, conference co-organiser (with woollen hat, looking down) and (Sir) Stephen Sparks (with sample bag). Photo: Malcolm Buck.

At this Iceland meeting, it is striking that Self and Sparks (1981a, p. xii), copying Thórarinsson (1974, p. xviii), defined 'tephra' (*sensu lato*) as "a collective term for all airborne pyroclasts, including both air-fall and pyroclastic flow material", pointing out that "this usage complements rather than replaces terms such as ignimbrite, welded tuff, pumice, etc., that are used to designate specific types of tephra produced by distinctive types of eruption". Also, as evident on the conference logo image in Fig. 3, they referred to the Commission on 'Tephra', rather than 'Tephrochronology', presumably because the latter term was seen to be somewhat restricted in its original sense (use of tephra layers as a correlational and age-equivalent dating tool) so that potential additional volcanological interpretations and applications appeared to be downplayed. Later, advent of the names Commission (or Subcommission) on Tephrochronology and Volcanism – i.e., COTAV or SCOTAV in 1995 and 2003, respectively (Table 2) – made 'volcanology' an explicit function of the commission. However, as noted previously, today's more holistic usage of 'tephrochronology' (*sensu lato*), encompassing all aspects of tephra studies including volcanology, now negates this argument and obviates the need to include 'volcanism' in the modern commission's name (Lowe and Hunt, 2001; Lowe, 2008). (Also, COT, being sponsored by IAVCEI, has an obvious volcanological connection.)

3.4 Mammoth Hot Springs, USA, 1990

The tephra meeting in 1990 in Mammoth Hot Springs (Yellowstone National Park), Wyoming, USA, was next, the first of what might be deemed a 'golden decade' in which four specialist tephra conferences were held (Table 3). The meeting in Mammoth, under the ICCT banner, comprised around 53 participants, the majority from the USA but with representatives also from Canada, Japan, New Zealand, Australia, Belgium, Tanzania, Ethiopia, and the UK (Fig. 4). Some scientists from the USSR and several other countries were unable to attend because of financial limitations or (in the case of the Soviets) a lack of flights at that tumultuous time (Lowe, 1990b).

Figure 4. (Upper) Participants of the ICCT tephra meeting held in Mammoth Hot Springs, Yellowstone National Park, USA, June, 1990. Photo: anonymous. **(Lower)** Participants in the field on 4 December, 1993, near Haruna volcano, northern Kanto, Japan, during the PAGES/INQUA-COT workshop on the climatic impact of explosive volcanism. Photo: anonymous. Names of participants as follows: *standing at back* (from left): Fusao Arai, Hiroshi Machida, Takehiko Mikami, David Pyle, Tom Simkin, Janice Lough, David Lowe, James Begét, Greg Zielinski, Katherine Hirschboeck, Haraldur Sigurdsson, Tsutomu Soda, Takeshi Noto, Nat Rutter, Koji Okumura; *crouching in front* (from left): (anon), Makiko Watanabe, Takehiko Suzuki, Suzanne Leroy, Valerie Hall, Hiroshi Moriwaki, Takaaki Fukuoka, Sumiko Kubo, Mika Kohno, Tatsuo Sweda, Kunihiko Endo, Shinji Nagaoka.

Presentations featured a notable array of new dating techniques for tephra components such as isothermal-plateau fission-track dating (ITPFT) of glass, single-crystal laser fusion analysis using $^{40}Ar/^{39}Ar$, luminescence dating, high-precision radiocarbon (^{14}C)-dating using liquid scintillation spectrometry, and the application of discriminant function analysis to classify and correlate tephras based on their glass-shard major-element compositions. In addition, reports from ICCT working groups were presented, including one to standardise the characterization of tephra deposits, the role of tephra in land-sea correlations, and the development of a catalogue of widespread Quaternary tephras. Five days were spent in the field (six or seven counting the days travelling overland to and from Mammoth), two being in the Yellowstone Park region of the Yellowstone Plateau Volcanic Field, and three on a post-conference tour looking mainly at Yellowstone tephra localities, Quaternary deposits and, occasionally, soils and paleosols in northern Yellowstone National Park and the northern Bighorn Basin, Wyoming (Lowe, 1990b).

A conspicuous outcome of the Mammoth conference was the publication of the first of a number of proceedings in the journal *Quaternary International*, which was founded in 1987 and is owned by INQUA (and therefore returns a profit to the union to help fund its activities) (Catto, 2019). The Mammoth conference special issue, entitled straightforwardly as ‘Tephrochronology: stratigraphic applications of tephra’ and comprising 27 scientific papers, was an early double-volume of the journal (Westgate et al., 1992a, b).

3.5 Tokyo, Japan, 1993

The Tokyo meeting in 1993, co-sponsored by the Past Global Changes (PAGES) Core Project of the International Geosphere-Biosphere Programme (Oldfield, 1998) and INQUA’s COT, was the first to be designated as a field conference *and workshop* because it focussed on a specific theme, namely the impact of volcanism on climate. As well as spending time in the field (Fig. 4) and in oral presentations, the 37 participants (representing institutions in six countries) were therefore involved in break-out sessions in four *ad hoc* working groups:

- Modelling studies, ice cores, frozen ground, historic, and non-biological records
- Tree-rings, palynology, corals (biological records)
- Volcanology and climate components
- Tephrochronology.

Their task was to answer a series of topical questions and to synthesise ideas and data. A final discussion session led to a series of recommendations that were published in a detailed report by Begét et al. (1996).

3.6 Hamilton, New Zealand, 1994

The meeting in Hamilton, on New Zealand’s North Island, in February, 1994, as well as being the first in the Southern Hemisphere, was noteworthy in being the first to be held under the INQUA banner that involved three commissions: tephrochronology, loess studies, and paleopedology. The conference included a special symposium, the ‘C.G. Vucetich Symposium on Tephrostratigraphy and Tephrochronology in New Zealand’. The 62 participants (including 12 students) from institutions in 12 countries (Fig. 5) spent two days in the field during the conference and a group of 35 took part in the five-day post-conference North Island field trip (Lowe, 1994b). Along with the field guides, the proceedings took up three slender but contiguous volumes of *Quaternary International* and comprised 27 scientific papers (Lowe, 1996b, c).

Figure 5. **(Upper)** Participants in the integrative triple-discipline (tephra-loess-paleosols) meeting at University of Waikato, Hamilton, New Zealand, photographed on 8 February, 1994. Photo: Ross Clayton (University of Waikato). Names of participants as follows: s*tanding at back* (from left): Takehiko Suzuki, Hiroshi Moriwaki, Sue Donoghue, Brent Alloway, John Westgate, Dennis Eden, Amanjit Sandhu, Yoshitaka Nagatomo, Keiji Takemura, Liping Zhou, Akira Hayashida, Étienne Juvigné, (anon), Jun’ichi Kimura, John Bruce, James Begét, Kotaro Yamagata; s*tanding* (from left): Roma Lane, David Manning, John Hunt, Shane Cronin, Peter Almond, Alan Palmer, Takuo Yokoyama, Yoshinaga Shuichiro, Gordon Curry, Ken Verosub, Colin Vucetich, Margaret Vucetich, Carolyn Olson, Michael Singer, Takashi Sase, (anon), Richard Hay, Peter Kamp; *seated* (from left): Hiroshi Machida, Jiaqi Liu, Carol Smith, Alan Hull, Colin Wilson, Milan Pavich, Brad Pillans, Glenn Berger, Liddy Bakker, David Lowe, Phil Tonkin, Kerry Stevens, Bernd Strieweski, Graham Shepherd, John Catt, Janet Slate; *crouching in front* (from left): Benny Theng, Arno Kleber, Jim Dahm, Roger Briggs, Peter Hodder, Tim Naish, Michael Green, Mike Vennard, Denis-Didier Rousseau, Andrew Hammond. **(Lower)** (*Left*) Front page of flyer prepared prior to the meeting in New Zealand. (*Middle*) Brad Pillans exposing buried soil horizons (paleosols) formed on early Holocene, Taupo volcano-derived rhyolitic tephras overlying steeply dipping reworked Oruanui eruptives deposited into a temporary

lake, Lake Taupo forest area, central North Island, on the first day of the post-conference field trip (13 February, stop 7; Wilson, 1994). (*Right*) Colin Wilson explaining the stratigraphy of mid-Holocene Taupo-derived eruptives (~5.4–4.5 cal ka) with intervening soil horizons near southern Lake Taupo (13 February, stop 11; Wilson, 1994). Photos: David Lowe.

3.7 Brives-Charenac, France, 1998

The meeting held in Brives-Charenac in the Haute-Loire region of southern France from 24-29 August, 1998, with 53 participants from institutions in 11 countries, successfully brought together tephrochronology and volcanism (as represented by COT) and their relationship to humans in antiquity (Fig. 6). The latter aspect was represented by Commission 31, ‘Humans and Active Volcanoes during History and Prehistory’, of the International Union of Prehistoric and Protohistoric Sciences (IUSPP) (Table 3).

Figure 6. **(Upper)** Participants in the tephra meeting held in Brives-Charenac, France, in August, 1998. Photo: Jean-Paul Raynal. **(Lower)** (*Left*) Part of cover page for programme/abstracts volume of the meeting, The COT logo – a three-armed bubble-junction (cuspate) glass shard with an electron probe (or laser) beam spot on it – was designed by Paul van den Bogaard (Germany). (*Right*) After COT became INTAV in 2007, cartographer Betty-Ann Kamp (University of Waikato) updated the logo in 2008 as shown here.

By this time, a logo for the commission had been developed by Paul van den Bogaard (Fig. 6), possibly in anticipation of the tephra-based field trip to the Eifel Volcanic Field undertaken prior to the Berlin INQUA Congress held in August, 1995 (Lowe, 1995). The Brives-Charenac conference was followed by a three-day post-conference field trip across the Massif Central volcanic fields. Although it had been originally planned that the conference proceedings would appear in the journal *Quaternaire*, the large number of papers accepted, 27 in total, rendered that option impractical. Remarkably, a new journal, *Les Dossiers de l'Archaéo-Logis*, was established in which all the papers were eventually published (Juvigné and Raynal, 2001a, b).

3.8 Dawson City, Canada, 2005

Seven years passed before the spectacular 2005 'Tephra Rush' meeting, now under the banner of SCOTAV, was held mainly in Dawson City, Yukon Territory, Canada (Fig. 7; Alloway et al., 2005). The meeting, comprising 41 participants from institutions in 11 countries (Table 3), began with an evening public lecture in Whitehorse by volcanologist and author Grant Heiken, thereby helping to enhance public dissemination of tephra-based research (one of the aims of the commission: see Sect. 5.1 below). Heiken explored the different human perceptions of volcanoes and the risks of living in the shadow of a volcano. A second public lecture was given during the conference in Dawson by Paul Matheus on the topic of Beringian mammals.

A one-day field trip en route from Whitehorse to Dawson took place on 1 August, 2005. It included inspection of the AD 833–850 White River Ash (eastern lobe) (Fig. 7). The eruption of this tephra was coincident with the transition in southern Yukon from atlatl and throwing-dart technology to adoption of bow and arrow, which were likely present a few hundred years earlier in southern Alaska. Possibly a proto-Athapaskan population inhabiting the region was strongly affected by the ecological impacts of the volcanic eruption and migrated, at least temporarily, from the thick tephra-fall region to encounter this technology (Davies and Alloway, 2006). Diminutive forms of the same White River ash were recognised by Jensen et al. (2014) as a cryptotephra in Greenland and northern Europe (where it is dated AD 846–848), the first record of the 'transatlantic distribution' of tephra. Two days were spent in the Klondike Goldfields during the conference itself (Davies and Alloway, 2006).

Figure 7. (Upper) Participants in the 2005 ‘Tephra Rush’ meeting on 3 August, 2005, in Dawson City, Yukon Territory, Canada (from Froese et al., 2008a, p. 2). Photo: Brent Alloway. Names of participants as follows: *standing in arc around the back* (from left): Hiroshi Machida, Takaaki Fukuoka, David Lowe, Roland Gehrels, (anon), Stefan Wastegård, Warren Huff, Phil Shane, James Riehle, (anon), (anon), (anon), John Westgate; *seated directly in front of back row* (from left): Hiroshi Moriwaki, (anon), (anon), Siwan Davies, Brad Pillans, (anon), (anon); *seated second row from front* (from left): Shari Preece, Takehiko Suzuki, Paul Matheus, (anon), Nick Pearce, Duane Froese; *seated front row* (from left): Kaori Aoki, (anon), James Begét, Maria Gehrels, Brent Alloway, Caitlin Buck, Britta Jensen, Grant Heiken. **(Lower)** John Westgate (with megaphone) and Duane Froese on 1 August, 2005, explaining the stratigraphy, chronology, composition, and distribution of the AD 833–850 White River Ash (eastern lobe) on the pre-conference trip from Whitehorse to Dawson (Froese et al., 2005). Photo: Brad Pillans.

The subsequent special issue of *Quaternary International*, edited by Froese et al. (2008c), comprised 20 scientific articles based on presentations at Dawson, as well as from a special session of the annual Geological Society of America conference (held in Salt Lake City in October, 2005) entitled ‘Advances and Applications of Tephrochronology and Tephrostratigraphy: in Honor of Andrei M. Sarna-Wojcicki’. The special issue by Froese et al. (2008c) was the first by the commission to specifically honour in its title two of the biggest names in tephrochronology, John Westgate and Andrei Sarna-Wojcicki (Froese et al., 2008b; Slate and Knott, 2008).

3.9 Kirishima City, Japan, 2010

In 2010, the commission returned to Japan where a meeting was held in Kirishima City in southern Kyushu from 9–17 May, 2010, this time under the INTAV banner. One reason for the meeting to be hosted in Japan was to expose the emerging cohort of cryptotephra specialists (who tended to work only on sparse shards from mainly distal or ultra-distal locations) to proximal pyroclastic and volcanic deposits as a way of broadening their experience and deepening understanding. The conference was held during a lull in the 2010 eruptions of Eyjafjallajökull in Iceland, with the latter's on-and-off behaviour (Gudmundsson et al., 2010; Davies et al., 2010) creating opportunities for considerable press interest in the meeting (including local TV coverage of a special public session on the Icelandic eruptions and impacts, which featured presentations by Chris Hayward, Siwan Davies, and Thor Thordarson) and considerable headaches for travel arrangements (Holt and Lowe, 2010). Of the 76 participants in attendance from institutions in 12 countries, a substantial proportion (25) comprised students. At the start of the conference, two consecutive public lectures to an audience of around 800 in Kirishima's City Hall were given by David Lowe ('Connecting with our past: using tephras and archaeology to date the Polynesian settlement of Aotearoa/New Zealand'), Lowe's talk being translated into Japanese as he spoke, and Hiroshi Machida ('Widespread tephras originating from Kagoshima occurring in northeast Asia and adjacent seas'). In addition, the Mayor of Kirishima City, Shuji Maeda, graciously invited the entire conference group to his personal residence for a spectacular banquet early in the conference which included the use of dining 'rooms' in caves cut into exposures of 30-cal-ka Ito ignimbrite (see below) at the property.

New work on the tephrostratigraphic record of ice cores was presented as well as new protocols involving electron probe microanalysis (EPMA), and laser-ablation inductively-coupled plasma mass spectrometry (LA-ICP-MS) analysis, of glass shards considerably smaller than previously attainable (~5 and ~10 μm in diameter, respectively). The revolutionary rise of Bayesian flexible age-depth modelling, which has helped to dramatically improve age frameworks for tephras and cryptotephras, was also reported (e.g., Blockley et al., 2007; Lowe et al., 2008b; Bronk Ramsey et al., 2015a; Blaauw et al., 2018).

An influential letter was written during the conference by the COT president and secretary on behalf of INTAV to the Secretariat of the Japan Geopark Committee. Signed by more than 50 conference participants, the letter supported the application by Kirishima City for the Kirishima volcano system ('Kirishima Mountains') to become an accepted member of Geoparks Japan as Kirishima Geopark. The park was successfully certified as such later that year.

The meeting also featured two days in the field, during the first of which participants witnessed several small eruptions of Sakurajima just a few minutes after participants arrived at the stop (Fig. 8). Such impressive 'organisation' was greatly admired by all! As well, numerous spectacular sections and excavations were viewed over the two-day trip, including a gigantic outcrop featuring the voluminous Ito ignimbrite (~30 cal ka) (Fig. 8). This deposit is coeval with a widespread co-ignimbrite ash-fall, first recognised in 1976, named Aira-Tanzawa ash (Aira-Tn) (Machida and Arai, 1976, 1983, 2003). A three-day post-conference field trip across Kyushu also took place, and included visits to Unzen volcano, Aso caldera, and Kuju and Yufu-Tsurumi volcanoes. Unusually, participants on the post-conference trip were given a small refund at the end, such was the efficiency and generosity of the leaders.

Figure 8. **(Upper)** Participants of the 'Active Tephra' meeting held in Kirishima in May, 2010, in the field on Kyushu, Japan. Sakurajima volcano (just visible in the background) erupted later that day during the trip (see below) (from Lowe et al., 2011a, p. 2). Photo: Koji Okumura. **(Lower)** (*Left*) Thick coastal exposure of Aira tephra formation (erupted ~30 cal ka from Aira caldera) near Fumoto on the eastern coast of Kagoshima Bay and visited 13 May, 2010. Initial deposits comprise plinian fall deposits (Osumi pumice) overlain by thin stratified (intra-plinian) pyroclastic flow deposits (Tarumizu ignimbrite) and then by thick, mainly non-welded ignimbrite, Ito ignimbrite (bulk volume >450 km^3). Photo: David Lowe. (*Middle*) Small vulcanian eruption from active Showa crater (Minamidake crater), Sakurajima volcano, one of two witnessed on 12 May. Photo: David Lowe. (*Right*) Participants examining Holocene tephras and humic buried soil horizons at Tenjindan archaeological site of Joman era on Osumi Peninsula near Kagoshima Bay, southern Kyushu, on the mid-conference field trip (13 May). The bright yellowish-orange tephra about 1.2 m below the land surface is Kikai-Akahoya tephra aged ~7.3 cal ka. Artefact locations are marked with tags in the foreground (Moriwaki and Lowe, 2010). Photo: David Lowe.

The conference proceedings, published in *Quaternary International* and comprising a record 31 scientific papers (Lowe et al., 2011b), were dedicated to the memory of Shinji Nagaoka (Moriwaki et al., 2011a). Editor-in-chief for *Quaternary International* at the time, Norm Catto, described this QI volume as "outstanding" and "one of the most commonly downloaded through the Elsevier website" (Norm Catto personal communication, 2013). The volume paid specific tribute to the leading researcher of his generation in Japan, Hiroshi Machida. Of him, Suzuki et al. (2011, p. 6) stated: "Perhaps more than any other geoscientist from Japan, Hiroshi carried the insights and advances of tephra studies and their application in palaeoenvironmental and archaeological research, landscape processes, and volcanology and hazard analysis, to the outside world through a succession of papers and books written in English and through conference presentations". Machida followed initially in the large footprints of Kunio Kobayashi, who, as well as founding COT, had a similarly compelling, outward-looking role in the 1960s and early 1970s through his development of methods to characterize tephras both in the field and petrographically, and by publishing papers in English to widen their impact (e.g., Kobayashi and Shimuzu, 1962; Momose et al., 1968; Kobayashi, 1969, 1972). Kobayashi also encouraged scientists from countries other than Japan to become involved in promoting tephra studies, including through appointment to COT's executive committee (John Westgate personal communication, 2021).

3.10 Moieciu de Sus, Romania, 2018

There was an eight-year period before the next tephra meeting, the 'Tephra Hunt in Transylvania' conference held (under the auspices of INTAV) in the Cheile Gradistei Fundata Resort at Moieciu de Sus (near Braşov) set in the dramatic landscapes of the south Carpathian Mountains of Romania. Prior to this meeting, the INTAV committee members for some years had been working on holding a meeting in Chile and Argentina, but changes in circumstances for key personnel meant that it had to be shelved in 2016. The Transylvania meeting, with a theme of 'Crossing new frontiers', is the largest tephra meeting of the commission held thus far (Table 3): 92 participants from institutions in 21 countries attended, including 22 students (17 of whom were undertaking PhDs) (Lowe, 2018b). With nearly 100 attending, around double the number of countries normally represented, and the robust mix of senior, experienced, and emerging researchers, this meeting might be considered a 'coming of age' for INTAV. It included four days in the field – a one-day mid-conference trip that took in a memorable visit to Bran Castle and a three-day post-conference trip with 32 participants that ended in Bucharest – as well as a public lecture where the complex geological setting of the region was introduced by Ioan Seghedi. A workshop for several dozen participants on Bayesian age modelling was led by Maarten Blaauw (Fig. 9). Such workshops (on various topics) have been a feature of a number of tephra meetings, in some cases the main focus (e.g., Tokyo, 1993; Portland, 2014 and 2017).

Figure 9. (Upper) Participants of the Transylvanian 'Tephra Hunt' conference in the Perșani volcanic field on 26 June, 2018, in the southern Carpathians, Romania, during the mid-conference field trip (from Abbott et al. 2020a, p. 2). Photo: Pierre Oesterle. **(Lower)** (*Left*) A distal occurrence of Y5 tephra, about 0.6 m thick, associated with the Campanian Ignimbrite eruption c. 39–40 ka of the Campi Flegrei field (Italy), within loess on the Wallachian plains in southeast Romania near the Buzău River. Dan Veres is directly alongside the darker, slightly pinkish, fine-grained Y5 tephra deposit. Photo: David Lowe. (*Right*) Maarten Blaauw (far right) leading a Bayesian age-modelling workshop during the conference on 27 June, 2018. Photo: David Lowe.

Faithfully following the commission's enduring and important philosophy, only one session of oral papers was run during the Romanian conference (i.e., no parallel sessions were held) so that all participants could see all the talks and thereby support ECRs as well as taking in keynote and other oral presentations. In addition, the organisers placed equal value on poster papers, with all posters being displayed for the entirety of the conference, and they were featured in stand-alone poster presentation sessions. The special volume of ensuing papers, published as a double issue of the *Journal of Quaternary Science* (Abbott et al., 2020b), includes 27 scientific articles and is entitled 'Crossing new frontiers: extending tephrochronology as a global geoscientific research tool'. The volume was dedicated to the memory of Richard Payne (Abbott et al., 2020a; Bunting et al., 2020).

3.11 Other professional activities associated with COT

As well as the specialist tephra meetings described above, tephrochronologists of COT have been active since 1964 in convening and running tephra-focussed sessions or symposia, or leading field trips, in association with various commissions or full congresses of INQUA or IAVCEI (e.g., Smith, 1986; Eden and Furkert, 1988; Saito et al., 2016; Lane et al., 2017b; Hopkins et al., 2021a; Scott, 2021). Collaborative events have additionally been undertaken in conjunction with PAGES (Past Global Changes) (e.g., Hall and Alloway, 2004) or other organisations such as the International Geological Congress (IGC), the USA's National Science Foundation (NSF), the Geological Society, London, and the UK's Quaternary Research Association (QRA) (Appendix A).

COT members have also been heavily involved in a range of projects including the highly successful INTIMATE Project (which was launched for the North Atlantic region at the 1995 Berlin INQUA Congress) in which tephrochronology has played a pivotal role (e.g., Davies et al., 2002, 2012; Turney et al., 2004a, b; Alloway et al., 2007; Lowe et al., 2008b; Lowe et al., 2008; Moriwaki et al., 2011b; Barrell et al., 2013; Blockley et al., 2014). In addition, studies on tephras or cryptotephras have featured at numerous national or regional meetings or specialist workshops (e.g., Smalley, 1980; Howorth et al., 1981; Suzuki and Nakamura, 2005; Dugmore et al., 2011; Benediktsson et al., 2012b; Austin et al., 2014a). Some of these meetings were built around multi-disciplinary projects such as SMART (Synchronising Marine And ice-core Records using Tephrochronology), which was one of the first systematic projects investigating the cryptotephra record preserved within North Atlantic marine deposits (Austin et al., 2014b), and the RESET project (RESponse of humans to abrupt Environmental Transitions) (Lowe et al., 2015) (Appendix A).

4 Officers and membership, key events, and post-2007 funding

We describe here the leadership of the commission through its elected officers, and the commission's membership, through time. We cover the fortunes of the commission since the 1980s, including key events and protagonists (Sect. 4.3), before concluding with a discussion of funding and its expenditure when the commission operated as INTAV for 12 years from 2007.

4.1 Officers of COT and their roles

Until the Nagoya INQUA Congress in 2015, the commission committees (also called 'executives'; see also Sect. 4.2) usually comprised three officers elected to serve the needs of COT: a president, vice-president, and secretary (Table 4). A total of 29 people have filled the committee roles over the past 60 years, representing institutions in nine countries. Twenty-two of the officers have represented just four countries: UK (8 officers), New Zealand (5), USA (5), and Japan (4). Around half (14) of the officers have served eight years or more, the longest serving being Kunio Kobayashi (12 years), Takehiko Suzuki (12 years), and David Lowe (16 years, over two stints).

Table 4. List of officers of the commission since 1961.

Inter-congress period	Name[1]	President	Vice-president (VP)	VP	VP	Past–president (PP)	VP (ECR rep)
2019-on[2]	COT* (IAVCEI)	Britta Jensen (CA)[3]	Peter Abbott (CH)	Ian Matthews (UK)	Paul Albert (UK)	Takehiko Suzuki (JP)	Jenni Hopkins (NZ)
		President	**VP**	**VP**	**VP**	**PP**	
2015-2019	INTAV	Takehiko Suzuki (JP)	Britta Jensen (CA)	Peter Abbott (UK)	Victoria Smith (UK) + Siwan Davies (UK)	David Lowe[4] (NZ)	
		President	**VP**	**Secretary**			
2011-2015	INTAV	David Lowe (NZ)	Takehiko Suzuki (JP)	Victoria Smith (UK)			
2007-2011	INTAV	Siwan Davies (UK)	Phil Shane (NZ)	David Lowe (NZ)			
2003-2007	SCOTAV	Chris Turney (AU)	Siwan Davies (UK)	Brent Alloway (NZ)			
1999-2003	COTAV	Étienne Juvigné (BE)	Valerie Hall (UK)	Chris Turney (UK)			
1995-1999	COTAV/ COTS	James Begét（US）	Étienne Juvigné (BE)	Valerie Hall (UK)			
1991-1995	COT	Hiroshi Machida (JP)	James Begét (US)	David Lowe (NZ)			
1987-1991	ICCT	John Westgate (CA)	Hiroshi Machida (JP)	Paul van den Bogaard (DE)			
1982-1987	CEV (IAVCEI)	Bruce Houghton (NZ)[5] Colin Wilson (NZ) Grant Heiken (US)		Wolf Elston (US) Stephen Self (US)			
1977-1982	COT	Stephen Sparks (UK)[5]		Stephen Self (US)			
1973-1977	COT	Dragoslav Ninkovitch (US)	Yoshio Katsui (JP)	Colin Vucetich (NZ)			
1969-1973	COT	Kunio Kobayashi (JP)	(?) Sohei Kaizuka (JP)	John Westgate (CA)			
1965-1969	COT	Kunio Kobayashi (JP)[6]					
1961-1965	COT	Kunio Kobayashi (JP)[6]					

* For abbreviations see Table 2. Gaps indicate non appointment

[1] Affiliated with INQUA except where noted (with IAVCEI)

[2] Interim committee to support the transition to IAVCEI

[3] CA, Canada; NZ, New Zealand; JP, Japan; IS, Iceland; CH, Switzerland; BE, Belgium; DE, Germany; UK, United Kingdom; US, United States of America

[4] David Lowe has been effectively an 'emeritus advisor' to the committee since 2019

[5] IAVCEI commissions at this time comprised two officers. Sigurdur Thórarinsson held an honorary president role in COT from 1977–82 (Self and Sparks, 1981a; Elston and Heiken, 1984). Houghton and Wilson were joint leaders of CEV. Strictly, "COT" *per se* was defunct in this period 1982-87 but many members participated as tephrochronologists in CEV-related activities (e.g., volcanological congress in New Zealand, 1986), and so we include CEV for completeness.

[6] Up until 1969, the COT executive evidently comprised only a president

There has been ongoing support for COT through elected officers since the 1990s as new generations have emerged, including from the growing numbers of cryptotephra specialists. However, it must be said that to join the commission as an officer does entail dedication and, at times, intense bursts of work – such as developing, promoting, organising, and running specialist field conferences or the tephra symposia at the INQUA congresses. Within IAVCEI, it is an expectation that normally a meeting is held by commissions within each inter-congress period, i.e., roughly every four years. As well as organising these meetings, officers of the commissions have hosted business meetings for commission members, acquired funding (see below), developed and hosted websites, and, as editors, typically led the publication of articles following conferences in proceedings comprising collective issues of journals or books as negotiated with publishers.

In 2015, the INTAV committee was expanded to five officers: a president, an immediate past-president, and three vice-presidents (Table 4). Partly this move was recognition that in the age of the internet a secretarial role had become less pivotal, but the main reasons were to:

- enhance the general functioning capability of the committee to reflect a rapidly growing membership;
- to help spread the increasing load relating to the acquisition of funding and associated compliance;
- to develop extra capacity to cope with workload in the busy 2015–19 inter-congress period of simultaneously co-organising the tephra meeting in Romania (2018) and the multiple tephra sessions planned for the Dublin INQUA congress (2019);
- to provide editing support to the local organising committee to publish the 2018 conference-related special issue (Abbott et al., 2020b);
- to widen the geographic representation and to include more cryptotephra specialists;
- maintain experience while concomitantly encouraging ECR-members and improving gender balance.

4.2 Membership of COT

Until the early- to mid-2000s, membership of the commission under INQUA protocol was somewhat complex with several categories including officers, formal members, honorary members, and corresponding members, the last representing by far the bulk of the membership. Formal members, usually respected specialists (or allied practitioners, such as palynologists or volcanologists who applied tephrochronology closely to their research), were limited in number – for example, just six were listed for the 1965–69 period (Neustadt, 1969, p. 90), nine were elected at the Christchurch INQUA Congress in 1973 (Kaizuka, 1974, p. 80), and 15 formal members (with voting rights) are recorded, along with ~120 corresponding members, following the Berlin INQUA Congress in 1995 (Lowe, 1996a). (Honorary members are discussed below in Sect. 5.2.) Together the formal members and officers comprised the equivalent of a committee, but because most or all of the commission's work was undertaken by the officers, then the latter effectively became the 'executive' or 'executive committee'.

From around 2002, membership was simplified and email lists of members were developed, amalgamating formal and corresponding members into a single email group (see also Sect. 5.3). The process began with the advent of the 'TEPHRA' group of JISCMail (a national academic mailing list service in the UK) on 4 March, 2002, which was set up by Chris Turney (based in Queen's University, Belfast, at the time). The purpose was to facilitate discussion around tephra issues as cryptotephra-based research began expanding in the UK and beyond. Membership was then widened by Siwan Davies on 11 November, 2005, following a tephra workshop in Swansea in April, 2005, to include SCOTAV members globally, the aim being "to provide an important [international] forum for increased interaction and discussion amongst those involved with [all] tephra studies." Thus, JISCMail (Tephra) became the default membership list for SCOTAV and INTAV after 2007 (Lowe, 2008). When issues or queries required membership input or voting, members were notified via

JISCMail. Today, under IAVCEI rules, members must formally sign up to COT within IAVCEI, and pay a modest membership fee (which includes a reduced-fee option for ECRs).

4.3 Decline and rise of COT since the 1980s: key events and protagonists

COT transforms to CEV

After the 1980 Iceland meeting, the need for COT was questioned. Some considered that COT "had reached its goals of communicating the utility of tephrochronology and tephra studies to the scientific community" (chiefly with publication of Westgate and Gold, 1974, and Self and Sparks, 1981c) (Elston and Heiken, 1984). Realization that research on explosive volcanism was rapidly expanding at this time led the secretary of COT to propose (in December, 1982) that some members of the commission could serve as a nucleus for a proposed Working Group on Explosive Volcanism within IAVCEI. A proposal for such a group was submitted to the IAVCEI Secretariat at the International Union of Geodesy and Geophysics (IUGG) meeting in Hamburg in August, 1983. The IAVCEI Executive Committee officially approved adoption of the Working Group at the Hamburg meeting (Elston and Heiken, 1984; Schmincke, 1989, p. 234), and Grant Heiken was appointed president and Stephen Self secretary. Self was replaced in 1984 by Wolfgang ('Wolf') Elston. Sometime after, the Working Group was renamed the Commission on Explosive Volcanism (CEV). Bruce Houghton and Colin Wilson (co-leaders) led the CEV from 1986 following their pre-eminent roles in the highly successful IAVCEI International Volcanological Congress (centenary of 1886 Tarawera eruption) held in New Zealand in February, 1986 (Schmincke, 1989). Retirements or passing of some of the early protagonists of COT may have had an impact on this shift from INQUA to IAVCEI in the early 1980s. It seems possible also that the long hiatus since the first COT meeting in 1964 could have been another catalyst for change.

Renaissance from 1987

In 1987, however, at the INQUA Congress at Ottawa, some persons expressed the view that the needs of tephrochronologists were not being met under CEV of IAVCEI. It was decided to make a request to the INQUA Executive Committee for reinstatement of COT. John Westgate convened a meeting at the conclusion of a tephra symposium in Ottawa and prepared a document justifying this aim. He presented it to the INQUA Executive Committee the next day. The executive decided to reinstate this group but under the title 'Inter-Congress Committee on Tephrochronology' (ICCT). There would be a trial period of inter-congress length and a decision to elevate to a full commission would be made at the next INQUA Congress. Looking back, it might seem this 'trial' was a bit harsh, but a more objective view is that COT's first quarter of a century might be characterized as somewhat below par with only two field meetings (1964, 1980), albeit tempered with a strong presence by COT at the INQUA Congress in Christchurch (1973) and publication of both Westgate and Gold (1974) and Self and Sparks (1981c). In any event, the formation of ICCT in 1987 can be seen as a turning point for COT: the election of a full complement of officers in 1987 under Westgate's leadership, the successful tephra meeting in Mammoth in 1990, and the subsequent volume of ensuing papers (including the new tephra characterization protocols of Froggatt, 1992) edited by Westgate et al. (1992b), collectively demonstrated a renewed and strong commitment by ICCT and enabled COT to be restored as a formal commission of INQUA in Beijing in 1991 (Lowe, 1996a).

Growth from 1990s: emergence of modern cryptotephra studies and new techniques

The momentum was maintained with the PAGES-COT 'Climatic impact of volcanism' meeting held in Japan in December, 1993, the triple-discipline meeting held only a few months later in New Zealand in February, 1994, and the meeting held in France in July-August, 1998 (Table 3). Membership by this time was strong, exceeding 100 (Lowe, 1996a). At the same time, cryptotephra studies of the modern era, as noted earlier, were advancing at pace (e.g., Pilcher and Hall, 1992, 1996; Merkt et al., 1993; van den Bogaard et al., 1994; Pilcher et al., 1995; Dugmore et al., 1996) and so a new cohort of graduate students, working on cryptotephras, was training in parallel to the more traditional graduates developing skills and expertise relating to visible tephras and associated proximal deposits in volcanically active countries (Froese et al., 2008a). It is also noteworthy that, following on from Froggatt's (1992) recommendations, John Hunt and Peter Hill undertook in the 1990s the first interlaboratory comparison exercise involving EPMA, targeting data quality, testing glass standards (including Lipari obsidian), and evaluating reproducibility (Hunt and Hill, 1993, 1996, 2001; Hunt et al., 1998).

The 2010 Active Tephra meeting in Kirishima, Japan, may be viewed as another turning point for COT, described as a 'step-change' by Lowe et al. (2011a), because by then, or soon after, many cryptotephra specialists were graduating, some taking up research and/or lecturing positions, and therefore helping to develop new directions for research including in the marine environment and in ice cores. Thus an increasingly global outlook for tephrochronology (*sensu lato*) began to accelerate from around that time (Riede and Thastrup, 2013; Smith et al., 2013; Davies et al., 2014; Davies, 2015; Ponomareva et al., 2015; Lane et al., 2017a).

We mentioned earlier that new dating techniques were reported at the 1990 Mammoth meeting, and also Bayesian age modelling was featured at the 2010 Kirishima meeting (built around ever-improving ^{14}C-calibration curves and other age-related data, most recently including zircon double dating). These techniques, alongside improving and new analytical techniques for glass shards, especially involving EPMA and LA-ICP-MS that were developing through the 1990s and the 2000s, provided further drive to enable tephra and cryptotephra studies to flourish (e.g., Bitschene and Schmincke, 1990; Westgate et al., 1994; Hunt et al., 1998; Pearce et al., 1999, 2007, 2011, 2014; Platz et al., 2007; Kuehn et al., 2011; Hayward, 2012; Pearce, 2014; Tomlinson et al., 2015; Danišík et al., 2017, 2020). In particular, the need to date glass shards in distal or ultra-distal settings, where inappropriate or no mineral grains were present, helped lead to the development of the ITPFT method (Westgate, 1989). Moreover, the requirement to be able to analyse very small glass shards accurately (such as fine-grained glass in ultra-distal deposits in ice cores, lacustrine, or marine sediments) led to the development of improved probe and LA-ICP-MS methods in cryptotephra studies (Hayward, 2012; Alloway et al., 2013; Lowe et al., 2017a).

Thus by the time the most recent commission-related meetings were held in 2015 (Nagoya, Japan), 2017 (Portland, USA), 2018 (Moieciu de Sus, Romania), and 2019 (Dublin, Ireland), the contributions of participants in the discipline were wide ranging and detailed, i.e., the new research had both breadth and depth. An informal survey undertaken of commission members in 2017 (as part of an EXTRAS funding application to INQUA) showed that ECRs and PhD students made up a healthy 39% of respondents, balanced by 53% of established or senior scientists (along with 8% of researchers associated with developing countries). Creditably, female tephrochronologists amounted to 39% of respondents at that time (cf. male 61%). We speculate that this gender imbalance may have tilted further towards an even more equitable status since the survey in 2017.

4.4 Funding acquired by INTAV since 2007 and its expenditure

The commission officers have always had to bid for funding, primarily from INQUA and also from PAGES. Funding and in-kind support have also been acquired from numerous geo-institutes, scientific societies, universities, city councils, and private companies relating to the hosting of events in various cities and countries. These funds have been used to support specialist meetings and/or for publishing special COT-endorsed volumes, such as Westgate and Gold (1974), or conference proceedings such as Juvigné and Raynal (2001b). Since 2007 (earlier records of funding are not available), support from INQUA, especially through successive presidents of SACCOM until 2018, has been greatly appreciated. In particular, financial support, amounting to around €35,000 in total from 2009–2018, mainly helped ECRs attend the international field conferences and specialist (tephra skills) workshops as follows:

- full tephra field meeting in Kirishima, Japan, in May, 2010 (supported also by PAGES: Lowe, 2011b);
- Bayesian age-modelling workshop in San Miguel de Allende, Mexico, led by Maarten Blaauw in August, 2010 (supported also by PAGES: Blaauw et al., 2011);
- INTAV/TIQS Tephra in Quaternary Science workshop on the Eyjafjallajökull eruption of Iceland in Edinburgh, UK, led by Andrew Dugmore in May, 2011 (Dugmore et al., 2011);
- two tephra workshops in Portland, USA, in August, 2014, and August, 2017 (Kuehn et al., 2014; Bursik et al., 2017) (https://vhub.org/search/?terms=tephra+workshops) (see Sect. 6.1 below);
- full tephra field meeting in Moieciu de Sus, Romania, in June-July, 2018 (Karátson et al., 2018).

5 Aims of COT, life membership awards, and communication

In this section, we firstly outline and compare the aims of COT and how they have changed (or not) since the commission's founding. We then describe the circumstances around the development of the commission's honorary life membership awards. Finally, we outline how the commission has kept in touch with members.

5.1 Aims of COT past and present

Prior to the 1961 Warsaw INQUA Congress, Kunio Kobayashi's pre-congress proposal for a COT included several broad aims, namely to develop tephrochronology and apply it to Quaternary research, and to meet to report and discuss findings from different countries (as noted in Sect. 2.1). After the Warsaw conference, he expanded on these aims. Key aspects were to advance the principles of tephrochronology as well as methodology, to develop a global inventory (with regional maps) of the distribution of tephras including in ocean sediments, and to determine the numerical ages of tephras (Neustadt, 1969, p. 90). It is of interest that Kobayashi (1965, p. 786), after discussions in person with Prof. Josef Frechen, a tephrochronologist in Germany, compiled a list with several more potential objectives, some presciently, including:

- study of widely distributed tephra deposits, such as thin ash layers in the Greenland ice sheet and in marine sediments, derived from very explosive, large-volume eruptions;
- developing microscopic methods to try to recognise the existence of tephra materials "even if they are in least [sparse] amounts";
- developing diagnostic petrographic and palaeomagnetic features on lavas to provide a basis for correlating related (co-magmatic) tephras;
- undertaking weathering studies on glass and associated clay minerals and hence evaluating potential environments during and since deposition;
- holding regular workshops/conferences to discuss ideas and compare findings.

Although the aim of COT can now be expanded to include a re-awakened focus on volcanic studies, the means to achieve this aim broadly remain the same. However, the application of tephrostratigraphy to inform volcanological studies, recently emphasised by Cashman and Rust (2020), has remained an important focus in recently active volcanic countries such as New Zealand (e.g., Lowe, 1988; Newnham et al., 1999; Lowe et al., 2002; Smith et al., 2005; Hopkins et al., 2021a), Iceland (e.g., Thórarinsson, 1979; Pilcher et al., 1995; Thordarson and Höskuldsson, 2008; Óladóttir et al., 2012), Indonesia (Pearce et al., 2020), Chile (Romero et al., 2021), USA (Crandell and Mullineaux, 1978; Heiken and Wohletz, 1987; Begét et al., 1994; Waitt and Begét, 2009; Cassidy et al., 2014), Japan (Machida, 1991, 1999, 2002; Tatsumi and Suzuki-Kamata, 2014; Schindlbeck et al., 2018), and Italy (e.g., Wulf et al., 2018; Leicher et al., 2021).

In general terms, the aim is to improve or develop new methods and protocols of tephrochronology (spanning field, analytical, geochronological, remote sensing, and digital/internet realms) to support and facilitate wide-ranging Quaternary research initiatives ranging from paleoenvironmental reconstruction to geomorphology, archaeology, and paleoanthropology, as well as wide geochronological and volcanological applications. In addition, enhancing the global capability of tephrochronology for future research by training and mentoring emerging researchers remains paramount within the aims of the modern-day COT (Lowe et al., 2018). Centred around the concept of process-response systems, Paredes-Marino et al. (2022) provided a number of additional future challenges involving tephra studies, including characterization of freshly-fallen deposits to aid construction of enhanced ash-dispersion and ash-depositional models and hence improve volcanic hazard analysis and its communication. Engagement with citizen scientists was also emphasised because it potentially helps build community understanding and resilience through education.

The seven objectives of the (completed) EXTRAS project provide a useful summary of the current major aims of COT in greater detail. We have expanded them to some extent as new ideas and research directions have arisen, and added a new objective – number 5 listed below – along with some relevant supporting references for it. The aims are to:

1. evaluate and apply new and emerging technologies to identify and map proximal-to-distal, and ultra-distal, tephra and cryptotephra deposits, and to establish their spatial and stratigraphic interrelationships to facilitate their use as chronostratigraphic units (including within loess, ice, speleothems, and other sedimentary deposits, and in soils and paleosols) and as a basis for documenting and enhancing volcanic eruption histories (including through stratigraphic interfingering of tephra deposits from difference volcanoes);
2. develop and evaluate new and emerging methods to characterize tephra and cryptotephra constituents mineralogically and geochemically (including isotopically) using formalised protocols that enhance data quality, quantity, and accessibility;
3. develop improved age models for tephra and cryptotephra deposits, including via Bayesian age modelling and wiggle-matching, and hence improve existing age models for key volcanic, palaeoclimatic, archaeological, sedimentary and other sequences using tephras and cryptotephras as appropriate;
4. evaluate and develop objective ways of correlating tephra and cryptotephra deposits from place to place including using statistical techniques and numerical measures of probability of correlation or not;
5. recognise and map 'transformed' tephra deposits (i.e., that have undergone morphological changes such as reworking, dislocation, or bioturbation) and hence evaluate new ways of reconstructing past environments using information provided by such transformations (e.g., Dugmore and Newton, 2012; Cutler et al., 2016, 2020; Blong et al., 2017; Dugmore et al., 2020; Thompson et al., 2021);
6. develop regional and ultimately global databases of high-quality mineral, geochemical, and other data (stratigraphic, chronologic, spatial, bibliometric) pertaining to tephra and cryptotephra deposits, and which are universally accessible (see Sect. 6.1 below);

7. maintain and enhance the global capability of tephrochronology for future research by supporting emerging researchers (ECRs) in the discipline through mentoring and training and in various other ways;
8. improve education to the wider community (outreach) about tephrochronology, its history, and its application and relevance to society, including through engagement with citizen scientists.

5.2 Life membership awards

During the ICCT period (1987–1991), one of the initiatives was to recognize more clearly those individuals who had made exceptional contributions to the discipline of tephrochronology. Ray Wilcox was the first member so elected at this time, along with Colin Vucetich soon after, both being recorded as 'honorary members' in 1991 (Lowe, 1996a). A simplification of membership categories in the early 2000s (Sect. 4.2) then led to the development of the 'honorary life member' award (replacing 'honorary member'). With Ray Wilcox and Colin Vucetich already acknowledged as (re-named) 'honorary life members', another 13 recipients have been awarded life membership since 2007, all under INTAV (Table 5). The 15 honorary life members in total represent institutions in eight countries.

Table 5. Honorary life members of the commission, their country of origin, and the year of award

Siwan Davies (UK) – 2019
Guðrún Larsen (Iceland) – 2018
David Lowe (New Zealand) – 2018
James Begét (USA) – 2015
Hiroshi Moriwaki (Japan) – 2015
Andrew Dugmore (UK) – 2014
Vera Ponomareva (Russia) – 2014
Valerie Hall (UK) (1946-2016) – 2011
John Hunt (UK) – 2011
Étienne Juvigné (Belgium) – 2007
Hiroshi Machida (Japan) – 2007
Andrei Sarna-Wojcicki (USA) – 2007
John Westgate (Canada) – 2007
Colin Vucetich (New Zealand) (1918-2007) – 1991
Ray Wilcox (USA) (1912-2012) – 1991

For the record, the life membership certificate (Fig. 10), designed by Betty-Ann Kamp, shows a schematic eruption plume representation based on the eruption of Mt Ruapehu stratovolcano (New Zealand) around 1230 h on 18 June, 1996 (photo in Lowe, 2011a, p. 108).



Figure 10 (Left). Example of a life member certificate of INTAV. **(Right)** (*Upper*) Special cake and unique certificate prepared for the 'Tephra Hunt' conference dinner (27 June, 2018) to commemorate the 50th anniversary of the publication of John Westgate's pioneering paper on EPMA analysis of glass shards (Smith and Westgate, 1969). From left, Takehiko Suzuki, Cora and John Westgate, Britta Jensen, Peter Abbott, and David Lowe. Photo: anonymous. (*Lower*) Close-up view of the commemorative certificate presented to John Westgate. The scanning electron microscope images of glass shards (provided by Britta Jensen) represent the North American tephras that Westgate analysed in undertaking this seminal research (see Froese et al., 2008b). Photo: David Lowe.

5.3 Communicating within COT and beyond

Communication amongst members was originally by irregular newsletter, the most recent paper copies being those physically posted between 1991 and 1994 (Machida and, Lowe 1991; Lowe, 1992, 1994a). As described earlier in Sect. 4.2 on membership, the 'TEPHRA' group of JISCMail (https://www.jiscmail.ac.uk/cgi-bin/webadmin?A0=TEPHRA) was initiated ~20 years ago by Chris Turney in 2002 and then broadened to global coverage by Siwan Davies in 2005 "for increased interaction and discussion amongst those involved with tephra studies." That development, significantly, sparked a furious discussion about the term 'microtephra' versus 'cryptotephra', kicked off by comments from John Lowe on 13 November, 2005. This email system is still being used today by members of COT (e.g., for advertising PhD scholarships, forthcoming meetings or online workshops, etc.). The archives have in fact been extraordinarily helpful in allowing us to provide some dates for events, names of people, etc., otherwise almost certainly lost forever.

JISCMail TEPHRA works alongside a Facebook page (https://www.facebook.com/IAVCEICOT/) that was set up by Peter Abbott on 19 August, 2015 (following discussion at the Nagoya INQUA Congress earlier that month), and a Twitter feed (https://twitter.com/IAVCEI_COT). A tephrochronology website has been in place since about 2002 (under SCOTAV), originally being established by Chris Turney (whilst at Queen's University, Belfast, UK) and then hosted by Brent Alloway (GNS Science, New Zealand). It was subsequently hosted by Phil Shane (University of Auckland) from September 2008 to November 2011 (under INTAV), then by Victoria Smith (University of Oxford) until March 2017, and by Takehiko Suzuki (Tokyo Metropolitan University) from March 2017 until 2021. A new COT website, to be hosted by IAVCEI (cot.iavceivolcano.org), is being developed and is to be launched in the near future.

6 Legacies and future of COT

Key legacies from the pre-2019 commission that will be continued by the current COT include the organisation of regular stand-alone international tephra conferences – approximately every four years – that combine conference and field elements, together with workshops or online meetings or webinars on specific topics and/or the development of certain skills. In addition, COT will continue convening sessions/symposia at large-scale meetings, such as the IAVCEI scientific assemblies (e.g., tephra skills workshop held in Portland in 2017) and INQUA congresses (e.g., two sessions on tephra studies were held in Dublin in 2019, together generating the largest number of papers of any group at that congress: Fig. 11), supporting smaller (niche) meetings, workshops, and webinars, and reporting the results of tephrochronological studies in special issues of journals or books or specialist interactive websites. In total, two books and ten tephra volumes encompassing six different journals (Footnote, Table 3), special workshop and other reports, abstract volumes, and field-trip guidebooks (etc.), have been published by commission officers and others as a written legacy that has arisen mainly from international or national tephra conferences.

Commission-supported or endorsed methodological research projects, such as those conducted by Froggatt (1992), Hunt and Hill (1996), Suzuki (1996), Hunt et al. (1998), Turney et al. (2004b), Kuehn et al. (2011), Pearce et al. (2014), and Suzuki et al. (2014), remain a high priority and COT will continue to provide support or endorsement for tephra-focused projects that require input from the geoscience community. Three projects currently being undertaken with the endorsement of COT are described in the following sections.

Figure 11. (Upper) (*Left*) Large audiences, reflecting the new vibrancy of INTAV/COT as an important global discipline, were a feature of the two tephra sessions at the Dublin INQUA Congress in July, 2019. Photo: David Lowe. (*Right*) Takehiko Suzuki (INTAV president) presenting Siwan Davies with honorary life membership. **(Lower)** (*Left*) INTAV's last executive committee (2015–2019), photographed on 30 July, 2019, during the INTAV business meeting at the Dublin congress. From left, Peter Abbott, Siwan Davies (seconded to committee in August 2017), Britta Jensen, Victoria Smith (who resigned in February 2017 after ~5 years of service), Takehiko Suzuki, and David Lowe. Photo: anonymous. (*Right*) Tephrochronologists and volcanologists enjoying the special tephra dinner in Dublin, 2019. Photo: David Lowe.

6.1 Development of best practices protocols and databases

This project, examining all aspects of tephra studies, began in 2014 (Kuehn et al., 2014). Initially led by Steve Kuehn, Marcus Bursik, Solène Pouget, Kristi Wallace, and Andrei Kurbatov, many others have now been involved in the project as well. Best practices recommendation spreadsheets were updated in 2021 to version 3 (Abbott et al., 2021), and a manuscript which describes them has been revised and re-submitted for publication (Wallace et al., in review). Since mid-2020, there is support for tephra in the StraboSpot field app (https://strabospot.org) and a tephra-specific help file (https://strabospot.org/files/StraboSpotTephraHelp.pdf). Staff of the Alaska Volcano Observatory of US Geological Survey have used the protocols now for two field seasons. A new tephra community portal was developed in 2021 in collaboration with the EarthChem data repository (https://earthchem.org/communities/tephra/), and this has templates for submitting information on samples, analytical method, and geochemical data. Recently updated examples of a 'best practice dataset', based on (i) Summer Lake and (ii) June Lake tephras and their analyses, are available at Kuehn and Hostetler (2020) and Kuehn and Lyon (2020), respectively (see also Kuehn et al., 2021; Wallace et al., 2021). Steve Kuehn has 22 electron microprobe analysis method descriptors published with DOIs at EarthChem as the first of their kind using the new method-reporting format (Kuehn, 2021a, b).

Within the project, the further development of regional, thence global, databases is a priority because incomplete data are tending to limit correlation efficacy, especially as 'exotic' cryptotephras are now being increasingly discovered many thousands of kilometres away from source as ultra-distal deposits (e.g., Lane et al., 2017a; Lowe et al., 2017a; van der Bilt et al., 2017; Abbott et al., 2020a; Jensen et al., 2021; Krüger and van den Bogaard, 2021). The growing need for developing modern tephra databases was emphasised in discussions on JISCMail in 2006 that included contemporary comments from Chris Turney and Simon Blockley. However, it is notable that 'Tephrabase', first made available in June, 1995, represents one of the earliest scientific databases to be made available on the internet (Newton et al., 1997, 2007) (see https://www.tephrabase.org/). Some further examples of databases of various types include those of Machida and Okumura (1996), Larsen and Eiríksson (2008), Preece et al. (2011), Riede et al. (2011), Crosweller et al. (2012), Bronk Ramsey et al. (2015b), Gudmundsdóttir et al. (2016), Cameron et al. (2019), Meara et al. (2020), Nakanishi et al. (2020), Portnyagin et al. (2020), Hopkins et al. (2021b), and Van Hazinga et al. (2021). Progress in connecting such databases to larger, more comprehensive setups is exemplified in New Zealand by the availability of analytical and other data in Hopkins et al. (2021b): data are provided as Excel files in open access supplementary materials, in GNS Science's national database, Pet Lab (https://pet.gns.cri.nz), and also as a file submission on EarthChem (Hopkins et al., 2020).

The best practices group has taken things even further towards a global or 'next generation' system using both SESAR (www.geosamples.org) to generate unique, persistent global digital indices (IGSNs) for tephra samples, and EarthChem (https://earthchem.org/) on the tephra portal (noted above). SESAR provides access to IGSNs for samples, specimens, and related sampling features from the natural environment (https://www.igsn.org/). Registration with IGSN allows samples to be unambiguously cited and linked to data and publications, and tracked through labs and repositories, making samples 'findable, accessible, interoperable, and reusable' (FAIR). SESAR develops and operates digital tools and infrastructure for researchers, institutions, and sample facilities to store and openly share information about their samples. IGSNs can resister field sites and cores as well as samples. In the longer term, the vision is for everything to be connected. Hence, someone in the near future could undertake a geochemical search and, from there, find all related data and information from the labs for potentially correlative samples, all of the related publications, the researchers who did the work, and any other aspects including the original field sites (Steve Kuehn personal communication, 2021). Most recently, a best practices 'Tephra fusion webinar' was held over four sessions in February and March 2022 (https://tephrochronology.org/cot/Tephra2022/#).

6.2 Microbeam trace-element characterization of new tephra glass reference material

Led by Nick Pearce, John Westgate, and Brent Alloway, this project builds on relatively recent progress in the development of analytical protocols for analysing tephra- or cryptotephra-derived glass shards (especially fine-grained shards), as undertaken (for example) by Morgan and London (2005), Kuehn and Froese (2010), Kuehn et al. (2011), Hayward (2012), Hall and Hayward (2014), Pearce et al. (2014), Iverson et al. (2017), and Lowe et al. (2017a). The project involves analyzing trace elements and isotopes in glass shards from four carefully selected tephra-derived glass samples (A–D) using a range of analytical techniques including LA-ICP-MS, ion probe, isotopic analyses, mini-bulk methods, etc. More than 30 analytical labs are involved in the project. Samples A, B, and D are rhyolitic and sample D is phonolitic in composition. Pearce, Westgate, and Alloway checked the homogeneity of the trace-element compositions by LA-ICP-MS and ion probe analyses on multiple individual shards in each of the samples. They found that samples B, C, and D are homogeneous at the precision of the methods employed. However, sample A shows two populations (approximately 2/3 and 1/3 of the shards) based on trace-element analyses, each population having a quite tight compositional range and most easily separable by Ba content (Nick Pearce personal communication, 2019, via the project's "Second Circular"). Having the two compositional populations does not obviate its use as a reference glass. Rather, it emphasises the requirement to undertake analyses of a sufficient number of shards to accurately represent all the different populations potentially in a glass-shard sample.

Splits of the precious glass separates A–D were dispatched to participating laboratories in December, 2018, along with details about sample preparation and major element compositions. Templates for reporting analyses were provided in mid-April, 2019. Further development of the project has been curtailed somewhat because of COVID-19, but we anticipate that a full analysis of the findings will be developed, together with recommended analytical protocols, and presented in due course.

6.3 VOLCORE

Another recent development from the volcanological community is the comprehensive VOLCORE (Volcanic Core Records) database (Mahony et al., 2020). Although not strictly a COT initiative, it is nonetheless a very important advance for tephrochronologists and volcanologists alike, hence we document it here. VOLCORE comprises a collection of 34,696 visible tephra (volcanic ash and lithological or grain size variations) occurrences reported in the initial reports volumes of all of the Deep Sea Drilling Project (DSDP; 1966–1983), the Ocean Drilling Program (ODP; 1983–2003), the Integrated Ocean Drilling Program (IODP; 2003–2013), and the International Ocean Discovery Program (IODP; 2013–present) up to and including IODP Expedition 381. Data include the depth below sea floor, tephra thickness, location, and any reported comments. The authors report that an approximate age was estimated for most (29,493) of the tephra layers using published age-depth models, and that VOLCORE can be used as a starting point for studies of tephrochronology, volcanology, geochemistry, sediment transport, and palaeoclimatology (Mahony et al., 2020). No equivalent database is yet available for records of tephra and/or volcanic signals in ice cores.

7 Summary and conclusions

Although modern tephra studies effectively began globally in the 1920s, albeit in a limited way (Thórarinsson, 1981), and the terms 'tephra' and 'tephrochronology' were resurrected and coined, respectively, by Thórarinsson in 1944, the advent of an omnifarious group catering for tephrochronologists globally did not exist until 7 September, 1961. On that day, the Commission on Tephrochronology was born within INQUA, thanks largely to the very substantial efforts of Kunio Kobayashi, along with those of Sohei Kaizuka and Masao Minato, backed by the National Committee of Quaternary Research of Japan, and various supporters including Thórarinsson and others. In this article we have traced COT's development, including both waxing and waning phases, and its zig-zagging trajectory from one host organization (INQUA) to the other (IAVCEI), over the past 60 years. We have evaluated the commission's role in stimulating and supporting global tephra studies, our main aim being to inspire new generations of tephrochronologists by preserving, documenting, and commenting on important historical events and leadership relating to the discipline. We additionally felt a substantial obligation to inform succeeding generations because many of the commission members, especially ECRs, have shown a strong commitment for COT's continuation as a vigorous stand-alone international research group. Consequently, paraphrasing the concluding words of MacCracken and Volkert (2019, p. 135), we hope that our review has made a substantial contribution "to a common memory and tradition into the future about [the] personalities and groupings" that have responded scientifically to the numerous challenges involving tephrochronology and its application during the past 60 years (and earlier).

A critical turning point in COT's flagging fortunes is identified as taking place in 1987, after which the commission began to flourish, especially in the 1990s and subsequently. The 'Active Tephra' meeting in southern Japan in 2010 was another key point in COT's development, as new dating methods and analytical techniques were being developed, or had been achieved, and many of the ECRs (including students) from around that time started to become – or had become – leaders in the discipline. Now with strong numbers of members globally and expertise encompassing a much wider range of countries than previously, and a high proportion of ECRs working alongside a mix of experienced mid-career and senior practitioners, the commission might be seen as attaining close to its full potential as a global discipline in the past decade, most notably expressed in the three meetings held from 2017 to 2019. Good (2000, p. 260) defined 'disciplines' philosophically as 'ever-changing frameworks within which scientific activity is organised', the 'degree of consensus' with respect to conceptual, methodological, institutional, and social questions being the key to a discipline achieving 'an identity'. Such an identity we would argue has been attained for tephrochronology: support for tephrochronology and its application has never been stronger. For example, around 235 participants took part in the first workshop of the ‘Best practices: tephra fusion webinar’ held on 10 February, 2022, and the COT Facebook site at the same time had recorded around 300 ‘likes’. Renewed linkages with the volcanological community – unequivocal now that IAVCEI is the commission’s sponsor – alongside the Quaternary paleoenvironmental, archaeological, geochronological, and other communities, are also expanding.

We have documented and illustrated the nine inter-INQUA specialist tephra field meetings, each averaging nearly 60 participants, which have taken place in seven different countries, along with other activities including the key involvement of tephrochronologists in international projects such as INTIMATE, RESET, or SMART, the organisation of tephra sessions or symposia at full congresses of INQUA, or in conjunction with its various commissions (e.g., Loess, Palaeoclimate, or Paleopedology commissions), and specialist workshops facilitated and/or run by COT in person or online. We have also explained some of the tephrochronological advances that occurred alongside or in conjunction with COT’s development, and listed the commission’s outputs of highly-cited tephra-focussed journal volumes or books (12 in all) or specialist websites. The commission has been led by 29 officers in total, representing nine countries, and many have served eight years or more on COT. Fifteen recipients representing eight countries have been awarded honorary life membership of the commission.

It is somewhat ironical that at recent meetings a majority (or close to it) of participants has comprised those studying cryptototephras in countries without active, or even recently active, volcanism. Nevertheless, the continuing rise and impact of research by members of COT, both in volcanic and non-volcanic countries, including increasing proportions of ECRs and female tephrochronologists, ensure an exciting, enlightened, and, perhaps equally importantly, collegial and warm-hearted future for all tephrochronologists in continuing to advance the ever-changing frameworks forming the discipline.

Author contributions. DJL and PMA wrote the initial draft with support from TS and BJLJ who contributed valuable information and editing. All authors contributed to the final paper.

Competing interests. The authors declare that there is no conflict of interest.

Acknowledgments. We are very grateful to John Westgate, Vince Neall, Steve Kuehn, Hiroshi Machida, Jim Cole, Colin Wilson, Marcus Bursik, Paul van den Bogaard, John Hunt, Steve Self, Sir Stephen (Steve) Sparks, Nick Pearce, Hans-Ulrich Schmincke, Jean-Paul Raynal, Bruce Houghton, Mizuo Machida, Étienne Juvigné, Stefan Wastegård, Christel van den Bogaard, Matt McGlone, Bob Walter, Paul Froggatt, Siwan Davies, Norm Catto, Cora Van Hazinga, Andrei Kurbatov, and (the late) Malcolm Buck, together with librarian, Maria McGuire, and linguist Ray Harlow (University of Waikato), for comments and for their help in this compilation. We especially thank reviewer Ray Cas, and a second (anonymous) reviewer, whose useful comments and suggestions helped us to markedly improve the article. We appreciated very much the helpful editorial suggestions of topical editor, Hans Volkert, and the assistance of HGSS editorial-support staff. Betty-

Ann Kamp is also thanked for her cartographic work for INTAV. We acknowledge and thank many others who have helped with COT and its development and activities and associated scientific advances over the past 60 years, and for the wonderful attendant companionship enjoyed by participants in the commission's activities. Lowe acknowledges support from MBIE Endeavour Fund Smart Ideas (grant UOWX1903) and Marsden Fund Te Pūta Rangahau a Marsden (grant UOW1902) in preparing this article. The paper is an output of the Commission on Tephrochronology of the International Association of Volcanism and Chemistry of the Earth's Interior (IAVCEI).

References

Abbott, P.M. and Davies, S.M.: Volcanism and the Greenland ice-cores: the tephra record. Earth-Science Reviews 115, 173–191, 2012.

Abbott, P.M., Griggs, A.J., Bourne, A.J., and Davies, S.M.: Tracing marine cryptotephras in the North Atlantic during the last glacial period: protocols for identification, characterisation and evaluating depositional controls. Marine Geology 401, 81–97, 2018a.

Abbott, P.M., Griggs, A.J., Bourne, A., Chapman, M.R., and Davies, S.: Tracing marine cryptotephras in the North Atlantic during the last glacial period: improving the North Atlantic marine tephra framework. Quaternary Science Reviews 189, 169–186, 2018b

Abbott, P.M., Jensen, B.J.L., Lowe, D.J., Suzuki, T., and Veres, D.: Crossing new frontiers: extending tephrochronology as a global geoscientific research tool. Journal of Quaternary Science 35 (1-2), 1–8, 2020a.

Abbott, P.M., Jensen, B.J.L., Lowe, D.J., Suzuki, T., and Veres, D. (editors): Tephrochronology as a global geoscientific research tool. Journal of Quaternary Science 35 (1/2), 1–379, 2020b.

Abbott, P., Bonadonna, C., Bursik, M., Cashman, K., Davies, S., Jensen, B., Kuehn, S., Kurbatov, A., Lane, C., Plunkett, G., Smith, V., Thomlinson, E., Thordarsson, T., Walker, J.D., and Wallace, K.: Best practice templates for tephra collection, analysis, and correlation (Version 3.0.0) [Data set]. Zenodo, http://doi.org/10.5281/zenodo.3866266, 2021.

Albert, P.G., Smith, V.C., Suzuki, T., McLean, D., Tomlinson, E.L., Miyabuchi, Y., Kitaba, I., Mark, D.F., Moriwaki, H., SG06 Project Members, and Nakagawa, T.: Geochemical characterisation of the Late Quaternary widespread Japanese tephrostratigraphic markers and correlations to the Lake Suigetsu sedimentary archive (SG06 core). Quaternary Geochronology 52, 103–131, 2019.

Alloway, B.V., Lowe, D.J., Barrell, D.J.A., Newnham, R.M., Almond, P.C., Augustinus, P.C., Bertler, N.A., Carter, L., Litchfield, N.J., McGlone, M.S., Shulmeister, J., Vandergoes, M.J., Williams, P.W., and NZ-INTIMATE members.: Towards a climate event stratigraphy for New Zealand over the past 30,000 years (NZ-INTIMATE project). Journal of Quaternary Science 22, 9–35, 2007.

Alloway, B.V., Froese, D.G., and Westgate, J.A.: Proceedings of the International Field Conference and Workshop of Tephrochronology and Volcanism: Dawson City, Yukon Territory, Canada (31 July–8 August 2005). Institute of Geological and Nuclear Sciences Science Report 2005/22. 69 pp, 2005.

Alloway, B.V., Lowe, D.J., Larsen, G., Shane, P.A.R., and Westgate, J.A.: Tephrochronology, in The Encyclopaedia of Quaternary Science, 2nd edition, edited by Elias, S.A., Mock, C.J., Elsevier, Amsterdam, 4, 277–304, 2013.

Ashworth, A. 2018. INQUA president's report. Quaternary Perspectives 25 (1), 1–2.

Auer, V.: The Pleistocene of Fuego-Patagonia. Part IV: bog profiles. Annales Academiae Scientiarum Fennicae, Series A, III. Geological-Geographica 80, 1–160, 1965.

Auer, V.: Tephrochronology in Tierra del Fuego and Patagonia, in The isorhythmicity subsequent to the Fuego-Patagonian and Fennoscandian ocean level transgressions and regressions of the latest glaciation – the significance of tephrochronology, C-14 dating and micropaleontology for Quaternary research. Annales Academiae Scientiarum Fennicae, Series A, III. Geological-Geographica 115, 5–32, 1974.

Austin, W.E.N., Abbott, P.M., Davies, S.M., Pearce, N.J.G., and Wastegård, S. (editors): Marine tephrochronology: an introduction to tracing time in the ocean. Geological Society, London, Special Publication 398, 1–6, 2014a.

Austin, W.E.N., Abbott, P.M., Davies, S.M., Pearce, N.J.G., and Wastegård, S. (editors): Marine tephrochronology. Geological Society, London, Special Publication 398, 1–213, 2014b.

Barrell, D.J.A., Almond, P.C., Vandergoes, M.J., Lowe, D.J., Newnham, R.M., and NZ-INTIMATE members: A composite pollen-based stratotype for inter-regional evaluation of climatic events in New Zealand over the past 30,000 years (NZ-INTIMATE project). Quaternary Science Reviews 74, 4–20, 2013.

Barton, R.N.E., Lane, C.S., Albert, P.G., White, D., Collcutt, S.N., Bouzouggar, A., Ditchfield, P., Farr, L., Oh, A., Ottolini, L., Smith, V.C., Van Peer, P., and Kindermann, K.: The role of cryptotephra in refining the chronology of Late Pleistocene human evolution and cultural change in North Africa. Quaternary Science Reviews 118, 151–169, 2015.

Baxter, P.J. and Horwell, C.J.: Impacts of eruptions on human health, in: The Encyclopaedia of Volcanoes, 2nd edition, edited by Sigurdsson, H., Houghton, B.F., McNutt, S., Rymer, H., and Stix, J., Elsevier, San Diego, 1035–1047, 2015.

Begét, J.E., Stihler, S.D., and Stone, D.B. 1994. A 500-year-long record of tephra falls from Redoubt Volcano and other volcanoes in upper Cook Inlet, Alaska. Journal of Volcanology and Geothermal Research 62, 55–67, 1994.

Begét, J.E., Machida, H., and Lowe, D.J. (editors): Climatic impact of explosive eruptions – recommendations for research. PAGES Workshop Report Series 96-3, 1–28, 1996.

Benediktsson, I.O., Björnsson, H., Larsen, G., and Sigmarsson, O.: Glaciology and volcanology on the centenary of Sigurður Þórarinsson's birth: a special issue. Jökull 62, 1–2, 2012a.

Benediktsson, I.O., Björnsson, H., Larsen, G., and Sigmarsson, O. (editors): Glaciology and volcanology on the centenary of Sigurður Þóorarinsson's birth: a special issue. Jökull 62, 1-184, 2012b.

Bitschene, P.R. and Schmincke, H.-U.: Fallout tephra layers: composition and significance, in: Sediments and Environmental Geochemistry. Selected aspects and case studies, edited by Heling, D., Rothe, P., Förstner, U., and Stoffers, P., Springer, Berlin, 48–82, 1990.

Björnsson, H.: Obituary: Sigurdur Thórarinsson—1912–1983. Journal of Glaciology 29, 521–523, 1983.

Blaauw, M., Christen, J.A., and Workshop Participants: Paleochronology building workshop. PAGES News 19 (1), 34, 2011.

Blaauw, M., Christen, J.A., Bennett, K.D., and Reimer, P.J.: Double the dates and go for Bayes – impacts of model choice, dating density and quality on chronologies. Quaternary Science Reviews 188, 58–66, 2018.

Blockley, S.P.E., Blauuw, M., Bronk Ramsey, C., and van der Plicht, J.: Building and testing age models for radiocarbon dates in Lateglacial and Early Holocene sediments. Quaternary Science Reviews 26, 1915–1926, 2007.

Blockley, S.P.E., Bourne, A.J., Brauer, A., Davies, S.M., Harding, P.R., Lane, C.S., MacLeod, A., Matthews, I.P., Pyne-O-Donnell, S.D.F., Rasmussen, S.O., Wulf, S., and Zanchetta, G.: Tephrochronology and the extended intimate (integration of ice-core, marine and terrestrial records) event stratigraphy (8-128 ka b2k). Quaternary Science Reviews 106, 88-100, 2014.

Blong, R., Enright, N., and Grasso, P.: Preservation of thin tephra. Journal of Applied Volcanology 6, 10, 2017.

Bolton, M.S.M., Jensen, B.J.L., Wallace, K., Praet, N., Fortin, D., Kaufman, D., and de Batist, M.: Machine learning classifiers for attributing tephra to source volcanoes: an evaluation of methods for Alaska tephras. Journal of Quaternary Science 35, 81–92, 2020.

Bourne, A.J., Abbott, P.M., Albert, P.G., Cook, E., Pearce, N.J.G., Ponomareva, V., Svensson, A., and Davies, S.M.: Risks of recurrent long-range ash dispersal from northern Pacific Arc volcanoes. Science Reports 6 (29837), 1–8, 2016.

Bramlette, M.N. and Bradley, W.H.: Geology and biology of North Atlantic deep-sea cores between Newfoundland and Ireland. Part I. Lithology and geologic interpretation. U.S. Geological Survey Professional Paper 196-A, 1-34, 1940.

Branney, M.J. and Kokelaar, P.: Pyroclastic density currents and the sedimentation of ignimbrites. Geological Society Memoir 27, 1–143, 2002.

Bronk Ramsey, C., Albert, P.G., Blockley, S.P.E., Hardiman, M., Housley, R.A., Lane, C.S., Lee, S., Matthews, I.P., Smith, V.C., and Lowe, J.J.: Improved age estimates for key Late Quaternary European tephra horizons in the RESET lattice. Quaternary Science Reviews 118, 18–32, 2015a.

Bronk Ramsey, C., Housley, R.A., Lane, C.S., Smith, V.C., and Pollard, A.M.: The RESET tephra database and associated analytical tools. Quaternary Science Reviews 118, 33–47, 2015b.

Brown, R.J. and Andrews, G.D.M.: Deposits of pyroclastic density currents, in: The Encyclopaedia of Volcanoes, 2nd edition, edited by Sigurdsson, H., Houghton, B.F., McNutt, S., Rymer, H., and Stix, J., Elsevier, San Diego, 631–648, 2015.

Bruins, H.J., Keller, J., Klügel, A., Kisch, H.J., Katra, I., and van der Plicht, J.: Tephra in caves: distal deposits of the Minoan Santorini eruption and the Campanian super-eruption. Quaternary International 499, 135–147, 2019.

Bunting, M.J., Blackford, J., Gehrels, M.J., and Gehrels, W.R.: In memoriam and dedication: Richard John Payne (1978-2019). Journal of Quaternary Science 35, 9–10, 2020.

Bursik, M., Kuehn, S.C., Wallace, K.L., and Kurbatov, A.V.: "Tephra 2017 Workshop: best practices in tephra collection, analysis, and reporting leading toward better tephra databases", https://vhub.org/resources/4166, 2017.

Cameron, C.E., Mulliken, K.M., Crass, S.W., Schaefer, J.R., and Wallace, K.L.: Alaska Volcano Observatory geochemical database, version 2. Alaska Division of Geological and Geophysical Surveys Digital Data Series 8 v. 2, 22 pp., https://www.avo.alaska.edu/geochem/ or http://doi.org/10.14509/30058, 2019.

Cas, R.A.F.: IAVCEI: from small beginnings to a vibrant international association. History of Geo- and Space Sciences 10, 181–191, 2019.

Cas, R.A.F.: The centenary of IAVCEI 1919–2019 and beyond: origins and evolution of the International Association of Volcanology and Chemistry of the Earth's Interior. Bulletin of Volcanology 84, 15, 31 pp., 2022.

Cas, R.A.F., and Wright, J.V.: Volcanic Successions, Modern and Ancient. Allen & Unwin, London. 528 pp., 1987.

Cashman, K.V. and Sparks, R.S.J.: How volcanoes work: a 25 year perspective. Geological Society of America Bulletin 125, 664–690, 2013.

Cashman, K.V. and Rust, A.C.: Far-travelled ash in past and future eruptions: combining tephrochronology with volcanic studies. Journal of Quaternary Science 35, 11–22, 2020.

Cashman, K.V. and Scheu, B.: Magmatic fragmentation, in: The Encyclopaedia of Volcanoes, 2nd edition, edited by Sigurdsson, H., Houghton, B.F., McNutt, S., Rymer, H., and Stix, J., Elsevier, San Diego, 459–471, 2015.

Cassidy, M., Watt, S.F.L., Palmer, M.R., Trofimovs, J., Symons, W., Maclachlan, S. E., Stinton, A.J.: Construction of volcanic records from marine sediment cores: a review and case study (Montserrat, West Indies). Earth-Science Reviews 138, 137–155, 2014.

Catto, N.: Retrospective thoughts. Quaternary International 500, 5–6, 2019.

Cioni, R., Pistolesi, M., and Rosi, M.: Plinian and subplinian eruptions, in: The Encyclopaedia of Volcanoes, 2nd edition, edited by Sigurdsson, H., Houghton, B.F., McNutt, S., Rymer, H., and Stix, J., Elsevier, San Diego, 519–535, 2015.

Cole, J.W., Kohn, B.P., Pullar, W.A., Milne, J.D.G., Vucetich, C.G., and Healy, J.: Pyroclastic nomenclature in New Zealand. New Zealand Journal of Geology and Geophysics 15, 686–692, 1972.

Colman, S.M., Pierce, K.L., and Birkeland, P.W.: Suggested terminology for Quaternary dating methods. Quaternary Research 28, 314–318, 1987.

Committee for Publishing of Selected Papers by Professor Kunio Kobayashi.: Selected papers of Professor Kunio Kobayashi, Saitama, 673 pp., 1990 (in Japanese).

Cooper, C.L., Swindles, G.T., Savov, I.P.., Schmidt, A., and Bacon, K.L.: Evaluating the relationship between climate change and volcanism. Earth-Science Reviews 177, 238–247, 2018.

Crandell, D.R. and Mullineaux, D.R.: Potential hazards from future eruptions of Mount St. Helens volcano, Washington. U.S. Geological Survey Bulletin 1383-C, 1–26, 1978.

Crandell, D.R., Mullineaux, D.R., and Miller, C.D.: Volcanic-hazard studies in the Cascade Range of the western United States, in: Volcanic Activity and Human Ecology, edited by Sheets, P.D. and Grayson, D.K., Elsevier, 195–219, 1979.

Crosweller, H.S., Arora, B., Brown, S.K., Cottrell, E., Deligne, N.I., Guerrero, N.O., Hobbs, L., Kiyosugi, K., Loughlin, S.C., Lowndes, J., Nayembil, M., Siebert, L., Sparks, R.S.J., Takarada, S., and Venzke, E. 2012.: Global database on large magnitude explosive volcanic eruptions (LaMEVE). Journal of Applied Volcanolology 1:4, doi:10.1186/2191-5040-1-4, 2012.

Cutler, N.A., Shears, O.M., Streeter, R.T., and Dugmore, A.J.: Impact of small-scale vegetation structure on tephra layer preservation. Scientific Reports 6, 37260, 2016.

Cutler, N.A., Streeter, R.T., Engwell, S.L., Bolton, M.S., Jensen, B.J.L., and Dugmore, A.J.: How does tephra deposit thickness change over time? A calibration exercise based on the 1980 Mount St Helens tephra deposit. Journal of Volcanology and Geothermal Research 399, 106883, 2020.

Danišík, M., Schmitt, A.K., Stockli, D.F., Lovera, O.M., Dunkl, I., and Evans, N.J.: Application of combined U-Th-disequilibrium/U-Pb and (U-Th)/He zircon dating to tephrochronology. Quaternary Geochronology 40, 23–32, 2017.

Danišík, M., Lowe, D.J., Schmitt, A.K., Friedrichs, B., Hogg, A.G., and Evans, N.J.: Sub-millennial eruptive recurrence in the silicic Mangaone Subgroup tephra sequence, New Zealand, from Bayesian modelling of zircon double-dating and radiocarbon ages. Quaternary Science Reviews 246, 106517, 2020.

Davies, S.M.: Cryptotephras: the revolution in correlation and precision dating. Journal of Quaternary Science 30, 114–130, 2015.

Davies, S.M. and Alloway, B.V.: Yukon ho! International Field Conference and Workshop on Tephrochronology and Volcanism. Quaternary Australasia 23(2), 16-18, 2006.

Davies S.M., Branch N.P., Lowe J.J., and Turney C.S.M.: Towards a European tephrochronological framework for Termination 1 and the Early Holocene. Philosophical Transactions of the Royal Society, London, Series A 360, 767–802, 2002.

Davies, S.M.,Mortensen, A.K., Baillie, M.G.L., Clausen, H.B., Grönvold, K., Hall, V.A., Johnsen, S.J., Pilcher, J.R., Steffensen, J.P., and Wastegård, S.: Tracing volcanic events in the Greenland ice cores. PAGES News 13(3), 10–11, 2004.

Davies, S.M., Larsen, G., Wastegård, S., Turney, C.S.M., Hall, V.A., Coyle, L., and Thordarson, T.: Widespread dispersal of Icelandic tephra: how does the Eyjafjöll eruption of 2010 compare to past Icelandic events? Journal of Quaternary Science 25, 605–611, 2010.

Davies, S.M., Abbott, P.M., Pearce, N.J.G., Wastegard, S., and Blockley, S.P.E.: Integrating the INTIMATE records using tephrochronology: rising to the challenge. Quaternary Science Reviews 36, 11–27, 2012.

Davies, S.M., Abbott, P.M., Meara, R.H., Pearce, N., Austin, W., Chapman, M., Svensson, A., Bigler, M., Rasmussen, T., Rasmussen, S., and Farmer, E.: A North Atlantic tephrostratigraphical framework for 130–60 ka b2k: new tephra discoveries, marine-based correlations, and future challenges. Quaternary Science Reviews 106, 101–121, 2014.

Dugmore, A.J.: Icelandic volcanic ash in Scotland. Scottish Geographical Magazine 105, 168–172, 1989.

Dugmore, A.J. and Newton, A.J.: Tephrochronology, in Encyclopaedia of Paleoclimatology and Ancient Environments, edited by Gornitz, V., Springer, Dordrecht, 937–938, 2009.

Dugmore, A.J. and Newton, A.J.: Isochrons and beyond: maximising the use of tephrochronology in geomorphology. Jökull 62, 39–52, 2012.

Dugmore, A.J., Newton, A.J., Edwards, K.J., Larsen, G., Blackford, J.J., and Cook, G.T.: Long-distance marker horizons from small-scale eruptions: British tephra deposits from the AD 1510 eruption of Hekla, Iceland. Journal of Quaternary Science 11, 511–516, 1996.

Dugmore, A.J., Larsen, G., Newton, A.J.: Tephrochronology and its application to Late Quaternary environmental reconstruction, with special reference to the North Atlantic islands, in Tools for Constructing Chronologies – Crossing Discipline Boundaries, edited by Buck, C.E. and Millard, A.R., Lecture Notes In Statistics, Springer, 173–188, 2004.

Dugmore, A.J., Newton, A.J., and Smith, K.T.: Workshop on the Eyjafjallajökull eruptions of 2010 and implications for tephrochronology, volcanology and Quaternary studies. Tephra in Quaternary Science (TIQS). Edinburgh Workshop Report and Community Statement. 15 pp, https://www.tephrabase.org/tiqs2011/tiqs2011_report.pdf, 2011.

Dugmore, A.J., Thompson, P.I., Streeter, R.T., Cutler, N.A., Newton, A.J., and Kirkbride, M.P.: The interpretative value of transformed tephra sequences. Journal of Quaternary Science 35, 23–38, 2020.

Eden D.N. and Furkert, R.J. (editors): Loess: its Distribution, Geology and Soils. Balkema, Rotterdam, 245 pp., 1988.

Eden, D.N., Froggatt, P.C., and McIntosh, P.D.: The distribution and composition of volcanic glass in late Quaternary loess deposits of southern South Island, New Zealand, and some possible correlations. New Zealand Journal of Geology and Geophysics 35, 69–79, 1992.

Eden, D.N., Froggatt, P.C., Zheng, H., and Machida, H.: Volcanic glass found in Late Quaternary Chinese loess: a pointer for future studies? Quaternary International 34–36, 107-111, 1996.

Einarsson, Th.: Á sjötugsafmæli Sigurðar Þórarinssonar [In the seventies of Sigurður Thórarinsson], in: Eldur er í norðri: afmælisrit helgað Sigurði Þórarinssyni sjötugum 8. Janúar 1982 [Fire in the north: an anniversary book dedicated to Sigurður Thórarinsson's 70 on January 8, 1982], edited by Thórarinsdottir, H., Óskarsson, Ó.H., Steinthórsson, S., and Einarsson, Th., Sögufélag, Reykjavik, IX–XVI, 1982 (in Icelandic).

Eirnarsson, Th.: Tephrochronology, in: Handbook of Holocene Palaeoecology and Palaeohydrology, edited by Berglund, B.E., Wiley, Chichester, 329–342, 1986.

Elston, W. and Heiken, G.: IAVCEI Working Group on Explosive Volcanism. EOS 65 (26), 411, 1984.

Fairbridge, R.W.: INQUA in New Zealand. Geology 2, 505–506, 1974.

Feibel, C.S.: Tephrostratigraphy and geological context in paleoanthropology. Evolutionary Anthropology 8, 87–100, 1999.

Firth, C.R.: Preface [to 'Volcanoes in the Quaternary']. Geological Society, London, Special Publication 161, vii–viii, 1999.

Firth, C.R. and McGuire, W.J. (editors): Volcanoes in the Quaternary. Geological Society, London, Special Publication 161, 1–220, 1999.

Fisher, R.V. and Schmincke, H.U. Pyroclastic Rocks. Springer, Berlin. 472 pp., 1984.

Freundt, A., Wilson, C.J.N., Carey, S.N.: Ignimbrites and block-and-ash flow deposits, in: Encyclopaedia of Volcanoes, 1st edition, edited by Sigurdsson, H., Houghton, B.F., Rymer, H., Stix, J., and McNutt, S., Academic Press, San Diego, 581–599, 2000.

Freundt, A., Schindlbeck-Belo, J.C., Kutterolf, S., and Hopkins, J.L.: Tephra layers in the marine environment: a review of properties and emplacement processes. Geological Society, London, Special Publication 520, DOI: https://doi.org/10.1144/SP520-2021-50, 2021.

Froese, D.G., Westgate, J.A., and Alloway, B.V. (editors): Field Trip Guide for the International Field Conference and Workshop of Tephrochronology and Volcanism: Dawson City, Yukon Territory, Canada (31 July–8 August 2005). Institute of Geological and Nuclear Sciences Science Report 2005/26. 132 pp, 2005.

Froese, D.G., Lowe, D.J., Knott, J.R., and Slate, J.L.: Preface – Global tephra studies: John Westgate and Andrei Sarna-Wojcicki commemorative volume. Quaternary International 178, 1–3, 2008a.

Froese, D.G. Lowe, D.J., Knott, J., and Slate, J.L. 2008b. John A. Westgate — global tephrochronologist, stratigrapher, mentor. Quaternary International 178, 4–9, 2008b.

Froese, D.G., Slate, J., Lowe, D.J., and Knott, J.R. (editors): Global tephra studies: John Westgate and Andrei Sarna-Wojcicki commemorative volume. Quaternary International 178, 1–319, 2008c.

Froggatt, P.C.: Standardization of the chemical analysis of tephra deposits. Report of the ICCT working group. Quaternary International 13-14, 93–96, 1992.

Froggatt, P.C. and Lowe, D.J.: A review of late Quaternary silicic and some other tephra formations from New Zealand: their stratigraphy, nomenclature, distribution, volume, and age. New Zealand Journal of Geology and Geophysics 33, 89–109, 1990.

Gage, M. (editor): Report on stratigraphic nomenclature in the New Zealand Quaternary. National Committee for Quaternary Research, The Royal Society of New Zealand, Wellington, 1–25, 1977.

Gehrels, M.J., Newnham, R.M., Lowe, D.J., Wynne, S., Hazell, Z.J., and Caseldine, C.: Towards rapid assay of cryptotephra in peat cores: review and evaluation of various methods. Quaternary International 178, 68–84, 2008.

Good, G.A.: The assembly of geophysics: scientific disciplines as frameworks of consensus. Studies in History and Philosophy of Modern Physics 31, 259–292, 2000.

Gudmundsdóttir, E.R., Larsen, G., Björck, S., Ingólfsson, O., and Striberger, J.: A new high-resolution Holocene tephra stratigraphy in eastern Iceland: improving the Icelandic and North Atlantic tephrochronology. Quaternary Science Reviews 150, 234–249, 2016.

Gudmundsson, M.T., Pedersen, R., Vogfjörd, K., Thorbjarnardóttir, Jakobsdóttir, S., Roberts, M.J.: Eruptions of Eyjafjallajökull Volcano, Iceland. EOS 91 (21), 190–191, 2010.

Hall, V.A. and Alloway, B.V. (editors): Tephra. PAGES News 13(3), 5–17, 2004.

Hall, M. and Hayward, C.: Preparation of micro- and crypto-tephras for quantitative microbeam analysis. Geological Society, London, Special Publication 398, 21–28, 2014.

Hall, V.A. and Pilcher, J.R.: Late-Quaternary Icelandic tephras in Ireland and Great Britain: detection, characterization and usefulness. The Holocene 12, 223–230, 2002.

Hayward, C.: High spatial resolution electron probe microanalysis of tephras and melt inclusions without beam-induced chemical modification. The Holocene 22, 119–125, 2012.

Heiken, G. and Wohletz, K.: Tephra deposits associated with silicic domes and lava flows. Geological Society of America Special Paper 212, 55–76, 1987.

Hirniak, J., Smith, E.I., Johnsen, R., Ren, M., Hodgkins, J., Orr, C., Negrino, F., Riel-Salvatore, J., Fitch, S., Miller, C.E., Zerboni, A., Mariani, G.S., Harris, J.A., Gravel-Miguel, C., Strait, D., Peresani, M., Benazzi, S., and Marean, CW.: Discovery of cryptotephra at Middle-Upper Paleolithic sites Arma Veirana and Riparo Bombrini, Italy: A new link for broader geographic correlations. Journal of Quaternary Science 35, 199–212, 2020.

Hodder, A.P.W. and Wilson, A.T.: Identification and correlation of thinly bedded tephra: the Tirau and Mairoa Ashes. New Zealand Journal of Geology and Geophysics19, 663–682, 1976.

Hogg A.G. and McCraw, J.D.: Late Quaternary tephras of Coromandel Peninsula, North Island, New Zealand: a mixed peralkaline and calcalkaline tephra sequence. New Zealand Journal of Geology and Geophysics 26, 263–301, 1983.

Hopkins, J.L., Bidmead, J.E., Lowe, D.J., Wysoczanski, R.J., Pillans, B.J., Ashworth, L., Rees, A.B., and Tuckett, F.: TephraNZ, Version 1.0, Interdisciplinary Earth Data Alliance (IEDA) [code], https://doi.org/10.26022/IEDA/111724, 2020.

Hopkins, J.L., Lowe, D.J., and Horrocks, J.H.: Tephrochronology in Aotearoa New Zealand. New Zealand Journal of Geology and Geophysics 64, 153–200, 2021a.

Hopkins, J.L., Bidmead, J.E., Lowe, D.J., Wysoczanski, R.J., Pillans, B.J., Ashworth, L., Rees, A.B.H., and Tuckett, F.: TephraNZ: a major- and trace-element reference dataset for glass-shard analyses from prominent Quaternary rhyolitic tephras in New Zealand and implications for correlation. Geochronology 3, 465–504 (https://doi.org/10.5194/gchron-3-465-2021), 2021b.

Holt, K.A. and Lowe, D.J.: Active tephra in Kyushu 2010: international field conference. Quaternary Australasia 27 (2), 7–10, 2010.

Houghton, B.F.: Explosive volcanism [Part IV], in: The Encyclopaedia of Volcanoes, 2nd edition, edited by Sigurdsson, H., Houghton, B.F., McNutt, S., Rymer, H., and Stix, J., Elsevier, San Diego, 457–458, 2015.

Houghton, B.F. and Wilson, C.J.N.: Explosive rhyolitic volcanism: the case studies of Mayor Island and Taupo volcanoes. New Zealand Geological Survey Record 12, 33–100, 1986.

Howorth, R. New formations of late Pleistocene tephras from the Okataina Volcanic Centre, New Zealand. New Zealand Journal of Geology and Geophysics 18, 683–712, 1975.

Howorth, R., Froggatt, P.C., Vucetich, C.G., and Collen, J.D. (editors): Proceedings of Tephra Workshop, 30 June–1 July, 1980, Victoria University of Wellington. Geology Department, Victoria University of Wellington Publication 20, 1–100, 1981.

Huang, T.C., Watkins N.D., and Shaw D.M.: Atmospherically transported volcanic glass in deep-sea sediments: development of a separation and counting technique. Deep-Sea Research 22, 185–196, 1975.

Hunt, J.B.: Foreword [to 'Distal tephrochronology, tephrology and volcano-related atmospheric effects']. Global and Planetary Change 21, vii–viii, 1999a.

Hunt, J.B. (editor): Distal tephrochronology, tephrology and volcano-related atmospheric effects. Global and Planetary Change 21, 1–196, 1999b.

Hunt, J.B.: Peter Graham Hill (1942–2010) – inspirational tephra analyst and mentor. Quaternary International 246, 17–18, 2011.

Hunt, J.B. and Hill, P.G.: Tephra geochemistry: a discussion of some persistent analytical problems. The Holocene 3, 271–278, 1993.

Hunt, J.B. and Hill, P.G.: An inter-laboratory comparison of the electron probe microanalysis of glass geochemistry. Quaternary International 34–36, 229–241, 1996.

Hunt, J.B. and Hill, P.G.: Tephrological implications of beam size – sample-size effects in electron microprobe analysis of glass shards. Journal of Quaternary Science 16, 105–117, 2001.

Hunt, J.B., Clift, P.D., Lacasse, C., Vallier, T.L., and Werner, R.: Interlaboratory comparison of electron probe microanalysis of glass geochemistry, in: Proceedings of the Ocean Drilling Program, Scientific Results, edited by Saunders, A.D., Larsen, H.C., and Wise, S.W. Jr., 152, 85–91, 1998.

Ismail-Zadeh, A.: Geoscience international: the role of scientific unions. History of Geo- and Space Sciences 7, 103–123, 2016.

Iverson, N.A., Kalteyer, D., Dunbar, N.W., Kurbatov, A., and Yates, M.: Advancements and best practices for analysis and correlation of tephra and cryptotephra in ice. Quaternary Geochronology 40, 45–55, 2017.

Jensen, B.J.L., Pyne-O'Donnell, S., Plunkett, G., Froese, D.G., Hughes, P.D.M., Sigl, M., McConnell, J.R., Amesbury, M.J., Blackwell, P.G., van den Bogaard, C., Buck, C.E., Charman, D.J., Clague, J.J., Hall, V.A., Koch, J., Mackay, H., Mallon, G., McColl, L., and Pilcher, J.R.: Transatlantic distribution of the Alaskan White River ash. Geology 42, 875–878, 2014.

Jensen, B.J.L., Davies, L., Nolan, C., Pyne-O'Donnell, S., Monteath, A.J., Ponomareva, V., Portnyagin, M., Booth, R., Bursik, M., Cook, E., and Plunkett, G.: A latest Pleistocene and Holocene composite tephrostratigraphic framework for northeastern North America. Quaternary Science Reviews 272, 107242, 2021.

Jones, G., Davies, S.M., Staff, R.A., Loader, N.J., Davies, S.J., and Walker, M.J.C.: Traces of volcanic ash from the Mediterranean, Iceland and North America in a Holocene record from south Wales, UK. Journal of Quaternary Science 35, 163–174, 2020.

Juvigné, É.T.: La téphrostratigraphy et sa nomenclature de base en langue Française: mises au point et suggestions. [Tephrostratigraphy and its basic nomenclature in the French language: clarifications and suggestions]. Annales de la Société Geologique de Belgique 113, 295–298, 1990 (in French).

Juvigné, É.T. and Raynal, J.-P.: Avant-propos [to 'Tephras – chronology, archaeology']. Les Dossiers de l'Archaéo-Logis 1, 7–8, 2001a (in French).

Juvigné, É.T. and Raynal, J.-P. (editors): Tephras – chronology, archaeology. Les Dossiers de l'Archaéo-Logis 1, 1–262, 2001b (in French and English).

Juvigné, É.T, Lenoble-Pinson, M., and Raynal, J.-P.: Tephra nomenclatura en langue Française. Les Dossiers de l'Archaéo-Logis 1, 11–15, 2001.

Kaizuka, S. (compiler): Reports of the IX Congress of the International Union for Quaternary Research [in Christchurch]. The Quaternary Research (Daiyonki-Kenkyu) 13, 71–90, 1974.

Kalliokoski, M., Gudmundsdóttir, E.R., and Wastegård, S.: Hekla 1947, 1845, 1510 and 1158 tephra in Finland: challenges of tracing tephra from moderate eruptions. Journal of Quaternary Science 35, 803–816, 2020.

Karátson, D., Veres, D., and Lowe, D.J.: INTAV tephra conference "Crossing New Frontiers: Tephra Hunt in Transylvania", 24 June–1 July, 2018, Moieciu de Sus, Romania. IAVCEI News 4/2018, 9–11, 2018.

Kennett, J.P.: Marine tephrochronology, in: The Sea – Volume 7: The Oceanic Lithosphere, edited by Emiliani, C., Wiley, New York, 1373–1436, 1981.

Kennett, J.P. and Watkins, N.D.: Geomagnetic polarity change, volcanic maxima and faunal extinction in the South Pacific. Nature 227, 930–934, 1970.

Kile, D.E.: Memorial of Ray E. Wilcox, 1912–2012. American Mineralogist 98, 1372–1374, 2013.

Kinder, M., Wulf, S., and Appelt, O.: Detection of the historical Askja AD 1875 and modern Icelandic cryptotephras in varved lake sediments – results from a first systematic search in northern Poland. Journal of Quaternary Science 36, 1–7, 2021.

Kittleman, L.R.: Geologic methods in studies of Quaternary tephra, in: Volcanic Activity and Human Ecology, edited by Sheets, P.D. and Grayson, D.K., Elsevier, 49–82, 1979.

Klaes, B., Wörner, G., Kremer, K., Simon, K., Scholz, D., Mueller, C., Hoschen, C., Struck, J., Arz, H., Sören, T.-B., Schimpf, D., and Kilian, R.: High-resolution stalagmite stratigraphy supports the Late Holocene tephrochronology of southernmost Patagonia. Communications Earth and Environment 3, 23, https://doi.org/10.1038/s43247-022-00358-0, 2022.

Knox, R.W. O'B.: Tephra layers as precise chronostratigraphical markers, in: High Resolution Stratigraphy, edited by Hailwood, E.A. and Kidd, R.B., Geological Society (London) Special Publication 70, 169–186, 1993.

Kobayashi, K.: Report from the VIth Congress of INQUA (Warszawa). The Quaternary Research (Daiyonki-Kenkyu) 2, 125–132, 1962 (in Japanese).

Kobayashi, K.: Report from the conference on tephrochronology held at the VIth International Congress of INQUA. Report on the VIth International Congress on Quaternary, Warsaw (1961) 1, 781–789, 1965.

Kobayashi, K.: Methods of identification of particular tephra layers. Études sur le Quaternaire dans le Monde, VIIIth INQUA Congrès Paris, compiled by Ters, M., Centre National de la Recherche Scientifique 2, 981–984, 1969.

Kobayashi, K.: Some basic problems in tephrochronology. The Quaternary Research (Daiyonki-Kenkyu) 11, 211–218, 1972 (in Japanese).

Kobayashi, K. and Shimizu, H.: Pleistocene tephras in the northern part of Ina Valley, central Japan. Journal of the Faculty of Liberal Arts and Science, Shinshu University 12, 20–52, 1962.

Krüger, S. and van den Bogaard, C.: Small shards and long distances – three cryptotephra layers from the Nahe palaeolake including the first discovery of Laacher See Tephra in Schleswig–Holstein (Germany). Journal of Quaternary Science 36, 8–19, 2021.

Kuehn, S.C.: Concord EPMA_Oxides_METHOD_FeTi-Ox1.0, Version 1.0. Interdisciplinary Earth Data Alliance (IEDA), https://doi.org/10.26022/IEDA/112110, 2021a.

Kuehn, S.C.: Concord EPMA_Glass_METHOD_6.0, Version 1.0. Interdisciplinary Earth Data Alliance (IEDA), https://doi.org/10.26022/IEDA/112102, 2021b.

Kuehn, S.C. and Froese, D.G.: 2010. Tephra from ice – a simple method to routinely mount, polish, and quantitatively analyze sparse fine particles. Microscopy and Microanalysis 16, 218–225, 2010.

Kuehn, S.C. and Hostetler, A.: Summer Lake Pliocene Tephra Dataset [Version 1.0]. Zenodo, https://doi.org/10.5281/zenodo.4072461, 2020.

Kuehn, S.C. and Lyon, E.: June Lake Tephra Dataset [Version 1.0]. Zenodo, https://doi.org/10.5281/zenodo.4074290, 2020.

Kuehn, S.C., Froese, D.G., Shane, P.A.R., and INTAV intercomparison participants: The INTAV intercomparison of electron-beam microanalysis of glass by tephrochronology laboratories: results and recommendations. Quaternary International 246, 19–47, 2011.

Kuehn, S.C., Pouget, S., Wallace, K., and Bursik, M.I.: Results of the tephra 2014 workshop on maximizing the potential of tephra for multidisciplinary science, in: AGU Fall Meeting Abstracts, 1, 4758. http://dx.doi.org/10.13140/RG.2.1.2454.0002 abstract #V31C-4758, 2014.

Kuehn, S.C., Bursik, M.I., Goring, S.J., Kodama, S., Kurbatov, A., Lehnert, K., Profeta, L., Quinn, D., Ramdeen, S., Wallace, K., and Walker, J.D.: Making tephra data FAIR and connected through community-driven best practices for digital data collection and documentation. EarthCube Annual Meeting, June 15-17, http://dx.doi.org/10.13140/RG.2.2.28695.50083 https://doi.org/10.6084/m9.figshare.14773083.v1, 2021.

Kyle, P.R. and Seward, D.: Dispersed rhyolitic tephra from New Zealand in deep-sea sediments of the Southern Ocean. Geology 12, 487–490, 1984.

Lane, C.S. and Woodward, C.: Tephrochronology, in: Encyclopaedia of Geoarchaeology, 2nd edition, edited by Gilbert, A.S., Springer, Dordrecht, 1–9, https://doi.org/10.1007/978-1-4020-4409-0_185, 2022.

Lane, C., Haslam, M., Petraglia, M., Ditchfield, P., Smith, V., and Korisettar, R: Cryptotephra from the 74 ka BP Toba super-eruption in the Billa Surgam caves, southern India. Quaternary Science Reviews 30, 1819–1824, 2011.

Lane, C.S., Chorn, B.T., and Johnson, T.C.: Ash from the Toba supereruption in Lake Malawi shows no volcanic winter in East Africa at 75 ka. Proceedings of the National Academy of Sciences of the United States of America 110, 8025–8029, 2013.

Lane, C.S., Cullen, V.L., White, D., Bramham-Law, C.W.F., and Smith, V.C.: Cryptotephra as a dating and correlation tool in archaeology. Journal of Archaeological Science 42, 42–50, 2014.

Lane, C.S., Lowe, D.J., Blockley, S.P.E., Suzuki, T., and Smith, V.C.: Advancing tephrochronology as a global dating tool: applications in volcanology, archaeology, and palaeoclimatic research. Quaternary Geochronology 40, 1–7, 2017a.

Lane, C.S., Blockley, S.P.E., Lowe, D.J., Suzuki, T., and Smith, V.C. (editors): Advancing tephrochronology as a global dating tool: applications in volcanology, archaeology, and palaeoclimatic research. Quaternary Geochronology 40, 1–145, 2017b.

Larsen, G. and Thórarinsson, S.: H-4 and other acid Hekla tephra layers. Jökull 27, 28–46, 1977.

Larsen, G. and Eiríksson, J.: Late Quaternary terrestrial tephrochronology of Iceland – frequency of explosive eruptions, type and volume of tephra deposits. Journal of Quaternary Science 23, 109-120, 2008.

Larsson, S.A., Kylander, M.E., Sennel, A.B.K., and Hammarlund, D.: Synchronous or not? The timing of the Younger Dryas and Greenland Stadial-1 reviewed using tephrochronology. Quaternary 5, 19, https://doi.org/10.3390/quat5020019, 2022.

Lawson, I.T., Swindles, G.T., Plunkett, G., and Greenberg, D.: The spatial distribution of Holocene cryptotephras in north-west Europe since 7 ka: implications for understanding ash fall events from Icelandic eruptions. Quaternary Science Reviews 41, 57–66, 2012.

Leicher, N., Giaccio, B., Zanchetta, G., Wagner, B., Francke, A., Palladino, D.M., Sulpizio, R., Albert, P.G., and Tomlinson, E.L.: Central Mediterranean explosive volcanism and tephrochronology during the last 630 ka based on the sediment record from Lake Ohrid. Quaternary Science Reviews 226, 106021, 2019.

Leicher, N., Giaccio, B., Zanchetta, G., Sulpizio, R., Albert, P.G., Tomlinson, E.L, Lagos, M., Francke, A., and Wagner, B.: Lake Ohrid's tephrochronological dataset reveals 1.36 Ma of Mediterranean explosive volcanic activity. Nature Scientific Data 8, 231 (https://doi.org/10.1038/s41597-021-01013-7), 2021.

Le Maitre, R.W. (editor): Igneous Rocks – A Classification and Glossary of Terms. Recommendations of the International Union of Geological Sciences Subcommission on the Systematics of Igneous Rocks. Cambridge University Press, Cambridge, 236 pp., 2002.

Lowe, D.J.: Controls on the rates of weathering and clay mineral genesis in airfall tephras: a review and New Zealand case study, in: Rates of Chemical Weathering of Rocks and Minerals, edited by Colman, S.M., and Dethier, D.P., Academic Press, Orlando, 265–330, 1986.

Lowe, D.J.: Late Quaternary volcanism in New Zealand: towards an integrated record using distal airfall tephras in lakes and bogs. Journal of Quaternary Science 3, 111–120, 1988.

Lowe, D.J.: Tephra studies in New Zealand: an historical review. Journal of the Royal Society of New Zealand 20, 119–150, 1990a.

Lowe, D.J.: Burning mountains, boiling rivers, and exploding soils. Report on INQUA-ICCT Field Conference and Workshop on Tephrochronology, Mammoth Hot Springs, USA. New Zealand Soil News 38, 125–129, 1990b.

Lowe, D.J. (editor): INQUA Commission on Tephrochronology COT Newsletter 2. Department of Earth Sciences, University of Waikato, Hamilton. 13 pp, 1992.

Lowe, D.J. (editor): INQUA Commission on Tephrochronology COT Newsletter 3. Department of Earth Sciences, University of Waikato, Hamilton. 28 pp, 1994a.

Lowe, D.J. (editor): Intra-conference and Post-conference Tour Guides. International Inter-INQUA Field Conference on Tephrochronology, Loess, and Paleopedology, University of Waikato, Hamilton, New Zealand. 186 pp, 1994b.

Lowe, D.J.: Site-seeing in Germany. A report on the International Union for Quaternary Research (INQUA) 14th International Congress, 3-10 August 1995, Berlin, Germany. New Zealand Soil News 43, 253–260, 1995.

Lowe, D.J.: The Commission on Tephra Studies: a report from the XIV International Inqua Congress, Berlin. Geological Society of New Zealand Newsletter 109, 30–33, 1996a.

Lowe, D.J.: Preface [to ‘Tephra, loess, and paleosols – an integration’]. Quaternary International 34–36, 1, 1996b.

Lowe, D.J. (editor): Tephra, loess, and paleosols – an integration. Quaternary International 34–36, 1–261, 1996c.

Lowe, D.J.: Globalization of tephrochronology: new views from Australasia. Progress in Physical Geography 32, 311–335, 2008.

Lowe, D.J.: Tephrochronology and its application: a review. Quaternary Geochronology 6, 107–153, 2011a.

Lowe, D.J.: Active Tephra 2010: International field conference on tephrochronology. PAGES News 19 (1), 33, 2011b.

Lowe, D.J.: Final report for INTREPID Tephra-I Project (INQUA-0907). Quaternary Perspectives 20 (1), 8–11, 2013.

Lowe, D.J.: Marine tephrochronology: a personal perspective. Geological Society, London, Special Publication 398, 7–19, 2014.

Lowe, D.J.: IFG on tephrochrononology and volcanism (INTAV) project “Enhancing tephrochronology as a global research tool through improved fingerprinting and correlation techniques and uncertainty modelling (phase II)” (INTREPID Tephra-II: INQUA-1307s): final report. Quaternary Perspectives 22 (2), 12–15, 2015.

Lowe, D.J.: News from INTAV [report on EXTRAS Project: INQUA-1710P]. Quaternary Perspectives 25 (1), 9–10, 2018a.

Lowe, D.J.: Report on the INTAV international tephra conference “Crossing New Frontiers: Tephra Hunt in Transylvania”. Quaternary Perspectives 25 (2), 9–11, 2018b.

Lowe, D.J. and Alloway, B.V.: Tephrochronology, in: Encyclopaedia of Scientific Dating Methods, edited by Rink, W.J. and Thompson, J.W., Springer, Dordrecht, 783–799, 2015.

Lowe, D.J. and Hunt, J.B.: A summary of terminology used in tephra-related studies. Les Dossiers de l’Archeo-Logis 1, 17–22, 2001.

Lowe, D.J. and Pittari, A. 2019. Pyroclastic flow deposits, Hinuera Valley, central North Island, and note on usage of ignimbrite as a building material. Geoscience Society of New Zealand Journal of the Historical Studies Group 61, 6–15, 2019.

Lowe, D.J., Hogg, A.G., and Hendy, C.H.: Detection of thin tephra deposits in peat and organic lake sediments by rapid X-radiography and X-ray fluorescence techniques, in: Proceedings of Tephra Workshop 1980, edited by Howorth, R., Froggatt, P.C., Vucetich, C.G., and Collen, J.D., Geology Department, Victoria University of Wellington Publication 20, 74–77, 1981.

Lowe, D.J., Newnham, R.M., and McCraw, J.D.: Volcanism and early Maori society in New Zealand, in: Natural Disasters and Cultural Change, edited by Torrence, R. and Grattan, J., Routledge, London, 126–161, 2002.

Lowe, D.J., Tonkin, P.J., Neall, V.E., Palmer, A.S., Alloway, B.V., and Froggatt, P.C.: Colin George Vucetich (1918–2007) – pioneering New Zealand tephrochronologist. Quaternary International 178, 11–15, 2008a.

Lowe, D.J., Shane, P.A.R., Alloway, B.V., and Newnham, R.M.: Fingerprints and age models for widespread New Zealand tephra marker beds erupted since 30,000 years ago: a framework for NZ-INTIMATE. Quaternary Science Reviews 27, 95–126, 2008b.

Lowe, J. John, Rasmussen, S.O., Björck, S., Hoek, W.Z., Steffensen, J.P., Walker, M.J.C., Yu, Z., and INTIMATE group: Synchronisation of palaeoenvironmental events in the North Atlantic region during the Last Termination: a revised protocol recommended by the INTIMATE group. Quaternary Science Reviews 27, 6–17, 2008.

Lowe, D.J., Davies, S.M., Moriwaki, H., Pearce, N.J.G., and Suzuki, T.: Enhancing tephrochronology and its application (INTREPID project): Hiroshi Machida commemorative volume. Quaternary International 246, 1–5, 2011a.

Lowe, D.J., Moriwaki, H., Davies, S.M., Suzuki, T., and Pearce, N.J.G. (editors): Enhancing tephrochronology and its application (INTREPID project): Hiroshi Machida commemorative volume. Quaternary International 246, 1–395, 2011b.

Lowe, D.J., Alloway, B.V., Shane, P.A.R.: Far-flown markers, in A Continent on the Move: New Zealand Geoscience Revealed, 2nd Edition, edited by Graham, I., Geoscience Society of New Zealand (GSNZ) with GNS Science, Wellington. GSNZ Miscellaneous Publication 141, 172–175, 2015a.

Lowe, J. John, Bronk Ramsey, C., Housley, R.A., Lane, C.S., Tomlinson, E.L., RESET Team, and RESET Associates: [Introduction] The RESET project: constructing a European tephra lattice for refined synchronisation of environmental and archaeological events during the last c. 100 ka. Quaternary Science Reviews 118, 1–17, 2015.

Lowe, D.J., Pearce, N.J.G., Jorgensen, M.A., Kuehn, S.C., Tryon, C.A., and Hayward, C.L.: Correlating tephras and cryptotephras using glass compositional analyses and numerical and statistical methods: review and evaluation. Quaternary Science Reviews 175, 1–44, 2017a.

Lowe, D.J., Pearce, N.J.G., Jorgensen, M.A., Kuehn, S.C., Tryon, C.A., and Hayward, C.L.: Dedication (to Stephen Stokes 1964–2014). Quaternary Science Reviews 175, 35, 2017b.

Lowe, D.J. and members of the local organising committee and INTAV executive committee: Foreword: Crossing New Frontiers, in: Book of Abstracts. Crossing New Frontiers: INTAV International Field Conference on Tephrochronology, edited by Hambach, U. and Veres, D., Moieciu de Sus, Romania (24 June–1 July 2018), 1–5, 2018. http://www.bayceer.uni-bayreuth.de/intav2018/en/key_ dates/5001/1/16443/INTAV_Programm_final_vers2-2.pdf

Lube, G., Breard, E.C.P., Jons, J., Fullard, L., Dufek, J., Cronin, S.J., and Wang, T.: Generation of air lubrication within pyroclastic density currents. Nature Geoscience 12, 381386, 2019.

Lundqvist, J., Fredriksson, D., and Lundqvist, T.: Minnesord (Obituary) Christer Persson. Geologiskt Forum 102, 30–31, 2019 (in Swedish).

MacCracken, M.C. and Volkert, H.: IAMAS: a century of international cooperation in atmospheric sciences. History of Geo- and Space Sciences 10, 119–136, 2019.
Machida, H.: Recent progress in tephra studies in Japan. The Quaternary Research (Daiyonki-Kenkyu) 30, 141–149, 1991.
Machida, H.: The stratigraphy, chronology and distribution of distal marker-tephras in and around Japan. Global and Planetary Change, 21, 71–94, 1999.
Machida, H.: Volcanoes and tephras in the Japan area. Global Environmental Research 6, 19–28, 2002.
Machida, H. and Arai, F.: The discovery and significance of the very widespread tephra: the Aira-Tn ash. Kagaku 46, 339–347, 1976 (in Japanese).
Machida, H. and Arai, F.: Extensive ash falls in and around the Sea of Japan from large late Quaternary eruptions. Journal of Volcanology and Geothermal Research 18, 151–164, 1983.
Machida, H. and Arai, F., 2003. Atlas of Tephra in and Around Japan, revised edition. Tokyo: University of Tokyo Press, 336 pp., 2003 (in Japanese).
Machida, H. and Lowe, D.J. (editors): INQUA Commission on Tephrochronology COT Newsletter 1. Department of Geography, Tokyo Metropolitan University, Tokyo. 7 pp, 1991.
Machida, H. and Okumura, K.: Quaternary widespread tephra catalog: a compilation of world widespread tephra database, in: A Role of Large-scale Explosive Volcanism in Global Environmental Change, compiled by Machida, H. Report for Grant-in-Aid for Scientific Research (Co-operative Research A, Project Number 05302062), 97–122, 1996.
Mahony, S.H., Barnard, N.H., Sparks, R.S.J., and Rougier, J.C.: VOLCORE, a global database of visible tephra layers sampled by ocean drilling. Nature Scientific Data 7, 330 (https://doi.org/10.1038/s41597-020-00673-1), 2020.
Marshall, P.: Notes on some volcanic rocks of the North Island of New Zealand. New Zealand Journal of Science and Technology 11, 198–202, 1932.
Marshall, P.: Acid rocks of the Taupo-Rotorua volcanic district. Transactions of the Royal Society of New Zealand 64, 323–366, 1935.
Marshall, L.R., Maters E., Schmidt, A., Timmreck, C., Robock, A., Toohey, M.: Volcanic effects on climate: recent advances and future avenues. Bulletin of Volcanology 84, article 54, 2022.
Matsu'ura, T., Furusawa, A., and Yanagida, M.: Detection and correlation of widespread cryptotephras in middle Pleistocene loess in NE Japan using cummingtonite geochemistry. Journal of Asian Earth Sciences 60, 49–67, 2012.
Matsu'ura, T., Ikehara, M., and Ueno, T.: Late Quaternary tephrostratigraphy and cryptotephrostratigraphy of core MD012422: improving marine tephrostratigraphy of the NW Pacific. Quaternary Science Reviews 257,106808, 2021.
Mazei, Y., Sapelko, T., Tsyganov, A.N., Novenko, E., Lapshina, E., Zenkova, I,V., Babeshko, K., Esaulov, A., Kupeiyanov, D., Zarov, E., Tiunov, A., Mazei, N., Ratcliffe, J., Mauquoi, D., Sloan, T., Lamentowicz,

A., and Qin, L.: A British ecologist and protistologist in Russia: in memoriam Dr. Richard John Payne (1978–2019). Studies in History of Biology 12, 114–126, 2020 (in Russian).
Meara, R.H.H., Thordarson, Th., Pearce, N.J.G., Hayward, C., Larsen, G.: A catalogue of major and trace element data for Icelandic Holocene silicic tephra layers. Journal of Quaternary Science 35, 122–142, 2020.
Menke, V., Kutterolf, S., Sievers, C., Schindlbeck, J.C., Schmiedl, G.: Cryptotephra from Lipari Volcano in the eastern Gulf of Taranto (Italy) as a time marker for paleoclimatic studies. Quaternary Research 89, 520–532, 2018.
Merkt, J., Müller, H., Knabe, W., Müller, P., and Weister, T.: The early Holocene Saksunarvatn tephra found in lake sediments in NW Germany. Boreas 22, 93–100, 1993.
Moar, N.T.: Contributions to the Quaternary history of the New Zealand flora. 4. Pollen diagrams from the western Ruahine Ranges. New Zealand Journal of Science 4, 350–459, 1961.
Momose, K., Kobayashi, K., Minagawa, K., and Machida, M.: Identification of tephra by means of ferromagnetic minerals in pumice. Bulletin of the Earthquake Research Institute 46, 1275–1291, 1968.
Morgan, G.B. and London, D.: Effect of current density on the electron microprobe analysis of alkali aluminosilicate glasses. American Mineralogist 90, 1131–1138, 2005.
Moriwaki, H. and Lowe, D.J. (editors): Intraconference Field Trip Guides. International Field Conference on Tephrochronology, Volcanism, and Human Activity, Kirishima City, Japan (9–17 May, 2010), INQUA International Focus Group on Tephrochronology and Volcanism (INTAV), 1–106, 2010.
Moriwaki, H., Suzuki, T., and Lowe, D.J.: In memoriam and dedication – Shinji Nagaoka (1958–2011). Quaternary International 246, 14–16, 2011a.
Moriwaki, H., Suzuki, T., Murata, M., Ikehara, M., Machida, H., Oba, T., and Lowe, D.J.: Sakurajima-Satsuma (Sz-S) and Noike-Yumugi (N-Ym) tephras: new tephrochronological marker beds for the last deglaciation, southern Kyushu, Japan. Quaternary International 246, 203–212, 2011b.
Nakanishi, R., Ashi, J., and Okumura, S.: A dataset for distribution and characteristics of Holocene pyroclastic fall deposits along the Pacific coasts in western Hokkaido, Japan. Data in Brief 33: 106565, 2020.
Neall, V.E.: Tephrochronology and tephrostratigraphy of western Taranaki (N108-N109), New Zealand. New Zealand Journal of Geology and Geophysics 15, 507–557, 1972.
Neall, V.E., Stewart, R.B., Wallace, R.C., Williams, M.C., and Mew, G.: Mineralogy, stratigraphy, and provenance of soil coverbeds in the Kumara district, Westland. New Zealand Journal of Geology and Geophysics 44, 205–218, 2001.
Neustadt, M.I.: International Union for Quaternary Research (INQUA): Historique des Congrès. INQUA, Moscow, 97 pp., 1969 (translated into French from Russian by G. Krichevsky and published for the 8th INQUA Congress in Paris as a Supplement to Bulletin de l'AFEQ).

Newnham, R.M., Lowe, D.J., and Alloway, B.V.: Volcanic hazards in Auckland, New Zealand: a preliminary assessment of the threat posed by central North Island silicic volcanism based on the Quaternary tephrostratigraphical record. Geological Society, London, Special Publication 161, 27–45, 1999.

Newnham, R.M., Dirks, K.N., and Samaranayake, D.: An investigation into long-distance health impacts of the 1996 eruption of Mt Ruapehu, New Zealand. Atmospheric Environment 44, 1568–1578, 2010.

Newton, A.J., Gittings, B., and Stuart, N.: Designing a scientific database query server using the World Wide Web: the example of Tephrabase, in Innovations in GIS 4, edited by Kemp, K., Taylor & Francis, London, 251–266, 1997.

Newton, A.J., Dugmore, A.J., and Gittings, B.M.: Tephrabase: tephrochronology and the development of a centralized European database. Journal of Quaternary Science 22, 737–743, 2007.

Noe-Nygaard, A.: Sigurdur Thórarinsson 8 January 1912–8 February 1983. Dansk Geologisk Forening Årsskrift 1983 [Danish Geological Society Yearbook 1983], 103–105, 1984.

Obreht, I., Zeeden, C., Hambach, U., Veres, D., Marković, S.B., Bösken, J., Svirčev, Z., Bačević, N., Gavrilov, M.B., and Lehmkuhl, F.: Tracing the influence of Mediterranean climate on southeastern Europe during the past 350,000 years. Scientific Reports 6, 36334, 2016.

Óladóttir, B.A., Larsen, G., and Sigmarsson, O.: Deciphering eruption history and magmatic processes from tephra in Iceland. Jökull 62, 21–38, 2012.

Oldfied, F. (editor): Past Global Changes (PAGES) Implementation Plan. IGBP Secretariat, Stockholm, Report Series 45, 236 pp., 1998.

Paredes-Marino, J., Forte, P., Alois, S., Chan, L.K., Cigala, V., Mueller, S.B., Poret, M., Spanus, A., Tomašek, I., and Tournigand, P.-Y.: The lifecycle of volcanic ash: advances and ongoing challenges. Bulletin of Volcanology 84, 51 (https://doi.org/10.1007/s00445-022-01557-5), 2022.

Pearce, N.J.G.: Towards a protocol for the trace element analysis of glass from rhyolitic shards in tephra deposits by laser ablation ICP-MS. Journal of Quaternary Science, 29, 627–640, 2014.

Pearce, N.J.G., Westgate, J.A., Perkins, W.T., Eastwood, W.J., and Shane, P.A.R.: The application of laser ablation ICP-MS to the analysis of volcanic glass shards from tephra deposits: bulk glass and single shard analysis. Global and Planetary Change 21, 151–171, 1999.

Pearce, N.J.G., Pearce, N.J.G., Denton, J.S., Perkins, W.T., Westgate, J.A., and Alloway, B.V.: Correlation and characterisation of individual glass shards from tephra deposits using trace element laser ablation ICP-MS analyses: current status and future potential. Journal of Quaternary Science 22, 721–736, 2007.

Pearce, N.J., Westgate, J.A., Perkins, W.T., and Wade, S.C.: Trace-element microanalysis by LA-ICP-MS: the quest for comprehensive chemical characterisation of single, sub-10-μm volcanic glass shards. Quaternary International 246, 57–81, 2011.

Pearce, N.J.G., Abbott, P.M., and Martin-Jones, C.M.: Microbeam methods for the analysis of glass in fine grained tephra deposits: a SMART perspective on current and future trends. Geological Society, London, Special Publication 398, 29–46, 2014.

Pearce, N.J.G., Westgate, J.A., Gualda, G.A.R., Gatti, E., and Muhammad, R.F.: Tephra glass chemistry provides storage and discharge details of five magma reservoirs which fed the 75 ka Youngest Toba Tuff eruption, northern Sumatra. Journal of Quaternary Science 35, 256–271, 2020.

Persson C.: Försök till tefroüonologisk datering av några svenska torvmossar. Geologiska Föreningen I Stockholm Förhandlingar 88(3), 361–394, doi: 10.1080/11035896609448933, 1966 (in Swedish).

Persson C.: Tephrochronological investigation of peat deposits in Scandinavia and on the Faroe Islands. Geological Survey of Sweden C 656, 1–34, 1971.

Petrelli, M., Bizzarri, R., Morgavi, D., Baldanza, A., and Perugini, D.: Combining machine learning techniques, microanalyses and large geochemical datasets for tephrochronological studies in complex volcanic areas: new age constraints for the Pleistocene magmatism of central Italy. Quaternary Geochronology 40, 33–44, 2017.

Pilcher, J. and Hall, V.A.: Towards a tephrochronology for the Holocene of the north of Ireland. The Holocene 2, 255–259, 1992.

Pilcher, J. and Hall, V.A.: Tephrochronological studies in northern England. The Holocene 6, 100–105, 1996.

Pilcher, J.R., Hall, V.A., and McCormac, F.G.: Dates of Holocene Icelandic volcanic-eruptions from tephra layers in Irish peats. The Holocene 5, 103–110, 1995.

Pillans, B.J.: Chronostratigraphy , in The Encyclopaedia of Quaternary Science, 2nd edition, edited by Elias, S.A., Mock, C.J., Elsevier, Amsterdam, 4, 215–221, 2013.

Platz, T., Cronin, S.J., Smith, I.E.M., Turner, M.B., and Stewart, R.B.: Improving the reliability of microprobe-based analyses of andesitic glasses for tephra correlation. The Holocene 17, 573–583, 2007.

Plunkett, G., Pilcher, J., Baillie, M., McClung, L.C.: Obituary – Emerita Professor Valerie Anne Hall BSc PhD FSA FHEA (1946-2016). Quaternary Geochronology 40, 8–11, 2017.

Pouget, S., Bursik, M.I., and Rogova, G.: Tephra redeposition and mixing in a Lateglacial hillside basin determined by fusion of clustering analyses of glass-shard geochemistry. Journal of Quaternary Science 29, 789–802, 2014.

Ponomareva, V., Portnyagin, M., and Davies, S.: Tephra without borders: far-reaching clues into past explosive eruptions. Frontiers in Earth Sciences 3: article 83, doi: org/10.3389/feart.2015.00083, 2015.

Portnyagin, M. V., Ponomareva, V.V., Zelenin, E.A., Bazanova, L.I., Pevzner, M.M., Plechova, A.A., Rogozin, A.N., and Garbe-Schönberg, D.: TephraKam: geochemical database of glass compositions in tephra and welded tuffs from the Kamchatka volcanic arc (northwestern Pacific). Earth System Science Data, 12, 469–486, 2020.

Porter, S.: INQUA and Quaternary science at the Millennium: a personal retrospective. Quaternary International 62, 111–117, 1999.

Prata, F. and Rose, B.: Volcanic ash hazards to aviation, in: The Encyclopaedia of Volcanoes, 2nd edition, edited by Sigurdsson, H., Houghton, B.F., McNutt, S., Rymer, H., and Stix, J., Elsevier, San Diego, 911–934, 2015.

Preece, S.J., Westgate, J.A., Froese, D.G., Pearce, N.J.G., Perkins, W.T.: A catalogue of late Cenozoic tephra beds in the Klondike goldfields and adjacent areas, Yukon Territory. Canadian Journal of Earth Sciences 48, 1386–1418, 2011.

Riede, F. and Thastrup, M.D.: Tephra, tephrochronology and archaeology – a (re-)view from northern Europe. Heritage Science 1 (15), 1–17, 2013.

Riede, F., Bazely, O., Newton, A.J., and Lane, C.S.: A Laacher See-eruption supplement to Tephrabase: investigating distal tephra fallout dynamics. Quaternary International 246, 134–144, 2011.

Robertson, S.M., Mew, G.: The presence of volcanic glass in soils on the West Coast, South Island, New Zealand. New Zealand Journal of Geology and Geophysics 25, 503–507, 1982.

Robock, A.: Climatic impacts of volcanic eruptions, in: The Encyclopaedia of Volcanoes, 2nd edition, edited by Sigurdsson, H., Houghton, B.F., McNutt, S., Rymer, H., and Stix, J., Elsevier, San Diego, 935–942, 2015.

Romero, J.E., Alloway, B.V., Gutiérrez, R., Bertin, D., Castruccio, A., Villarosa, G., Schipper, C.I., and 10 others: centennial-scale eruptive diversity at Volcán Calbuco (41.3°S; Northwest Patagonia) deduced from historic tephra cover-bed and dendrochronologic archives. Journal of Volcanology and Geothermal Research 417, 107281, 2021.

Ross, C.S. and Smith, R.L.: Ash-flow tuffs: their origin, geologic relations, and identification. A. study of the emplacement, by flowage, of hot gas-emitting volcanic ash; its induration by welding and crystallization, and criteria for recognizing the resulting rock. U.S. Geological Survey Professional Paper 366, 1–80, 1961.

Royal Geographical Society: Obituary Sigurdur Thórarinsson, 1912-1983. The Geographical Journal 149, 405–406, 1983.

Ruddiman, W.F. and McIntyre, A.: Time-transgressive deglacial retreat of polar waters from the North Atlantic. Quaternary Research 3, 117–130, 1973.

Saito, Y., Okumura, K., Suzuki, T., Yokoyama, Y., and Izuho, M. (editors): Japanese Quaternary studies. Quaternary International 397, 1–588, 2016.

Sarna-Wojcicki, A.M.: Tephrochronology, in: Quaternary Geochronology: Methods and Applications, edited by Noller, J.S., Sowers, J.M., and Lettis, W.R., AGU Reference Shelf, 4, American Geophysical Union, Washington, DC, 357–377, 2000.

Schindlbeck, J.C., Kutterolf, S., Straub, S.M., Andrews G.D.M., Wang, K.-L., Mleneck-Vautravers, M.J.: One million years tephra record at IODP sites U1436 and U1437: insights into explosive volcanism from the Japan and Izu arcs. Island Arc 27, e12244, 2018.

Schmid, R.: Descriptive nomenclature and classification of pyroclastic deposits and fragments: recommendations of the IUGS Subcommission on the Systematics of Igneous Rocks. Geology 9, 41–43, 1981.

Schmincke, H.-U.: IAVCEI: who we are and what we do. Bulletin of Volcanology 51, 229–242, 1989.

Scott, J.M.: Introduction to the special issue on volcanism in Zealandia and the SW Pacific. New Zealand Journal of Geology and Geophysics 64 (2/3), 147–152, 2021.

Self, S. and Sparks, R.S.J.: Dedication, in: Tephra Studies, edited by Self, S. and Sparks, R.S.J., D. Reidel, Dordrecht, xi–xii, 1981a.

Self, S. and Sparks, R.S.J.: Preface, in: Tephra Studies, edited by Self, S. and Sparks, R.S.J., D. Reidel, Dordrecht, xiii-xiv, 1981b.

Self, S. and Sparks, R.S.J. (editors): Tephra Studies. D. Reidel, Dordrecht. 481 pp, 1981c.

Self, S. and Sparks, R.S.J.: George Patrick Leonard Walker 2 March 1926–17 January 2005. Biographical Memoirs of Fellows of the Royal Society 52, 423–436, 2006.

Shane, P.A.R.: Tephrochronology: a New Zealand case study. Earth-science Reviews 49, 223–259, 2000.

Sheridan, M.F.: Emplacement of pyroclastic flows: are review. Geological Society of America Special Paper 180, 125–136, 1979.

Shulmeister, J., Turney, C.S.M., Fink, D., Newnham, R.M., Alloway, B.V.: Developing an event stratigraphy for Australasian climate change. EOS 87 (29), 283, 2006.

Slate, J.L. and Knott, J.R.: Tephrochronology: an appreciation of the contributions of Andrei Sarna-Wocjicki. Quaternary International 178, 10, 2008.

Smalley, I.J.: Volcanic ash southern style. Nature 286, 841, 1980.

Smalley, I.J.: Notes for a history of INQUA – the International Union for Quaternary Research. Giotto Loess Research Group, Nottingham Trent University, Nottingham, U.K., https://www.researchgate.net/publication/299976916_Notes_for_a_History_of_INQUA, 2011.

Smalley, I. and O’Hara-Dhand, K.: The Western Pacific Working Group of the INQUA Loess Commission: expansion from central Europe. Central European Journal of Geosciences 2, 9–14, 2010.

Smith, I.E.M. (editor): Late Cenozoic volcanism in New Zealand. Royal Society of New Zealand Bulletin 23, 371 pp., 1986.

Smith, D.G.W. and Westgate, J.A.: Electron probe technique for characterising pyroclastic deposits. Earth and Planetary Science Letters 5, 313–319, 1969.

Smith, V.C., Shane, P.A.R., and Nairn, I.A.: Trends in rhyolite geochemistry, mineralogy, and magma storage during the last 50 kyr at Okataina and Taupo volcanic centres, Taupo Volcanic Zone, New Zealand. Journal of Volcanology and Geothermal Research 148, 372–406, 2005.

Smith, V.C., Staff, R.A., Blockley, S.P.E., Bronk Ramsey, C., Nakagawa, T., Mark, D.F., Tekemura, K., Danhara, T., and Suigetsu 2006 Project Members: Identification and correlation of visible tephras in the Lake Suigetsu SG06 sedimentary archive, Japan: chronostratigraphic markers for synchronising of east Asian/west Pacific palaeoclimatic records across the last 150 ka. Quaternary Science Reviews 67, 121–137, 2013.

Sparks, R.S.J. and Walker, G.P.L: The significance of vitric-enriched air-fall ashes associated with crystal-rich ignimbrites. Journal of Volcanology and Geothermal Research 2, 329-341, 1977.

Sparks, R.S.J., Self, S., Walker, G.P.L.: Products of ignimbrite eruptions. Geology 1, 115–118, 1973.

Steen-McIntyre, V.: INQUA tephrochronology bibliography – a call for references. EOS 52 (7), 520, 1971.

Steinthórsson, S.: Memorial to Sigurdur Thórarinsson, 1912-1983. Geological Society of America Memorials 15, 1–6, 1985.

Steinthórsson, S.: Sigurdur Thórarinsson (1912–1983). Jökull 62, 3–20, 2012.

Stewart, R.B., Neall, V.E., Pollok, J.A., Syers, J.K.: Parent material stratigraphy of an Egmont loam profile, Taranaki, New Zealand. Australian Journal of Soil Research 15, 177−190, 1977.

Stewart, R.B., Neall, V.E., and Syers, J.K.: Occurrence and source of quartz in six basaltic soils from Northland, New Zealand. Australian Journal of Soil Research 22, 365–377, 1984.

Stork-Bullock Mortuary: Donal Ray Mullineaux: February 16, 1925–January 23, 2021. Stork-https://www.sbmortuary.com/obituary/Donal-Mullineaux, 2021.

Suzuki, T.: Chemical analysis of volcanic glass by energy dispersive X-ray spectrometry with Jeol JED-2001 and JSM-5200: analytical procedures and application. Geographical Reports of Tokyo Metropolitan University 31, 27–36, 1996.

Suzuki, T.: Tephra studies on Quaternary explosive eruptions in the Japanese islands. The Quaternary Research (Daiyonki-Kenkyu) 46, 283–292, 2007.

Suzuki, T. and Nakamura, Y.: Report on the COT-J symposium [13-15 March, 2005] entitled 'Reconstruction of development of Kanto tectonic basin: tephrochronology, underground geology and tectonics'. Quaternary Research (QR) Newsletter 12 (3), 19–21, 2005 (in Japanese).

Suzuki, T., Moriwaki, H., and Lowe, D.J.: Hiroshi Machida – respected tephrochronologist, teacher, leader. Quaternary International 246, 6–13, 2011.

Suzuki, T., Kasahara, A., Nishizawa, F., Saito, H.: Chemical characterization of volcanic glass shards by energy dispersive X-ray spectrometry with EDAX Genesis APEX2 and JEOL JSM-6390. Geographical Reports of Tokyo Metropolitan University 49, 1–12, 2014.

Swindles, G.T., Lawson, I.T., Savov, I.P., Connor, C.B., and Plunkett, G.: A 7000-yr perspective on volcanic ash clouds affecting Northern Europe. Geology 39, 887–890, 2011.

Swindles, G.T., Outram, Z., Batt, C.M., Hamilton, W.D., Church, M.J., Bond, J.M., Watson, E.J., Cook, G.T., Sim, T.G., Newton, A.J., Dugmore, A.J.: Vikings, peat formation and settlement abandonment: a multimethod chronological approach from Shetland. Quaternary Science Reviews 210, 211–225, 2019.

Tatsumi, Y. and Suzuki-Kamata, K.: Cause and risk of catastrophic eruptions in the Japanese archipelago. Proceedings of the Japan Academy, Series B, Physical and Biological Sciences 90, 347−352, 2014.

Thomas, D. and Lamothe, M.: Dr Stephen Stokes, 1964-2014, https://www.geog.ox.ac.uk/news/articles/140520-stokes.html, 2014.

Thompson, P.I.J., Dugmore, A.J., Newton, A.J., Streeter, R.J., and Cutler, N.A.: Variations in tephra stratigraphy created by small-scale surface features in sub-polar landscapes. Boreas, https://doi.org/10.1111/bor.12557, 2021.

Thórarinsson, S.: Tefrokronologiska studier på Island [Tephrochronological studies in Iceland]. Geografiska Annaler 26, 1–217, 1944 (in Icelandic with English summary pp. 204–215).

Thórarinsson, S.: The tephra-fall from Hekla on March 29^{th}, 1947, in: The Eruption of Hekla 1947–1948, edited by Einarsson, T., Kjartansson, G., and Thórarinsson, S., The Icelandic Science Association and the Museum of Natural History, Reykjavík, 2(3), 1–68, 1954.

Thórarinsson, S.: A message sent from Dr Thórarinsson [in 1961], pp. 784-785 in Kobayashi, K. Report on the VI^{th} International Congress on Quaternary, Warsaw 1, 781–789, 1965.

Thórarinsson, S.: Ignimbrit í Thorsmörk [Ignimbrite in Thorsmörk]. Náttúrufræðingurinn 39, 139–155, 1969 (in Icelandic).

Thórarinsson, S.: Tephrochronology in medieval Iceland, in: Scientific Methods in Medieval Archaeology, edited by Berger, R., University of California Press, Berkley, 295–328, 1970.

Thórarinsson, S.: The terms *Tephra* and *Tephrochronology*, in "The World Bibliography and Index of Quaternary Tephrochronology" edited by Westgate, J.A. and Gold, C.M. University of Alberta, Alberta, Canada, xvii–xviii, 1974.

Thórarinsson, S.: On the damage caused by volcanic eruptions with special reference to tephra and gases, in: Volcanic Activity and Human Ecology, edited by Sheets, P.D. and Grayson, D.K., Elsevier, 125–159, 1979.

Thórarinsson, S.: Tephra studies and tephrochronology: a historical review with special reference to Iceland, in: Tephra Studies, edited by Self, S. and Sparks, R.S.J., D. Reidel, Dordrecht, 1–12, 1981.

Thordarson, T. and Larsen, G.: Volcanism in Iceland in historical times: volcano types, eruption styles and eruptive history. Journal of Geodynamics 43, 118–152, 2007.

Thordarson, T. and Höskuldsson, Á.: Postglacial volcanism in Iceland. Jökull 58, 197–228, 2008.

Tomlinson, E.L., Smith, V.C., Albert, P.G., Aydar, E., Civetta, L., Cioni, R., Çubukçu, E., Gertisser, R., Isaia, R., Menzies, M.A., Orsi, G., Rosi, M., and Zanchetta, G.: The major and trace element glass compositions of the productive Mediterranean volcanic sources: tools for correlating distal tephra layers in and around Europe. Quaternary Science Reviews 118, 48–66, 2015.

Tonkin, P.J. and Neall, P.J.: Obituary – A memorial to Colin George Vucetich BAgrSc (Lincoln), born 6^{th} October 1918–died 25 April 2007. New Zealand Soil News 55 (3), 96–101, 2007.

Turney, C.S.M.: Extraction of rhyolitic ash from minerogenic lake sediments. Journal of Paleolimnology 19, 199–206, 1998.

Turney, C.S.M. and Lowe, J.J.: Tephrochronology, in: Tracking Environmental Change Using Lake Sediments, Vol. 1, Basin Analysis, Coring, and Chronological Techniques, edited by Last, W.M. and Smol, J.P., Kluwer, Dordrecht, pp. 451–472, 2001.

Turney, C.S.M., Davies, S.M., and Alloway, B.V.: Developing regional tephrochronological frameworks for testing hypotheses of synchronous climate change. PAGES News 13(3), 16–17, 2004a.

Turney, C.S.M., Lowe, J.J., Davies, S.M., Hall, V.A., Lowe, D.J., Wastegård, S., Hoek, W.Z., and Alloway, B.V.: Tephrochronology of Last Termination sequences in Europe: a protocol for improved analytical precision and robust correlation procedures (SCOTAV–INTIMATE proposal). Journal of Quaternary Science 19, 111–120, 2004b.

Uslular, G., Kıyıkçı, F., Karaarslan, E., and Kuşcu, G.C.: Application of machine-learning algorithms for tephrochronology: a case study of Plio-Quaternary volcanic fields in the South Aegean Active Volcanic Arc. Earth Science Informatics, https://doi.org/10.1007/s12145-022-00797-5

van den Bogaard, C. and Schmincke, H.-U.: Linking the North Atlantic to central Europe: a high resolution tephrochronological record from northern Germany. Journal of Quaternary Science 17, 3–20, 2002.

van den Bogaard, C., Dörfler, W., Sandgren, P., and Schmincke, H.-U.: Correlating the Holocene records: Icelandic tephra found in Schleswig-Holstein (northern Germany). Naturwissenschaften 81, 554–556, 1994.

van der Bilt, W.G.M., Lane, C.S., and Bakke, J.: Ultra-distal Kamchatkan ash on Arctic Svalbard: towards hemispheric cryptotephra correlation. Quaternary Science Reviews 164, 230–235, 2017.

Van Hazinga, C., Mana, S., and DiMaggio, E.: Availability and accessibility of east African tephra geochemical data compiled in EARThD, in: Geological Society of America Abstracts with Programs, Vol. 53 (6), 2021.

Vucetich, C.G.: Obituary – Dr. William Alexander [Alan] Pullar, BSc, AOSM, DSc, FNZIAS. New Zealand Soil News 30, 186–188, 1982.

Waitt, R.B. and Begét, J.E.: Volcanic processes and geology of Augustine Volcano, Alaska. U.S. Geological Survey Professional Paper 1762, 1–78, 2009.

Wallace, K.L, Bursik, M.I., Goring, S.J., Kodama, S., Kuehn, S.C., Kurbatov, A., Lehnert, K., Profeta, Ramdeen, S., Wallace, K., and Walker, J.D.: Improving discoverability of tephra data through development of data upload templates and collection tools using community-driven best practices recommendations. Goldschmidt Meeting, July 4-9, https://2021.goldschmidt.info/goldschmidt/2021/meetingapp.cgi/Paper/3629, 2021.

Wallace, K., Bursik, M., Kuehn, S., Kurbatov, A., Abbott, P., Bonadonna, C., Cashman, K., Davies, S., Jensen, B., Lane, C., Plunkett, G., Smith, V., Tomlinson, E., Thordarsson, T., and Walker, J.D.: Community established best practice recommendations for tephra studies – from collection through analysis. Nature Scientific Data [manuscript SDATA-21-00892: submitted 5-August-2021], in review.

Wastegård, S.: Late Quaternary tephrochronology of Sweden: a review. Quaternary International 130, 49–62, 2005.

Wastegård, S. and Boygle, J.: Distal tephrochronology of NW Europe: the view from Sweden. Jökull 62, 73–80, 2012.

Wastegård, S. and Davies, S.M.: An overview of distal tephrochronology in northern Europe during the last 1000 years. Journal of Quaternary Science 25, 500–512, 2009.

Westgate, J.A.: Preface and acknowledgements, in: World Bibliography and Index of Quaternary Tephrochronology, compiled by Westgate, J.A. and Gold, C.M., University of Alberta, Edmonton, UNESCO and INQUA, iii–iv, 1974.

Westgate, J.A.: Isothermal plateau fission-track ages of hydrated glass shards from silicic tephra beds. Earth and Planetary Science Letters 95, 226–234, 1989.

Westgate, J.A. and Fulton, R.J.: Tephrostratigraphy of Olympia interglacial sediments in south-central British Columbia, Canada. Canadian Journal of Earth Sciences 12, 489–502, 1975.

Westgate, J.A. and Gold, C.M. (compilers): World Bibliography and Index of Quaternary Tephrochronology. University of Alberta, Edmonton, UNESCO and INQUA, 528 pp, 1974.

Westgate, J.A., Gorton, M.P.: Correlation techniques in tephra studies, in: Tephra Studies, edited by Self, S. and Sparks, R.S.J., D. Reidel, Dordrecht, 73–94, 1981.

Westgate, J.A., Walter, R., and Naeser, N.: Preface [to 'Tephrochronology: stratigraphic applications of tephra'], Quaternary International 13-14, 5, 1992a.

Westgate, J.A., Walter, R., and Naeser, N. (editors): Tephrochronology: stratigraphic applications of tephra. Quaternary International 13-14, 1–203, 1992b.

Westgate, J.A., Perkins, W.T., Fuge, R., Pearce, N.J.G., and Wintle, A.G.: Trace-element analysis of volcanic glass shards by laser ablation inductively coupled plasma mass spectrometry: application to tephrochronological studies. Applied Geochemistry 9, 323–335, 1994.

Wilson, C.J.N.: The Taupo eruption, New Zealand II. The Taupo ignimbrite. Philosophical Transactions of the Royal Society, London, A314, 229–310, 1985.

Wilson, C.J.N.: Post-conference Tour Day 1: Hamilton-Tokaanu, in: Intra-conference and Post-conference Tour Guides, International Inter-INQUA Field Conference on Tephrochronology, Loess, and Paleopedology, edited by Lowe, D.J., University of Waikato, Hamilton, New Zealand, 74–100, 1994.

Wilson, C.J.N.: George Walker 1926-2005. Geological Society of New Zealand Newsletter 136, 47–50, 2005.

WoldeGabriel, G., Hart, W.K., Heiken, G.: Innovative tephra studies in the East African Rift System. EOS 86 (27), 255, 2005.

Wright, J.V., Smith, A.L., and Self, S.: A terminology for pyroclastic deposits, in: Tephra Studies, edited by Self, S. and Sparks, R.S.J., D. Reidel, Dordrecht, 457–463, 1981.

Wulf, S., Hardiman, M.J., Staff, R.A., Koutsodendris, A., Appelt, O., Blockley, S.P.E., Lowe, J.J., Manning, C.J., Ottolini, L., Schmitt, A.K., Smith, V.C., Tomlinson, E.L., Vakhrameeva, P., Knipping, M., Kotthoff, U., Milner, A.M., Müller, U.C., Christanis, K., Kalaitzidis, S., Tzedakis, P.C., Schmiedl, G., and Pross, J.: The marine isotope stage 1–5 cryptotephra record of Tenaghi Philippon, Greece: towards a detailed tephrostratigraphic framework for the eastern Mediterranean region. Quaternary Science Reviews 186, 236–262, 2018.

Appendix A

Summary of some of the activities (including INQUA/IAVCEI sessions/symposia, regional workshops, etc) associated with COT additional to the nine specialist tephra conferences listed in Table 3

Activities 1965–1999	Activities 2000–2022
1965 INQUA Congress in Boulder (tephra session/s; field trips in Pacific Northwest, central-south Alaska) (Neustadt, 1969)	*2000* 4th International INTIMATE Workshop, INQUA Palaeoclimate Commission and COTAV, Kangerlussuaq, Greenland (e.g., Turney et al., 2004b)
*196*9 INQUA Congress in Paris (tephra session/s; field trip in Massif Central) (Neustadt, 1969)	*2003* INQUA Congress in Reno (tephra session/s; launch of Australasian INTIMATE Project, e.g., Shulmeister et al., 2006)
1973 INQUA Congress in Christchurch (tephra session/s; field trips in western North Island, central North Island) (Fairbridge, 1974)	*2005* NSF Revealing Hominid Origins Initiative, International Tephra Working Group Workshop, Santa Fe, New Mexico (WoldeGabriel et al., 2005)
1977 INQUA Congress in Birmingham (tephra session/s)	*2007* INQUA Congress in Cairns (tephra sessions; field trip in Atherton Tablelands)
1986 IAVCEI International Volcanological Congress in Auckland-Hamilton-Rotorua (sessions on explosive volcanism, tephrochronology; field trips in North Island, e.g., Houghton and Wilson, 1986)	*2011* INQUA Congress in Bern (tephra sessions)
1987 New Zealand conference, Western Pacific Working Group of INQUA Loess Commission (field trip including North Island, e.g., Smalley and O'Hara-Dhand, 2010)	*2012* Tephra and Archaeology – Chronological, ecological and cultural dimensions symposium, Annual Meeting of European Association of Archaeologists, Helsinki
1990, 1992, 1994 Biennial UK Tephra Meetings in Edinburgh (1990), Belfast (1992), and Cheltenham (1994) (e.g., Hunt, 1999a)	*2014* Tephra-2014 'Maximising the potential of tephra for multidisciplinary science', Portland, Oregon (https://www.tephrochronology.org/intav/Tephra2014/)
1991 INQUA Congress in Beijing (tephra session/s)	*2015* INQUA Congress in Nagoya (tephra sessions; numerous field trips involving tephras)
1992 IGC Tephra and volcanological meeting, Mt Tateyama, Japan	*201*7 Tephra-2017 'Best practices in tephra collection, analysis, and reporting: leading toward better tephra databases', IAVCEI Scientific Assembly in Portland, Oregon (https://www.tephrochronology.org/intav/Tephra2017/)
1995 INQUA Congress in Berlin (tephra session/s; field trip in Eifel Volcanic Field)	*2019* INQUA Congress in Dublin (tephra sessions) (see Sect. 6) and Tephra-19 'Tephra standardization writing workshop' (https://www.tephrochronology.org/intav/Tephra2019/)
1995 'Volcanoes in the Quaternary' meeting, London, of the Volcanic Studies Group of the Geological Society and the QRA, UK (Firth, 1999; Firth and McGuire, 1999).	*2021* American Geophysical Union AGU21 Fall Meeting (tephra and volcanic processes session)
1999 INQUA Congress in Durban (tephra session/s; formalising link between S/COTAV and INTIMATE Project; e.g., Turney et al., 2004a)	*2022* 'Best practices: tephra fusion webinars' (https://tephrochronology.org/cot/Tephra2022/#).