



# 1    **History of the Potsdam, Seddin and Niemeck Geomagnetic** 2    **Observatories – Part 3: Niemeck**

3

4    **Hans-Joachim Linthe<sup>1</sup>**

5    [1] {Helmholtz Centre Potsdam GFZ German Research Centre for Geosciences}

6    Correspondence to: Hans-Joachim Linthe (linthe@gfz-potsdam.de)

7

## 8    **Abstract**

9    The measurement series of the 3 geomagnetic observatories Potsdam, Seddin and Niemeck  
10    span over 130 years, starting in 1890. It is one of the longest, almost uninterrupted series of  
11    recordings of the Earth's magnetic field. Data users frequently emphasize the high quality of  
12    the data and its significance for geomagnetic base research. Very well-known outstanding  
13    geomagnetism scientists as Max Eschenhagen, Adolf Schmidt, Julius Bartels, Gerhard  
14    Fanselau and Horst Wiese directed the observatories during their existence. This paper  
15    describes the history of the Niemeck Adolf Schmidt Observatory, which was started in 1932  
16    and is currently further in operation.

17

## 18    **1 Introduction**

19    The Potsdam Prussian Meteorological-Magnetic Observatory operated two magnetic  
20    observatories: Potsdam on the Telegrafenberg near by the town of Potsdam, which was in  
21    operation 1890-1928, and Seddin near by the village of Seddin, which worked 1907-1931.  
22    Anthropogenic noise from DC-powered railway traction vehicles, which were operated in  
23    small distances, caused the termination of both the magnetic observatories (Best, et al., 1991  
24    and 1992; Linthe, 2023a and 2023b).

## 25    **2 Niemeck Adolf Schmidt Geomagnetic Observatory**

26    The famous Adolf Schmidt (1860-1944), director of the magnetic observatories 1902-1928  
27    tackled the task to find a suitable place for a new observatory. At first he considered locations  
28    near the villages of Raben and Rädigke in the Hoher Fläming hills (Bock, 1950). But the



1 power supply and building heating was a problem at that time at those locations. But due to a  
2 favourable circumstance Adolf Schmidt found a suitable location. Paul Temming (1884-  
3 1953), mayor of the small town of Niemegek 1917-1937, got by chance knowledge of Adolf  
4 Schmidt's intension to establish a magnetic observatory in the region of Hoher Fläming. He  
5 expected development impulses for Niemegek, having such a facility in the town. He made  
6 aware Adolf Schmidt on his idea. Schmidt brought forward his expectations on the location  
7 and the conditions of the undisturbed operation of the observatory. The negotiations of both  
8 the authorities came to the successful result to establish the new observatory in a distance of  
9 1,000 m from the town boundary at the edge of a forest (Nippoldt, 1929). On Adolf Schmidt's  
10 request the town of Niemegek and the observatory agreed in a contract to ensure the  
11 undisturbed operation of the observations. The town of Niemegek committed to abstain from  
12 DC facilities and to accept a protection circle of 500 m radius around the observatory, in  
13 which any constructions should be allowed only in case of the permission by the observatory.  
14 Fig. 1 shows this contract.

15 The town of Niemegek bought the properties from private owners and sold it for the half of its  
16 price to the observatory. Furthermore the town constructed a gas and water pipeline and the  
17 electrical power supply connection to the observatory, bearing one third of the expenses  
18 (Bock, 1950).

19 It was intended to start and finish the construction of the new observatory in 1927 to enable  
20 the parallel operation of Seddin and Niemegek over a suitable time period. The Deutsche  
21 Reichsbahn-Gesellschaft, owner of the Berlin suburban railway, announced to start the  
22 electrical operation of the trains at the beginning of 1929. In fact it was started already on 11  
23 June 1928. But the construction of the Niemegek observatory started only in 1929 and became  
24 functioning only in the course of 1931. The parallel operation of Seddin and Niemegek was  
25 only possible during the time period of almost one year, but the Seddin observations were  
26 already disturbed by the leakage currents of the electrical trains (Linthe, 2023b).

27 Adolf Schmidt continued to accompany the activities even after going retired on 1 October  
28 1929. He actively influenced the construction plans of the buildings and their locations. The  
29 Deutsche Reichsbahn-Gesellschaft, the operator of the DC powered Berlin suburban railway,  
30 as the originator of the movement of the observatory from Potsdam and Seddin to Niemegek  
31 contributed a significant fee to the costs of the new observatory on the base of a contract – as  
32 a result of Schmidt's successful negotiations (Nippoldt, 1930; Best, 1997).



1 The construction activities of the observatory started on 3 May 1929 (Nippoldt, 1931b). The  
2 Prussian Minister for Science, Art and Education granted on 1 April 1930 the new  
3 observatory the name “Adolf-Schmidt-Observatorium für Erdmagnetismus”. Fig. 2 shows the  
4 document. On 23 July 1930, Adolf Schmidt’s 70<sup>th</sup> birthday, the observatory was officially  
5 opened (Nippoldt, 1931a). Fig. 3 shows the first page of the observatory guest book with  
6 Adolf Schmidt’s inscription. He wrote his motto “To be always excellent and to distinguish  
7 from others” in Greek and old-style German. Forty six invited persons participated in the  
8 opening ceremony. At Fig. 4 the inscriptions in the guest book of all of them are depicted.

9 After the complete finishing of the building construction in 1931 the instruments were  
10 installed and adjusted by Richard Bock (1899-1961). The operation of Seddin observatory  
11 was continued until 9 May 1932. On 1 January 1932 the observations started officially at the  
12 Niemeck Adolf Schmidt Observatory (Bock, 1950).

### 13 **2.1 Niemeck Observatory Buildings**

14 Fig. 5 shows the ground plan of the new observatory compound of a size of 3.5 ha (Bock,  
15 1939). The solid clinker-constructed apartment and service building (later called main  
16 building) contains 2 apartments, some offices, 2 guest rooms, the necessary power supply  
17 equipment, a workshop and a central heating system. In the as well as solid clinker-  
18 constructed storage house were a garage, a laundry and storage rooms. Fig. 6 shows a photo  
19 of both the buildings.

20 The house for absolute measurements (later called absolute house) and the variation house are  
21 of wooden construction on a concrete foundation. The sand, cement and further additives,  
22 used for the concrete, were carefully investigated on being free of any magnetic influence on  
23 the observations. Any fitting assemblies are made from brass, the nails are copper ones. The  
24 pillars for the instruments are as well as concrete ones, resting in groups together (variation  
25 house) resp. all together (absolute house) on a concrete foundation of 50 cm thickness. An  
26 outdoor pillar is located eastward of the absolute house.

27 The absolute house (see a photo at Fig. 7 and the ground plan at Fig. 9) consists of a crawl  
28 space below the Earth’s surface and the measurement room at the ground floor with another  
29 crawl loft for thermal insulation. Sixteen pillars are available for the vibration-free placement  
30 of instruments (14 in the main room and another 2 in a special annex chamber at the west  
31 wall). The church tower (viewable at Fig. 12) and the water tower of the town of Niemeck in



1 a distance of about 1,000 m, visible from some of the pillars, serve as azimuth marks. Before  
2 the wooden construction of the house was started, astronomical measurements to determine  
3 the azimuth values of a number of inside pillars and the outside one with respect to the  
4 azimuth marks took place (Nippoldt, 1930).

5 In 1957 inner walls with thermal insulation and a thermoelectric controlled heating was added  
6 in the absolute house to ensure a constant temperature for the absolute measurements (Wiese,  
7 1960). All this was removed in 2003 and 2004 in connection with the basic renovation of the  
8 building. Since the invention of the new set of absolute measurement instruments from 1992-  
9 1996 a strict constant temperature during the absolute measurement set was not any more  
10 necessary.

11 The variation house (see a photo at Fig. 8 and the ground plan at Fig. 10) partly sunk-in below  
12 the Earth's surface to avoid as good as possible a thermal influence on the instruments.  
13 Around the instrument rooms an insulation corridor for further thermal protection takes  
14 course. Three rooms, called following their geographic directions – south, north-east and  
15 north-west – are intended to be used for the instruments. A service corridor in the centre  
16 allows the access on the recording equipment of both the northern rooms and to enter the  
17 south room. The wooden loft with roof over all the concrete basement is further intended to  
18 avoid thermal influence on the instruments. A crawl space below the wooden floor of the  
19 instrument rooms and the service corridor allows the placement of cables.

20 Adolf Schmidt intended a separate heating system on the base of gas for the variation house  
21 and tile stoves for the absolute house. But finally a central heating system for the heating of  
22 both magnetometer buildings was constructed. A separate solid clinker-constructed heating  
23 house (Fig. 11 shows a photo of the building) containing the coal burning boiler, the pumps  
24 and the coal storage in a suitable distance to the observation buildings was in use during the  
25 cold seasons. The connection pipes and the radiators in the observation houses were made  
26 from copper. Only the insulating corridor of the variation house is heated by means of the  
27 warm water heating system. The instrument rooms are heated by means of thermoelectric  
28 controlled electric radiators. The annual temperature variation in the rooms is less than 0.5  
29 degrees centigrade.

30 The two Seddin observatory buildings were re-erected on prepared magnet-free concrete  
31 foundations in 1932 (Nippoldt, 1934). The former Seddin variation house was intended to be  
32 used as a laboratory, which is still its function nowadays. It was also connected to the central



1 heating system operated from the heating house. Its basement has a crawl space for cable  
2 placement. The former Seddin absolute hut was called first “observation hut”. Later it was  
3 renamed into “small hut”. A photo of its present situation shows Fig. 5 in Linthe, 2023b. Fig.  
4 12 shows a photo of the observatory buildings, viewed from the apartment and service house.

5 In 1960 the construction of a new building as an electric laboratory was finished (Fanselau,  
6 1962a). Fig. 13 shows a view from the attic floor of the main building on the laboratory. In  
7 1961 two more measurement huts were constructed at the observatory compound, one of them  
8 for housing the sensor of the proton magnetometer. In 1963 an observation hut for the telluric  
9 recordings and a little solid building for housing of a small computer was added (Fanselau,  
10 1964). During the next year a wooden building housing the measurement centre was  
11 constructed.

12 In 1967 the construction of a solid house, called workshop building, housing the precision  
13 mechanical workshop, 3 guest rooms, 3 offices, 2 meeting rooms, a kitchen and a  
14 photographic laboratory was finished (Fanselau, 1968). Fig. 14 shows a photo of the  
15 building. In the same year the computer building was enlarged.

16 Further buildings were constructed at different times for different purposes. Finally 26  
17 buildings existed on the observatory compound. Fig. 15 shows the ground plan of 2003. One  
18 of the 26 buildings did not any more exist at this time. Three more buildings, which were not  
19 any more in use, were removed in 2004. Fig. 16 shows the present ground plan of the  
20 observatory compound.

21 The buildings No. 1, 4, 5, 6, 7, 8, 9, 10 and 11 were declared historic monuments in 2004.

## 22 **2.2 Niemegek Observatory Instruments**

23 The before in Potsdam and in Seddin used instruments were transported step by step to  
24 Niemegek and installed at the new site.

### 25 **2.2.1 Absolute Measurements**

26 The three theodolites for the measurement of declination and horizontal intensity, Wanschaff,  
27 Bamberg and Schmidt as well as the oscillation box Wanschaff have got suitable conditions in  
28 the new absolute house due to the big number of 14 pillars. The 2 Earth inductors Schulze  
29 No.1 and No. 65 as well as the appropriate galvanometers have got their places on separate



1 pillars. Fig. 17 shows an interior view of the absolute house. The table below the figure gives  
2 the assignment of the visible instruments to the pillars.

3 The accuracy of the oscillation measurements was significantly improved by means of the  
4 construction of a photoelectric oscillation measurement facility in 1933 (Fanselau, 1933).

5 The theodolite Bamberg, the oscillation box Wanschaff, the photoelectric oscillation  
6 measurement facility and the standard magnets for the measurement of the horizontal  
7 intensity were lost in 1945 (Fanselau's preliminary remark in (Richard and Wiese, 1954).  
8 New standard magnets were purchased in 1950. A new oscillation box was constructed by the  
9 observatory workshop. The lost photoelectric oscillation measurement facility was replaced  
10 by a new established one in 1954 (Schmidt, 1956). A further Earth inductor was delivered by  
11 Mating & Wiesenberg, Potsdam (Richard and Wiese, 1954). The new positions of the  
12 instruments in the absolute house were as follows:

13	Pillar No.	Instrument
14	2	Galvanometer for the earth inductor Mating & Wiesenberg
15	4	Galvanometer for the earth inductor Schulze No. 1
16	6	Collimator (azimuth mark in case of invisible towers)
17	7	Oscillation box
18	8	Theodolit Wanschaff
19	9	Theodolit Schmidt
20	11	Earth inductor Mating & Wiesenberg
21	13	Earth inductor Schulze No. 1

22 From 1959 onward several self-made proton magnetometers were in use for permanent  
23 measurements of the total intensity (Schmidt, 1962; Wiese, 1962). In 1970 a Russian caesium  
24 magnetometer was taken into use on pillar No. 1 in the absolute house. Comparisons to the  
25 proton magnetometer measurements were done (Lengning et al., 1973). Later on a self-made  
26 vector proton magnetometer was installed on pillar No. 1 in the absolute house.

27 In 1992 two DI-flux instruments on the base of the theodolite ZEISS THEO 010B equipped  
28 with the Bartington flux-gate magnetometer MAG01H were purchased and taken into use.  
29 Fig. 18 (left) shows the DI-flux on pillar No. 2 of the absolute house with the Niemeck church  
30 tower in the background. The absolute measurements by means of these instruments were  
31 performed on pillar No. 2 and 5 in the absolute house. Measurements of the total intensity  
32 were carried out on the same pillars by means of the Overhauser proton magnetometer  
33 GEMSYS GSM19 (Best et al. 1995). The GSM19 is depicted at Fig. 18 (right).



## 1 **2.2.2 Variation Recordings**

2 In Potsdam and Seddin gasoline lamps were in use for the recording illumination. In Niemegek  
3 from the beginning electrical lamps powered by batteries in the main building were used  
4 exclusively. Instead of baseline interruptions (Potsdam and Seddin) vertical lines on the  
5 photographic recordings were in use as hourly time marks in Niemegek, controlled by the non-  
6 magnetic pendulum clock, which was moved from Potsdam.

7 The variometers of Mascart's origin, used before at the Potsdam observatory for the recording  
8 of the declination (D), horizontal (H) and vertical intensity (Z), were mounted after some  
9 modifications and alignments in the north-east room of the Niemegek variation house. An  
10 instrument for recording of the inclination (I) was added. The projected sensitivities were 2  
11  $\text{nT mm}^{-1}$  for H and Z and  $0.4 \text{ arc minutes mm}^{-1}$  for D and I. The recording equipment (made  
12 by Askaina, Berlin-Friedenau), having 4 drums for the photographic paper, used 2 of the  
13 drums for 2 variometers each on 1 paper sheet of a recording speed of  $2 \text{ cm hour}^{-1}$ . The 2  
14 further drums allowed the recording of the same variometers of selectable recording speeds of  
15  $6$  or  $24 \text{ cm hour}^{-1}$  (Bock, 1935).

16 Fig. 21 shows one of the first test photographic recordings of the horizontal intensity,  
17 declination and the vertical intensity of the time interval 25 March 1931 at 08:00 till 26 March  
18 1931 at 07:20 (Greenwich local mean time) taken at the Niemegek Adolf Schmidt  
19 Geomagnetic Observatory.

20 The former in Seddin used variometer set including the photographic recording equipment for  
21 recording of the North (X), East (Y) component and the vertical (Z) intensity was placed in  
22 the Niemegek north-west room in the same disposition as at Seddin. Fig. 19 shows an interior  
23 view of this room. The tracks on the photographic recordings are described in Linthe (2023b)  
24 and remained unchanged.

25 All the variometers in the north-east and north-west room were equipped with Helmholtz  
26 coils for the galvanic scale value determination.

27 In the south room a declination (D), horizontal (H) and vertical intensity (Z) variometer set  
28 was operated. From 1937 onward a special recording unit (Schmidt, 1926) of a plotting speed  
29 of  $4 \text{ mm minute}^{-1}$  was operated, which was already in use in Seddin (Linthe, 2023b).



1 From 1938 onward an instrument set of reduced sensitivity ( $25 \text{ nT mm}^{-1}$  for H and Z and 5 arc  
2 minutes  $\text{mm}^{-1}$ ), a so called storm variometer, was operated in the west room of the magnetic  
3 laboratory.

4 Caused by the World War II damages of buildings and instruments and loss of 3 variometer  
5 sets in 1945, only a provisional operation of the north-east system was restarted in February  
6 1946. Fig. 22 shows the first photographic recordings after the observation gap of the  
7 horizontal intensity, declination, the vertical intensity and the room temperature of the time  
8 interval 27 February 1946 at 10:30 till 28 February 1946 at 09:00 (Greenwich local mean  
9 time). The principle of recording the variations of different components of the Earth's  
10 magnetic field and temperatures at the same magnetogram, which is clearly visible at this  
11 figure, was in use all the time at the Niemegek observatory.

12 In 1948 a new set of variometers of reduced sensitivity (storm variometer) was installed  
13 (Fanselau and Wiese, 1956). In 1950 a new variometer set was installed in the south room of  
14 the variation house, recording the North (X), East component (Y) and the vertical intensity  
15 (Z), made by Mating & Wiesenberg, Potsdam. Also in 1950 a new variometer system was  
16 installed in the north-west room, recording H, D and Z, which was made in the observatory  
17 workshop.

18 The operation of the storm variometer in the magnetic laboratory was stopped in 1951 and  
19 replaced by a journey recording unit (Fanselau, 1951), which was operated additionally in the  
20 north-west room of the variation house. It was finally replaced by a new H, D, Z storm  
21 variometer set in the north-east room of the variation house in 1954 (Wiese, 1957).

22 In 1960 a new recording equipment made by Mating & Wiesenberg, Potsdam was installed  
23 for the north-west variometer system.

24 In 1965 a special three-component photographic recording using an especially constructed  
25 recording equipment was started in the magnetic laboratory (Fanselau and Grafe, 1963). It  
26 was in operation until 1970 (Lengning et al. 1971).

27 Digital recording vector proton magnetometers were constructed during the 1970<sup>th</sup> at the  
28 observatory. Their continuous operation at Niemegek observatory and in the remote station  
29 Warnkenhagen (at the Baltic Sea coast, north-west German Democratic Republic, GDR)  
30 started in 1976 (Lengning et al. 1977). In 1978 a digital recording scalar proton magnetometer  
31 was installed at the remote station Sosa in the Erzgebirge (south GDR). All the proton





1 magnetometers recorded of a sampling rate of 1 minute on eight canal punched tapes. The  
2 operation of these instruments at the remote stations was terminated in 1991. The termination  
3 of the Niemeck vector proton magnetometers followed in 1994.

4 In 1993 an “automatic geomagnetic observatory” M390, made by the French company  
5 GEOMAG, consisting of the fluxgate magnetometer VM390A, the Overhauser proton  
6 magnetometer GEMSYS SM90R, the electronic unit and a METEOSAT transmitter was  
7 installed and operated continuously in the variation house. The recorded data were transmitted  
8 to INTERMAGNET and stored on a 3.5” floppy disk. The operation of this instrument was  
9 terminated in 2006.

10 In 1995 the 3-component fluxgate magnetometer FGE, made by the Danish Meteorological  
11 Institute Copenhagen, and the Overhauser proton magnetometer GSM19, made by GEM  
12 Systems, Richmond Hill, Canada, were taken into operation in the variation house. They were  
13 controlled by the self-made data logger MAGDALOG (Best and Linthe, 1996). Fig. 20 shows  
14 a photo of the FGE. The GSM19 is depicted at Fig. 18, right. Two more of this digital  
15 recording system of the same configuration were installed in the variation house in 2000.  
16 These instruments are the present variation recording systems of the Niemeck Adolf Schmidt  
17 Geomagnetic Observatory. Only the GSM19 were replaced by the Overhauser proton  
18 magnetometers GSM90. The vector sensors FGE are located in the south room, the scalar  
19 sensors are placed in the north-east room of the variometer house. A further digital recording  
20 system was installed in 2008 in an underground container (No. 16 at Fig.16).

21 In 1996 a further 3-component fluxgate magnetometer, made by MAGSON, Berlin, was  
22 installed in a measurement hut. The recorded data were transmitted manually by means of a  
23 laptop (Best and Linthe, 1997). The operation of this instrument was terminated in 2005.

24 The photographic recordings were continued until the photographic paper was finished. Fig.  
25 23 shows the last photographic recordings of the north (X), east (Y) component and the  
26 vertical (Z) intensity and 2 room temperatures of the time interval 27 May 2006 at 09:00 till  
27 28 May 2006 at 9:00 (Greenwich local mean time) taken at the Niemeck Adolf Schmidt  
28 Geomagnetic Observatory.

### 29 **2.3 Further Observatory Equipment**

30 On the occasion of the International Polar Year 1932/1933 an equipment for recording of  
31 telluric currents was installed, consisting of 2 lines in the geographic directions North-South



1 and East-West, both of 1,000 m length, funded by the Rockefeller foundation (Bock, 1950).  
2 The electrodes were lead plates. The East and South electrodes were located at the  
3 observatory compound, the West and North electrodes in the appropriate distance in  
4 neighbouring forests. The recording was performed by galvanometers on photographic paper,  
5 located in the laboratory. It is unknown, when the recordings were stopped; recordings are not  
6 anymore available. In 1949 activities for the re-establishment of telluric recordings were  
7 started. Potential-free copper – blue vitriol electrodes were developed in 1953 at the  
8 observatory (Lengning, 1958). In 1956 the continuous recording was started (Lengning,  
9 1960). From 1957 onward further lines of different directions and lengths were installed and  
10 operated. Presently only the two 1,000 m geographically oriented lines are still in operation,  
11 using digital recording since 2001 (Linthe and Schulz, 2007).

12 In 1952 induction coil variometers were installed and operated. Rectangular coils of many  
13 windings and big dimensions located in the absolute house were in use for the North and East  
14 component. The vertical intensity was detected by a wire fixed at the fence around the  
15 observatory compound. The coils were connected to galvanometers recording on  
16 photographic paper of a speed of 4 mm per minute in the South room of the variation house  
17 (Wiese, 1956). Due to the enlargement of the observatory compound in 1952 a horizontal  
18 coil of 50 m circumference was installed as vertical intensity sensor (Wiese, 1958). The  
19 recording galvanometer was moved in 1957 to the West room of the variation house (Wiese,  
20 1960). In 1971 the coreless coils were replaced by cylindrical ones with cores of high  
21 permeability of small diameter and 2 m length (search coils). An electronic amplifier unit,  
22 developed during the period 1965-1970 with photographic recording was taken into operation  
23 (Auster, 1972). The photographic recording was in 1999 replaced by digital one. The  
24 equipment is still in operation.

#### 25 **2.4 Operation of the Niemegk Observatory**

26 On 30 May 1930 a caretaker and a technician moved into their apartments of the main  
27 building. Richard Bock (1899-1961) as the observer followed them on 1 December 1930  
28 (Nippoldt, 1931a). These 3 employees operated the observatory on-site. All the data  
29 evaluation took place at the institute head quarter in Potsdam.

30 Already in 1931 ground water welled up in the variation house, which dramatically degraded  
31 the operation conditions of the instruments. The seasonal changing level of the ground water  
32 was not carefully enough considered during the planning phase. An expensive and time



1 consuming drainage construction (finished in November 1931) drained off the ground water  
2 (Bock, 1950). Together with a ventilation system the situation for the instruments was finally  
3 improved. But the wooden beams and shelves of the floor construction were so aggrieved that  
4 in 1934 a chemical conditioning of the beams and replacement of the shelves was necessary  
5 (Bock, 1937 and 1950). These measures required to remove all the instruments from the  
6 building. The replacement recordings took place in the magnetic laboratory, which was taken  
7 into use end of 1933 after its demolition in Seddin and re-erection in Niemegek. After a more  
8 or less provisional operation 1931-1934 of the observatory due to the construction defect of  
9 the variation house finally from 1935 onward a normal situation started.

10 The absolute measurements were performed by means of the theodolite Wanschaff on pillar  
11 No. 9 for the declination (D) and horizontal intensity (H), supplemented by the oscillation box  
12 on pillar No. 3 and by means of the Earth inductor Schulze No. 1 on pillar No. 11 for the  
13 inclination (I). The associated galvanometer was placed on pillar No. 2.

14 From 1936 onward plots of typical variations as Bay disturbances, sudden storm  
15 commencements (ssc) and further characteristic trends of the geomagnetic variation field were  
16 included into the yearbooks. In 1937 plots of pulsations followed. For the publication in the  
17 yearbooks the photographic recordings were scale-transformed using a special developed  
18 pantograph, constructed by Adolf Schmidt (Luyken, 1909).

19 From 1937 onward the magnetic activity indices K, proposed by Julius Bartels (1899-1964),  
20 were published regularly in the yearbooks (Bartels, 1938). The index was internationally  
21 adopted on Bartels' suggestion at the Washington conference of the International Association  
22 for Terrestrial Magnetism and Electricity (IATME) in 1940.

23 Already in 1944 World War II influenced the Niemegek territory. Bombings and airplane shots  
24 attacked the town. The storm on the town of Niemegek by Soviet tank, artillery and infantry  
25 forces took place in April 1945 (Dalitz, 1995). The last magnetograms were taken off the  
26 recording equipments on 20 April 1945. The absolute house was heavily damaged by an  
27 artillery strike, whereby the instruments were totally contaminated. A further artillery strike  
28 damaged the transformer house, so that the power supply was interrupted until September  
29 1945. The most serious consequence was the instrument loss, commandeered by the victor  
30 force (Fanselau and Wiese, 1954).

31 Only under strenuous efforts the war damages were abolished step by step. The operation of  
32 the observatory needed to be re-established completely anew. The artillery strike of the



1 absolute house caused a lot of shrapnel in the wooden parts, which needed to be individually  
2 and extensively discovered and removed additionally to the building repair (Fanselau and  
3 Wiese, 1956). The variometer recordings were restarted on 27 February 1946, first only  
4 provisionally. Due to the loss of the standard magnets the absolute measurements of the  
5 horizontal intensity were performed using a magnet of low quality.

6 On the newly purchased or constructed instrumental base a new determination of the absolute  
7 level of the Earth's magnetic field values took place 1950-1952 (Richard and Wiese, 1954). In  
8 this connection the azimuth values of the outdoor pillar, of some of the pillars in the absolute  
9 house and both of the ones in the small hut with respect to the Niemeck church and water  
10 tower and further distant village church towers were geodetically newly determined.

11 Up to this time only theodolite Wanschaff was in permanent use for the determination of the  
12 declination and horizontal intensity. From this time onward these measurements were  
13 performed by means of both the theodolites, Wanschaff and Schmidt. There results were  
14 averaged.

15 Around 1948 a field balance on the base of a tape-suspended magnet was constructed in the  
16 precise mechanic workshop of the observatory (Fanselau, 1948). This instrument improved  
17 dramatically the knife-edge field balance after Adolf Schmidt. In the beginning of the 1950s  
18 the development of instruments on the base of new principles was started: flux-gate and  
19 proton magnetometers. The tape-suspended field balance was elaborated more and more,  
20 different modifications were constructed. The project of constructing a chamber of constant  
21 magnetic field ("Konstanthaltung") for instrument calibration was started (Fanselau, 1953). In  
22 1952 the compound of the observatory was enlarged to a size of 5.2 ha to ensure the  
23 undisturbed operation of the Earth magnetic observations besides the further projects of  
24 instrumental development. A measurement and adjustment hut for the field balance  
25 production and 2 huts for the constant magnetic field chamber (one containing a 3-component  
26 cylindrical Helmholtz coil system of big dimensions) were constructed (Fanselau, 1955).

27 In preparation of the International Geophysical Year (IGY) 1957 in 1953 three satellite  
28 stations were started to be constructed in Warnkenhagen (North-West German Democratic  
29 Republic), Ückermünde (North-East GDR) and Herrnhut (South-East GDR) for geomagnetic  
30 and geoelectric recordings (Fanselau, 1956). The Herrnhut station was terminated in 1961  
31 (Fanselau, 1962b). The Ückermünde station existed until 1965 (Fanselau, 1966).



1 In 1956 the precision mechanical workshop was moved from the basement of the main  
2 building to the storage house, suitably modified for this purpose. The instrumental equipment  
3 of the satellite stations was continued in 1956 (Fanselau, 1957).

4 In 1956 a project to study the local gradient of the Earth magnetic field was started. For this  
5 purpose 4 magnetometer stations were constructed at the corner points of a 7 km square,  
6 geographically oriented (Fanselau, 1958). Each station was equipped with 3 geographically  
7 oriented photo-electrically compensated field balances with analogue paper recording. The  
8 north-western station was located in a distance of 200 m south-westward of the observatory  
9 compound.

10 Different measurement expeditions were performed in connection with the IGY: repeat  
11 station and magneto-telluric measurements at the territory of the GDR and some Eastern  
12 European countries from 1956 onward. In 1961 an expedition to study the effect of a solar  
13 eclipse on the Earth's magnetic field in Romania and Bulgaria took place (Fanselau, 1962a).  
14 A van "Phänomen Granit 30 K" (Fig. 24 shows a photo of it) was in use for all expeditions.  
15 The van was completely equipped with any necessary instruments.

16 On the base of the experimental studies of proton magnetometers, started in 1950, an  
17 equipment for the permanent measurement of the total intensity was established (Schmidt,  
18 1962; Wiese, 1962). It was in use from 1958 onward. The results were published from 1959  
19 onward in a special yearbook table, demonstrating the difference of the proton magnetometer  
20 measurements to the classical ones. The total intensity measurements were performed  
21 manually operated on the outdoor pillar "Waldpfeiler" ("forest pillar") in hut No. 15 at Fig.  
22 15) as well as in the absolute house on pillars No. 15 and 16 regularly on workdays. From  
23 1965 such measurements were in parallel carried out also in the absolute house on pillar No.  
24 2. The data of the proton magnetometer measurements of all installed instruments were  
25 permanently compared. In 1965 a survey of the total intensity in the absolute house was  
26 carried out (Schmidt, 1963).

27 1953-1962 repeat station measurements on 1762 stations on the territory of the German  
28 Democratic Republic were carried out. The results were reduced on the period 1957.5 (Bolz,  
29 et al., 1969).

30 In 1963 electronic data processing started by means of purchase of a small computer Cellatron  
31 SER 2 (Fanselau, 1964). An equipment for digitization of photographic magnetic recordings



1 was developed and taken into use together with the small computer. The yearbook 1965 was  
2 the first one produced by means of the use of the SER 2 (Schmidt, 1967).

3 The observatory results on the base of the proton magnetometer measurements were of higher  
4 accuracy in comparison to the data achieved from inclination measurements by means of the  
5 Earth inductor. Therefore, consequently from 1966 onward the measurements of the total  
6 intensity by means of proton magnetometers were directly used for the baseline calculation.  
7 The inclination measurements by means of the Earth inductors were used only for level check  
8 and finally terminated (Grafe, 1968).

9 In 1968 the first magnetic recording instruments with digital output were taken into operation  
10 (Fanselau, 1969).

11 From 1970 onward the observation program of the remote station Warnkenhagen was  
12 enlarged. Besides the variometer set of sensitive scale values a set of lower sensitivity and a  
13 scalar proton magnetometer was installed. Also telluric and induction coil magnetometer  
14 recordings were taken into operation (Lengning et al., 1973). From 1976 onward a vector  
15 proton magnetometer was in operation. At a further remote station, located at Sosa in the  
16 Erzgebirge, a scalar proton magnetometer was installed in 1978.

17 In 1972 a digital data acquisition equipment based on modules of the computer ROBOTRON  
18 R300 was installed for the recording of 1 Hz- sampled five channels magnetic and telluric data in  
19 the enlarged computer house (building No. 3 at Fig. 15) of the observatory (Lengning et al.,  
20 1973).

21 In 1975 a process control computer PRS4000 was installed in the again enlarged computer  
22 house of the observatory (Lengning et al., 1976). It was intended to be used for the direct  
23 digital data acquisition from the geomagnetic recording instruments and for data processing.  
24 It was in operation during the 3 regular world days for the on-line processing of the signals of  
25 the search coil magnetometers. From 1976 onward the yearbook tables were produced by  
26 means of this computer. All the digital proton magnetometer recordings on punched tapes  
27 were inserted and stored on the PRS4000.

28 In 1983 a micro computer MPS4944 was taken into operation for the continuous on-line  
29 processing of the signals of the search coil magnetometers. The necessary software was  
30 developed at the observatory (Lenners et al., 1984).



1 The remote stations Warnkenhagen at the Baltic Sea coast as well as Sosa at Erzgebirge  
2 mountains were closed in June 1991 due to the changed conditions caused by the German  
3 reunification in 1990.

4 After the positive evaluation of the Niemeck Adolf Schmidt Geomagnetic Observatory by the  
5 German Council of Science and Humanities it was decided to integrate the observatory into  
6 the GeoForschungsZentrum (GFZ) Potsdam, which was founded on 1 January 1992.

7 The observatory started in 1931 with 3 on-site employees. This situation did not change until  
8 the time immediately after World War II. Gerhard Faselau lost his apartment in Berlin due to  
9 bombing attacks on the city. He took a free apartment at the observatory. He first arranged the  
10 repairs of the demolished buildings and instruments and restarted the observation service.  
11 Next he promoted a comprehensive development of the observatory. He initiated the  
12 instrument development and established a scientific work group in Niemeck. He looked after  
13 the logistic base and recruited the necessary number of employees: technicians and scientists.  
14 Even after Faselau's retirement the number of employees increased up to 55 persons during  
15 the eighties. With the foundation of the GeoForschungsZentrum (GFZ) the employees number  
16 decreased dramatically, but more or less social compatible. The Unification Treaty  
17 determined the closing of all institutes of the Academy of Sciences of the German Democratic  
18 Republic on 31 December 1991. New positions for scientists and technicians were opened  
19 during the foundation of the GFZ in the course of the year 1991. Former employees of the  
20 observatory, who were not considered for any new observatory position went retired, changed  
21 to other enterprises, took alternative positions within the GFZ or took project positions.

22 On the base of contributions of the observatories Fürstfeldbruck, Niemeck and Wingst the  
23 first entire German magnetic map after the German reunification was published in 1995  
24 (Beblo et al. 1995).

25 From 1992 onward absolute measurements were performed regularly by means of the DI-flux  
26 (declination, inclination) and the GEMSYS GSM 19 (total intensity) in parallel with the  
27 classical ones. The results of both measurements were compared.

28 The Niemeck Adolf Schmidt Geomagnetic Observatory became an IMO (INTERMAGNET  
29 Geomagnetic Observatory) in 1993. In 1994 the survey of the total intensity of the pillars in  
30 the absolute house was repeated (Linthé, 1995).



1 From 1994 onward digital observatory data were published on 3.5" floppy disks besides the  
2 yearbook tables (Best and Linthe, 1995).

3 The self-made vector proton magnetometer on pillar No. 1 in the absolute house was in  
4 operation until 1998, but its results were never in use for the observatory data (Linthe, 2000).

5 After the successful comparisons of the absolute measurements by means of the classical  
6 instruments and the modern ones over 4 years in 1996 the classical absolute measurements  
7 were stopped. The observatory level was based from this time onward on the DI-flux and the  
8 Overhauser proton magnetometer on pillar No. 8. This instrument change caused a jump of  
9 the observatory level in the horizontal and vertical intensity. The classical photographic  
10 recordings were continued. But the observatory data were based on the digital recordings of  
11 the 3-component fluxgate magnetometer FGE (Best and Linthe, 1997).

12 In 1996 the Hurbanovo Geomagnetic Observatory (Slovakia) was supported by providing  
13 new instruments for the absolute measurements and variation recordings funded by the  
14 Volkswagen foundation. The Hurbanovo staff was trained in the use of the instruments by  
15 Hans-Joachim Linthe.

16 On 1 January 1997 the Kp Index Service of the International Service of Geomagnetic Indices  
17 was taken over from the Geophysical Institute of the Göttingen University (Best and Linthe,  
18 1999).

19 A new determination of the azimuth values of the outdoor pillar and several absolute house  
20 pillars was carried out in 1997 (Förster, 1998).

21 The Bundesamt für Seeschifffahrt und Hydrographie Hamburg (BSH) decided to terminate  
22 the operation of the Erdmagnetisches Observatorium Wingst with 1 January 2000. The  
23 GeoForschungsZentrum Potsdam (GFZ) and the BSH agreed in a contract to continue the  
24 observations in Wingst. The BSH remained responsible for the management of the compound  
25 and the buildings, while the GFZ took over the operation of the instruments and the scientific  
26 responsibility (Linthe and Schulz, 2005). Wingst Observatory was finally taken into complete  
27 responsibility of the GFZ in 2014. From 2000 onward joint yearbooks of both observatories  
28 were published. The yearbook publication was terminated with the 2003 one.





1 From 2005 onward new geomagnetic observatories were established or existing ones  
2 equipped with modern instruments on the base of international agreements, sponsored by  
3 Helmholtz Centre Potsdam - GFZ. The observatories are listed in table 1.

4 The Adolf Schmidt Niemeck Geomagnetic Observatory maintained a closed collaboration  
5 with many international geomagnetic observatories. Scientific mutual visits took place in a  
6 big number. Comparison measurements were carried out at Niemeck and international  
7 observatories to compare the accuracy of the instruments and the observers. Meetings of  
8 German speaking observers were held from time to time in Niemeck or at other observatories.  
9 Students education of several German universities is supported in the frame of excursions and  
10 practical training. Guided tours through the observatory are offered to any interested persons.

11 Since 1961 the observatory instructs regularly trainees in precise mechanics and electronics.

12 The agency for military surveying of the German Federal Armed Forces regularly calibrated  
13 their magnetic instruments at the observatory and took consult on magnetic measurement  
14 instruments and measurement practice.

15 Several scientific and technical conferences were held from time to time at the observatory.

## 16 **2.5 Selection of Significant Meetings and Conferences Related to the** 17 **Observatory**

18 On 11 and 12 November 1960 a commemorate event was held at the Humboldt University  
19 Berlin, honouring Adolf Schmidt's 100<sup>th</sup> birthday on 23 July 1960 and the 150<sup>th</sup> anniversary  
20 of the university. A further memorial on the occasion of the 30th anniversary of the  
21 observatory took place on 21 December 1960 (Fanselau, 1962a).

22 On the occasion of the 50 years anniversary of the Niemeck Adolf Schmidt Geomagnetic  
23 Observatory the international symposium "Current problems of the geomagnetic research"  
24 took place at the observatory and at a holiday camp in 20 km distance. Almost 100  
25 participants attended the symposium. About 50 scientific presentations were given and 13  
26 participants performed comparison measurements by means of their own instruments  
27 (Kautzleben, 1981).

28 The Central Institutes for Physics of the Earth and Solar-Terrestrial Physics performed on 29  
29 April 1983 in Potsdam a colloquium honouring Gerhard Fanselau, former director of the  
30 Geomagnetic Institute Potsdam and Niemeck Adolf Schmidt Geomagnetic Observatory.  
31 Seven scientific presentations were given (Lengning et al., 1983).



1 The Heinrich Hertz Institute for Atmosphere Research and Geomagnetism Berlin performed  
2 22-26 September 1986 the IAGA Symposium on Space-Time-Structure of the Geomagnetic  
3 Field in Lutherstadt Wittenberg including a visit of the Niemeck Adolf Schmidt Geomagnetic  
4 Observatory (Mundt, 1987).

5 From 23-28 April 1990 the International Symposium 100 Years Geomagnetic Observatory  
6 Potsdam – Seddin – Niemeck was held in Potsdam. Sixty scientists from 14 countries  
7 participated. Forty four scientific presentations were given. The participants visited the  
8 historic magnetic measurement buildings on Telegrafenberg Potsdam and the Niemeck Adolf  
9 Schmidt Geomagnetic Observatory (Mundt and Best, 1991; Best et al., 1991; Best et al.,  
10 1992).

11 On 7 and 8 September 1996 the INTERMAGNET Executive Council and Operations  
12 Committee held a meeting at the Niemeck Adolf Schmidt Geomagnetic Observatory.

13 The observatory organized the VII<sup>th</sup> IAGA Workshop on Geomagnetic Instruments and Data  
14 Acquisition from 9-14 September 1996. Ninety five scientists from 33 countries participated  
15 in the workshop. During the practical part 45 absolute measurements were performed at the  
16 observatory. During the scientific part 48 papers and 12 posters were presented in the ALBA  
17 Hotel Wittenberg. The results and papers were published (Best and Linthe, 1998).

18 In collaboration with the German Esperanto League a commemoration on Adolf Schmidt's  
19 50<sup>th</sup> year of death took place at the observatory on 17 October 1994 (Best and Wollenberg  
20 1994).

21 On 23 July 2010 Adolf Schmidt's 150<sup>th</sup> birthday and the 80 years anniversary of the opening  
22 of the Niemeck Adolf Schmidt Geomagnetic Observatory were celebrated in Niemeck by the  
23 Deutsche Geophysikalische Gesellschaft and the Helmholtz Centre Potsdam (Jacobs and  
24 Linthe, 2010). Thirty participants attended the festivity.

## 25 **2.6 Internationally Awarded Employees of the Observatory**

26 Walter Zander (1922-1998) was awarded with the Long Service Award of the International  
27 Association of Geomagnetism and Aeronomy (IAGA) in 1993 for his outstanding  
28 contribution to produce high quality data by the Niemeck Adolf Schmidt Geomagnetic  
29 Observatory. Fig. 25 shows the handing over of the medal to Walter Zander by Heinrich  
30 Soffel (National Representative of Germany for IAGA). The same award was presented to  
31 Hans-Joachim Linthe in 2015 for his dedicated effort for the operation of the Niemeck Adolf



1 Schmidt Geomagnetic Observatory and the modernization or new establishment of  
2 international observatories. He was further an active member of the INTERMAGNET  
3 Operations Committee (2003-2014) and chair of the Working Group V-OBS of the IAGA  
4 (2003-2007). At Fig. 26 Linthe (right) is to be seen together with Kathy Whaler (IAGA  
5 President 2011-2015, left) and Mioara Mandea (IAGA Secretary General 2009-2019).

## 6 **2.7 Affiliations, Observers and Directors resp. Heads of the Observatory**

7 The Niemegek Adolf Schmidt Geomagnetic Observatory was affiliated to different scientific  
8 or administrative organisations. Table 2 shows the complete affiliation history. Table 3  
9 contains the list of the directors resp. heads of the observatory. The responsible observers are  
10 listed in table 4.

## 11 **2.8 Prominent scientific results and instrumental achievements connected** 12 **with the observatories Potsdam – Seddin – Niemegek**

13 Max Eschenhagen: Discovery of pulsations “Elementarwellen” (elementary waves);  
14 introduction of the “Gamma,  $\gamma$ ” as a unit in geomagnetism; classification of days into  
15 categories regarding the magnetic activity.

16 Adolf Schmidt: Simplification of Eschenhagen’s classification of days by introduction of 3  
17 categories; introduction of the International Character Figure  $C_i$  and the inter-diurnal  
18 variability; calculation of the geomagnetic potential for the epoch 1885; transformation of  
19 spherical harmonics into different coordinate systems; construction of the knife edge field  
20 balance; construction of a new magnetic theodolite for an improved method of the deflection  
21 experiment.

22 Julius Bartels: Introduction of the activity index K “Kennziffer” in 1939 from Niemegek  
23 recordings; introduction of the planetary activity index  $K_p$  “planetarische Kennziffer” and  
24 derived indices  $a_p$ ,  $A_p$ ,  $C_p$  and  $C_9$ , the internationally most used measure to characterise  
25 geomagnetic activity.

26 Richard Bock: “Magnetische Reichsaufnahme” – repeat station campaign over Germany  
27 “Deutsches Reich” together with F. Burmeister and F. Errulat; high merits in the changeover  
28 of the observation service from Potsdam and Seddin to Niemegek.

29 Gerhard Fanselau: Improvement of the field balance by using a suspended balance.



1 Horst Wiese: Discovery of the North German conductivity anomaly together with O. Meyer  
2 (Wingst) – basement of his theoretical contributions to magneto-tellurics – “Wiese Arrow”.

3 H. Schmidt: Construction of several observatory instruments: proton magnetometers,  
4 fluxgates, induction coil variometers; introduction of data processing into the observatory  
5 practice.

### 6 **Competing Interests**

7 I declare that I do not have any conflict of interest.

### 8 **Acknowledgements**

9 Kristian Schlegel strongly encouraged me to write this paper. I am very thankful to him for  
10 his patience. I further thank the Helmholtz Centre Potsdam GFZ German Research Centre for  
11 Geosciences, which rendered possible to write the paper using its resources. I am especially  
12 thankful to Jürgen Matzka, group leader Geomagnetic Observatories of the Geomagnetism  
13 Section of the GFZ, for giving me the opportunity to work at the Niemeck Adolf Schmidt  
14 Geomagnetic Observatory. Since my official retirement end of 2014 I had the chance to use  
15 an office, a computer and all the observatory publications to collect the necessary  
16 information.

17

Year	IAGA code	Name	Country
2005	PAG	Panagyurishte	Bulgaria
2005	KMH	Keetmanshoop	Namibia
2006	YAK	Yakutsk	Russia
2007	MGD	Magadan	Russia
2007	SHE	St. Helena	British Overseas Territory
2007	ABG	Alibag	India
2009	SUA	Surlari	Romania
2009	PET	Paratunka	Russia
2010	SMA	Santa Maria	Portugal – Azores



2013	ODE	Odessa	Ukraine
2014	VSS	Vassouras	Brazil
2014	TDC	Tristan da Cunha	British Overseas Territory
2015	TTB	Tatuoka	Brazil
2015	BFO	Black Forrest	Germany
2015	VNA	Neumayer Station III	Germany's Antarctic Station
2018	GAN	Gan	the Maldives
2019	STT	Sao Teotonino	Portugal – Azores
2022	LRV	Leivogur	Iceland

- 1 Table 1. List of the observatories, newly established or equipped with modern instruments on
- 2 the base of the international collaboration with Helmholtz Centre Potsdam – GFZ, Niemeck
- 3 Adolf Schmidt Geomagnetic Observatory.
- 4

Time period	Affiliation
1932-1933	Magnetic department of the Magnetic Meteorological Observatory Potsdam of the Prussian Meteorological Institute Berlin
1934-1936	Magnetic Observatory of the Berlin University in Potsdam-Niemeck
1937-1950	Geophysical Institute Potsdam
1950-1956	Geomagnetic Institute and Observatory Potsdam/Niemeck of the Meteorological and Hydrological Service of the Interior Ministry of the German Democratic Republic
1957-1968	Geomagnetic Institute and Observatory Potsdam-Niemeck of the German Academy of Sciences Berlin
1969-1981	Central Institute for Physics of the Earth Potsdam
1982-1983	Central Institute for Solar-Terrestrial Physics Berlin
1984-1991	Heinrich Hertz Institute for Geomagnetism and Atmosphere Research Berlin



From 1992 onward	GeoForschungsZentrum Potsdam, in 2008 renamed into Helmholtz Centre Potsdam GFZ German Research Centre for Geosciences
------------------	--

1 Table 2. Affiliations of the Niemeck Adolf Schmidt Geomagnetic Observatory

2

Time period	Directors resp. Heads	Portrait
1932-1936	Alfred Nippoldt (1874-1936)	Fig. 13 in Linthe, 2023a
1937-1945	Julius Bartels (1899-1964)	Fig. 27, left
1945-1969	Gerhard Fanselau (1904-1982)	Fig. 28, left
1969-1982	Herbert Schmidt (1921-1981), Klaus Lengning (1917-2000)	Fig. 29, left Fig. 29, right
1983-1998	Adolf Best (1933-2012)	Fig. 30, right
1999-2001	Richard Holme (born in 1967)	Fig. 31, right
2002-2014	Monika Korte (born in 1971)	Fig. 31, left
From 2014 onward	Jürgen Matzka (born in 1971)	Fig. 33

3 Table 3. Directors resp. heads of the Niemeck Adolf Schmidt Geomagnetic Observatory

4

Time period	Observers	Portrait
1932-1933	Richard Bock (1899-1961)	Fig. 27, right
1934-1951	Gerhard Fanselau (1904-1982)	Fig. 28, left
1952-1961	Horst Wiese (1922-1972)	Fig. 28, right
1962-1968	Armin Grafe (born in 1934)	Fig. 30, left
1969-1982	Klaus Lengning (1917-2000)	Fig. 29, right
1983-1991	Eberhard Ritter (born in 1934)	Fig. 32, left
1992-2014	Hans-Joachim Linthe (born in 1949)	Fig. 32, right
From 2014 onward	Jürgen Matzka (born in 1971)	Fig. 33

5 Table 4. Observers of the Niemeck Adolf Schmidt Geomagnetic Observatory



## 1 **References**

- 2 Auster, V.: Zum gegenwärtigen Stand der Pulsationsregistriergeräte am Observatorium
- 3 Niemegek, Jahrbuch 1971 des Adolf-Schmidt-Observatoriums für Erdmagnetismus in
- 4 Niemegek, Zentralinstitut Physik der Erde Potsdam, 1972
- 5 Bartels, J.: Potsdamer erdmagnetische Kennziffern, pp. 68-78, Zeitschrift für Geophysik, Bd.
- 6 XIV, Heft 3/4, 1938
- 7 Beblo, M., Best, A., Schulz, G.: Magnetische Karten der Bundesrepublik Deutschland, pp. 1-
- 8 31, Sci. Technical Report des GFZ Potsdam. STR95/22, Potsdam 1995
- 9 Best, A., Lengning, K., Mundt, W., Tiemann, K.-H.: A century of measuring geomagnetism
- 10 in Potsdam, Seddin and Niemegek, pp. 7-16, HHI-Report No. 22, Berlin, 1991, ISSN 0863-
- 11 0607
- 12 Best, A., Mundt, W., Tiemann, K.-H.: Die 100jährige erdmagnetische Meßreihe Potsdam-
- 13 Seddin-Niemegek, pp. 10-13, Arbeitskreis Geschichte der Geophysik in der Deutschen
- 14 Geophysikalischen Gesellschaft, Mitteilungen Nr. 11, H. 1, ISSN: 0179-5658, 1992
- 15 Best, A., Wollenberg, F.: Adolf Schmidt 1860 – 1944 Zum 50. Todestag des Geophysikers
- 16 und Esperantisten, GeoForschungsZentrum Potsdam, 1994
- 17 Best, A., Linthe, H.-J.: Jahrbuch 1995 des Adolf-Schmidt-Observatoriums für
- 18 Geomagnetismus in Niemegek, GeoForschungsZentrum Potsdam, 1996
- 19 Best, A., Linthe, H.-J.: Jahrbuch 1996 des Adolf-Schmidt-Observatoriums für
- 20 Geomagnetismus in Niemegek, GeoForschungsZentrum Potsdam, 1997
- 21 Best, A.: Zur Geschichte des Adolf-Schmidt-Observatoriums für Geomagnetismus in
- 22 Niemegek, pp. 38-42, Zur Geschichte der Geophys. In Deutschl., Hamburg, 1997, DOI:
- 23 <https://doi.org/10.23689/fidgeo-4244>
- 24 Best, A., Linthe, H.-J.: Proceedings of the VII<sup>th</sup> IAGA Workshop on Geomagnetic
- 25 Observatory Instruments, Data Acquisition and Processing, GeoForschungsZentrum Potsdam
- 26 Scientific Technical Report STR98/21, Potsdam, 1998
- 27 Best, A., Linthe, H.-J.: Jahrbuch 1997 des Adolf-Schmidt-Observatoriums für
- 28 Geomagnetismus in Niemegek, GeoForschungsZentrum Potsdam, 1999



- 1 Bock , R.: Über einen Registrierapparat mit doppelter Registrierung, pp. 497-499, Z. f.
- 2 Instrumentenkunde 55, 1935
- 3 Bock, R.: Ergebnisse der Magnetischen Beobachtungen im Adolf-Schmidt-Observatorium für
- 4 Erdmagnetismus Niemegek im Jahre 1934, pp. 1-36, Magnetisches Observatorium der
- 5 Universität Berlin in Potsdam, Julius Springer, Berlin 1937
- 6 Bock, R.: Das Adolf-Schmidt-Observatorium Niemegek (Kreis Zauch-Belzig), pp. 1-47, Abh.
- 7 Geophysik. Institut Potsdam Nr. 1, Julius Springer, Berlin,
- 8 Bock, R.: Ergebnisse der Beobachtungen am Adolf-Schmidt-Observatorium für
- 9 Erdmagnetismus in Niemegek in den Jahren 1932 und 1933, pp. 1-116, Geophysikalisches
- 10 Institut Potsdam, Erdmagnetisches Jahrbuch, Akademie-Verlag Berlin, 1950
- 11 Bolz, H., Kautzleben, H., Mundt, W., Wolter, H.: Die magnetische Landesvermessung der
- 12 Deutschen Demokratischen Republik zur Epoche 1975,5 Ergebnisse und Auswertung,
- 13 Abhandlung Nr. 41 des Geomagnetischen Instituts Potsdam, Akademie-Verlag Berlin, 1969
- 14 Dalitz, S.: Niemegek meldet Panzeralarm – 1945 - Das Jahr zwischen Krieg und Frieden,
- 15 ISBN 3-9803383-2-0, Wittenberg, 1995
- 16 Fanselau, G.: Ein neuer Schwingungsmesser. Zeitschrift für Geophysik. 9. 1933. pp. 93-98.
- 17 Fanselau, G.: Über eine neue magnetische Vertikalfadenwaage, Zeitschrift für Meteorologie
- 18 2, 1948 Heft 7/8, pp. 216-225
- 19 Fanselau, G.: Gedanken über die technische Durchführung des geomagnetischen
- 20 Registrierbetriebes, Zeitschrift für Meteorologie 5, 1951 Heft 12 , pp.364 - 373.
- 21 Fanselau, G.: Über einige beobachtungstechnische Neuerungen am Adolf-Schmidt-
- 22 Observatorium für Erdmagnetismus in Niemegek, Freiburger Forschungshefte, Reihe C, H. 7,
- 23 Beihefte der Zeitschrift der Bergakademie, Freiberg 1953
- 24 Fanselau, G., Wiese, H.: Ergebnisse der magnetischen Beobachtungen am Adolf-Schmidt-
- 25 Observatorium für Erdmagnetismus Niemegek im Jahre 1951, Akademie-Verlag, Berlin 1954
- 26 Fanselau, G. : Vorbemerkungen, In: Erdmagnetisches Jahrbuch 1952, Akademie-Verlag
- 27 Berlin, 1955
- 28 Fanselau, G., Wiese, H.: Ergebnisse der magnetischen Beobachtungen am Adolf-Schmidt-
- 29 Observatorium für Erdmagnetismus Niemegek in den Jahren 1946 bis 1950, Akademie-Verlag,
- 30 Berlin 1956





- 1 Fanselau, G. : Vorbemerkungen, In: Erdmagnetisches Jahrbuch 1953, Akademie-Verlag
- 2 Berlin, 1956
- 3 Fanselau, G. : Vorbemerkungen, In: Jahrbuch 1954 des Adolf-Schmidt-Observatoriums für
- 4 Erdmagnetismus in Niemeck, Akademie-Verlag Berlin, 1957
- 5 Fanselau, G. : Vorbemerkungen, In: Jahrbuch 1955 des Adolf-Schmidt-Observatoriums für
- 6 Erdmagnetismus in Niemeck, Akademie-Verlag, Berlin 1958
- 7 Fanselau, G. : Vorbemerkung, In: Jahrbuch 1959 des Adolf-Schmidt-Observatoriums für
- 8 Erdmagnetismus in Niemeck, Akademie-Verlag, Berlin 1962a
- 9 Fanselau, G. : Vorbemerkung, In: Jahrbuch 1960 des Adolf-Schmidt-Observatoriums für
- 10 Erdmagnetismus in Niemeck, Akademie-Verlag, Berlin 1962b
- 11 Fanselau, G., Grafe, A.: Eine neue Schnellregistrierung der geomagnetischen Komponenten
- 12 X, Y, Z am Observatorium in Niemeck, Jahrbuch 1961 des Adolf-Schmidt-Observatoriums
- 13 für Erdmagnetismus in Niemeck, Akademie-Verlag, Berlin 1963
- 14 Fanselau, G.: Vorbemerkung, Jahrbuch 1962 des Adolf-Schmidt-Observatoriums für
- 15 Erdmagnetismus in Niemeck, Akademie-Verlag, Berlin 1964
- 16 Fanselau, G.: Erwähnenswertes aus dem Geomagnetischen Institut und Adolf-Schmidt-
- 17 Observatorium für Erdmagnetismus, Jahrbuch 1964 des Adolf-Schmidt-Observatoriums für
- 18 Erdmagnetismus in Niemeck, Akademie-Verlag, Berlin 1966
- 19 Fanselau, G.: Erwähnenswertes aus dem Geomagnetischen Institut und Adolf-Schmidt-
- 20 Observatorium für Erdmagnetismus (1.1.1967 bis 31.12.1967), Jahrbuch 1966 des Adolf-
- 21 Schmidt-Observatoriums für Erdmagnetismus in Niemeck, Akademie-Verlag, Berlin 1968
- 22 Fanselau, G.: Erwähnenswertes aus dem Geomagnetischen Institut und Adolf-Schmidt-
- 23 Observatorium für Erdmagnetismus, Jahrbuch 1967 des Adolf-Schmidt-Observatoriums für
- 24 Erdmagnetismus in Niemeck, Akademie-Verlag, Berlin 1969
- 25 Förster, H.: Genaue Azimutbestimmung auf einem Pfeiler des Adolf-Schmidt-Observatoriums
- 26 in Niemeck – einer Außenstelle des GeoForschungsZentrums Potsdam, Diplomarbeit am
- 27 Institut für Planetare Geodäsie der Technischen Universität Dresden, 1998
- 28 Grafe, A.: Ergebnisse der Beobachtungen am Adolf-Schmidt-Observatorium für
- 29 Erdmagnetismus in Niemeck im Jahre 1966, Jahrbuch 1966 des Adolf-Schmidt-
- 30 Observatoriums für Erdmagnetismus in Niemeck, Akademie-Verlag, Berlin 1968



- 1 IAGA News No. 32, Published by the Secretary General of IAGA, Fraser Noble Building,
- 2 Aberdeen University, Aberdeen AB9 2UE, Scotland, (UK), Printed by Woods of Perth
- 3 (Printers) Ltd., 1993
- 4 Mandea, M. (Executive editor): IAGA News No. 52, GFZ German Research Centre for
- 5 Geosciences, Potsdam 2015
- 6 Jacobs, F., Linthe, H.-J.: 150 Jahre Adolf Schmidt und 80 Jahre Observatorium Niemeck, pp.
- 7 46-48, DGG-Mitteilungen, Potsdam, 3/2010, ISSN 0934-6554
- 8 Kautzleben, H.: Vorwort; 90 Jahre Adolf-Schmidt-Observatorium für Erdmagnetismus in
- 9 Niemeck – 90 Jahre geomagnetische Forschung in Potsdam, pp. 5-23, Veröffentlichungen des
- 10 Zentralinstituts für Physik der Erde Nr. 70 Teil 1, Potsdam, 1981
- 11 Lengning, K.: Die Erdstromapparatur am Observatorium in Niemeck, pp. 160-165, Jahrbuch
- 12 1955 des Adolf-Schmidt-Observatoriums für Erdmagnetismus in Niemeck, Akademie-Verlag
- 13 Berlin, 1958
- 14 Lengning, K.: Angaben zur Erdstrom-Registrierung, pp. 45-48, Jahrbuch 1957 des Adolf-
- 15 Schmidt-Observatoriums für Erdmagnetismus in Niemeck, Akademie-Verlag Berlin, 1960
- 16 Lengning, K., Schmidt, H., Zander, W.: Jahrbuch 1970 des Adolf-Schmidt-Observatoriums
- 17 für Erdmagnetismus in Niemeck, Zentralinstitut Physik der Erde Potsdam, 1971
- 18 Lengning, K., Schmidt, H., Zander, W.: Jahrbuch 1972 des Adolf-Schmidt-Observatoriums
- 19 für Erdmagnetismus in Niemeck, Zentralinstitut Physik der Erde Potsdam, 1973
- 20 Lengning, K., Schmidt, H., Zander, W.: Jahrbuch 1975 des Adolf-Schmidt-Observatoriums
- 21 für Erdmagnetismus in Niemeck, Zentralinstitut Physik der Erde Potsdam, 1976
- 22 Lengning, K., Schmidt, H., Zander, W.: Jahrbuch 1976 des Adolf-Schmidt-Observatoriums
- 23 für Erdmagnetismus in Niemeck, Zentralinstitut für Solar-Terrestrische Physik, 1977
- 24 Lengning, K., Lenners, D., Zander, W.: Jahrbuch 1982 des Adolf-Schmidt-Observatoriums
- 25 für Erdmagnetismus in Niemeck, Zentralinstitut Physik der Erde Potsdam, 1983, ISSN 0065
- 26 - 2016
- 27 Lenners, D., Ritter, E., Zander, W.: Jahrbuch 1983 des Adolf-Schmidt-Observatoriums für
- 28 Erdmagnetismus in Niemeck, Zentralinstitut Physik der Erde Potsdam, 1984, ISSN 0065 -
- 29 2016




- 1 Linthe, H.-J.: Bestimmung der Pfeilerdifferenzen in der Totalintensität im Absoluthaus,
- 2 Jahrbuch 1994 des Adolf-Schmidt-Observatoriums für Geomagnetismus in Niemeck,
- 3 GeoForschungsZentrum Potsdam, 1995, ISSN 0065 - 2016
- 4 Linthe, H.-J.: Jahrbuch 1998 des Adolf-Schmidt-Observatoriums für Geomagnetismus in
- 5 Niemeck, GeoForschungsZentrum Potsdam, 2000, ISSN 0065 - 2016
- 6 Linthe, H.-J., Schulz, Günter: Yearbook Magnetic Results 2000, Adolf Schmidt Geomagnetic
- 7 Observatory Niemeck, Geomagnetic Observatory Wingst, GeoForschungsZentrum Potsdam,
- 8 2005, ISSN 1614-5801, DOI: 10.2312/GFZ.b103-20004 ; urn:nbn:de:kobv:b103-20004
- 9 Linthe, H.-J., Schulz, Günter: Yearbook Magnetic Results 2001, 2002, 2003 Adolf Schmidt
- 10 Geomagnetic Observatory Niemeck, Geomagnetic Observatory Wingst,
- 11 GeoForschungsZentrum Potsdam, 2007, ISSN 1614-5801, DOI: 10.2312/GFZ.b103-
- 12 yb2001\_20037
- 13 Linthe, H.-J.: History of the Potsdam, Seddin and Niemeck Geomagnetic Observatories –
- 14 First Part: Potsdam, Hist. Geo Space. Sci., 14, 23–31, [https://doi.org/10.5194/hgss-14-23-](https://doi.org/10.5194/hgss-14-23-2023)
- 15 2023, 2023a
- 16 Linthe, H.-J.: History of the Potsdam, Seddin and Niemeck Geomagnetic Observatories –
- 17 Second Part: Seddin, Hist. Geo Space. Sci., 14, 43–50, [https://doi.org/10.5194/hgss-14-43-](https://doi.org/10.5194/hgss-14-43-2023)
- 18 2023, 2023b
- 19 Luyken, K.: Der Pantograph für Registrier-Kurven von Ad. Schmidt (Potsdam), Zeitschrift
- 20 für Instrumentenkunde XXIX, Januar 1909, Erstes Heft, pp. 1-14
- 21 Mundt, W.: HHI Report No. 21, Proceedings of the IAGA Symposium Space-Time-Structure
- 22 of the Geomagnetic Field, September 22-26, 1986 in Wittenberg, GDR, Berlin, 1987, ISSN
- 23 0863-0607
- 24 Mundt, W., Best, A.: HHI Report No. 22, Proceedings of the International Symposium 100
- 25 Years Geomagnetic Observatory Potsdam – Seddin – Niemeck, April 23-28, 1990 in
- 26 Potsdam, Berlin, 1991, ISSN 0863-0607
- 27 A. Nippoldt: Verlegung der magnetischen Observatorien von Potsdam und Seddin wegen
- 28 Elektrisierung der Vorortbahnen, pp. 52-60, Bericht über die Tätigkeit des Preußischen
- 29 Meteorologischen Instituts im Jahre 1928, Veröffentlichung des Preußischen
- 30 Meteorologischen Instituts Nr. 362, Berlin, 1929



- 1 Nippoldt, A.: Ergebnisse der magnetischen Beobachtungen in Potsdam und Seddin im Jahre
- 2 1928, pp. 3-38, Veröffentlichungen des Preußischen Meteorologischen Instituts Nr. 374,
- 3 Julius Springer, Berlin, 1930
- 4 Nippoldt, A.: Magnetische Arbeiten, In: Bericht über die Tätigkeit des Preußischen
- 5 Meteorologischen Instituts im Jahre 1929 erstattet vom Direktor, pp. 35-39, Veröffentlichung
- 6 des Preußischen Meteorologischen Instituts Nr. 372, Julius Springer Berlin, 1930
- 7 Nippoldt, A.: Magnetische Arbeiten, In: Bericht über die Tätigkeit des Preußischen
- 8 Meteorologischen Instituts im Jahre 1930 erstattet vom Direktor, pp. 44-49, Veröffentlichung
- 9 des Preußischen Meteorologischen Instituts Nr. 380, Behrend & Co. Berlin, 1931a
- 10 Nippoldt, A.: Ergebnisse der magnetischen Beobachtungen in Potsdam und Seddin im Jahre
- 11 1929, pp. 3-35, Veröffentlichungen des Preußischen Meteorologischen Instituts Nr. 383,
- 12 Julius Springer, Berlin, 1931b
- 13 Nippoldt, A.: Ergebnisse der magnetischen Beobachtungen in Potsdam und Seddin im Jahre
- 14 1931, pp. 3-52, Magnetisches Observatorium der Universität Berlin in Potsdam-Niemegk,
- 15 Julius Springer, Berlin, 1934
- 16 Richard, M., Wiese, H.: Die Neubestimmung der absoluten erdmagnetischen Feldgrößen am
- 17 Adolf-Schmidt-Observatorium für Erdmagnetismus in Niemegk, Abhandlung Nr. 13 des
- 18 Geophysikalischen Instituts Potsdam, Akademie-Verlag Berlin, 1954
- 19 Schmidt, A.: Eine photographische Registriereinrichtung mit weiter Zeitskala bei sparsamem
- 20 Papierverbrauch, pp. 38-45, Bericht über die Tätigkeit des Preußischen Meteorologischen
- 21 Instituts im Jahre 1925 erstattet vom Direktor, Veröffentlichung des Preußischen
- 22 Meteorologischen Instituts Nr. 335, Behrend & Co., Berlin 1926
- 23 Schmidt, H.: Untersuchungen zur Theorie und Praxis geomagnetischer Schwingungs-
- 24 messungen mit Beschreibung einer neuen Schwingzeitmeßanlage, Abhandlung Nr. 19 des
- 25 Geomagnetischen Instituts und Observatoriums Potsdam-Niemegk, Akademie-Verlag Berlin,
- 26 1956
- 27 Schmidt, H.: Beobachtung der Totalintensität mit Protonenmagnetometern, Jahrbuch 1959 des
- 28 Adolf-Schmidt-Observatoriums für Erdmagnetismus in Niemegk, Akademie-Verlag Berlin,
- 29 1962




- 1 Schmidt, H.: Die Vermessung des Absoluthauses mit Protonenmagnetometern, Jahrbuch 1961
- 2 des Adolf-Schmidt-Observatoriums für Erdmagnetismus in Niemegek, Akademie-Verlag
- 3 Berlin, 1963
- 4 Schmidt, H.: Zur Programmierung des Jahrbuch-Datenflusses für den Klein-Computer
- 5 Cellatron SER 2, Jahrbuch 1965 des Adolf-Schmidt-Observatoriums für Erdmagnetismus in
- 6 Niemegek, Akademie-Verlag Berlin, 1967
- 7 Wiese, H.: Die Anlage zur Registrierung der zeitlichen Gradienten des geomagnetischen
- 8 Feldes in Niemegek, Erdmagnetisches Jahrbuch 1953, Akademie-Verlag Berlin, 1956
- 9 Wiese, H.: Ergebnisse der Beobachtungen am Adolf-Schmidt-Observatorium für
- 10 Erdmagnetismus in Niemegek im Jahre 1954, Jahrbuch 1954 des Adolf-Schmidt-
- 11 Observatoriums für Erdmagnetismus in Niemegek, Akademie-Verlag Berlin, 1957
- 12 Wiese, H.: Ergebnisse der Beobachtungen am Adolf-Schmidt-Observatorium für
- 13 Erdmagnetismus in Niemegek im Jahre 1956, Jahrbuch 1956 des Adolf-Schmidt-
- 14 Observatoriums für Erdmagnetismus in Niemegek, Akademie-Verlag Berlin, 1958
- 15 Wiese, H.: Ergebnisse der Beobachtungen am Adolf-Schmidt-Observatorium für
- 16 Erdmagnetismus in Niemegek im Jahre 1957, Jahrbuch 1957 des Adolf-Schmidt-
- 17 Observatoriums für Erdmagnetismus in Niemegek, Akademie-Verlag Berlin, 1960
- 18 Wiese, H.: Ergebnisse der Beobachtungen am Adolf-Schmidt-Observatorium für
- 19 Erdmagnetismus in Niemegek im Jahre 1959, Jahrbuch 1959 des Adolf-Schmidt-
- 20 Observatoriums für Erdmagnetismus in Niemegek, Akademie-Verlag Berlin, 1962
- 21




1

2 Fig. 1. Contract between the Free State of Prussia, represented by Adolf Schmidt and the  
3 magistrate of the town of Niemege, represented by the mayor Paul Temming on the  
4 conditions for the undisturbed operation of the new observatory. Source: Helmholtz Centre  
5 Potsdam - GFZ




6

7 Fig. 2. Document from the Prussian Ministry for Science, Art and Education of 1 April 1928  
8 attaching the new observatory the name “Adolf-Schmidt Observatorium für Erdmagnetismus  
9 Niemege” (Niemege Adolf Schmidt Geomagnetic Observatory) Source: Helmholtz Centre  
10 Potsdam – GFZ



1

2 Fig. 3. First page of the observatory guest book with Adolf Schmidt's inscription. Source:  
3 Helmholtz Centre Potsdam – GFZ




4

5 Fig. 4. Inscriptions of the participants of the observatory opening ceremony. Source:  
6 Helmholtz Centre Potsdam – GFZ

7





1

2 Fig. 5. Compound plan of the Niemeck Adolf Schmidt Observatory. Source: Bock, 1939

3



4

5 Fig. 6. Photo of the apartment and service house (left) and the storage house (right). Source:

6 Bock, 1939





1


2 Fig. 7. Photo of the absolute house. Source: Bock, 1939

3



4


5 Fig. 8. Photo of the variation house. Source: Bock, 1939



1

2 Fig. 9. Ground plan of the absolute house. Source: Bock, 1939

3



4

5 Fig. 10. Ground plan of the variation house. Source: Bock, 1939



1

2 Fig. 11. Photo of the north-east corner of heating house. Source Helmholtz Centre Potsdam –  
3 GFZ

4



5

6 Fig. 12. Photo of the Niemegk Adolf Schmidt Geomagnetic Observatory compound, taken in  
7 1933 from the apartment and service house. From left to right: laboratory (former Seddin  
8 variation house), variation house, heating house (partly hidden by a tree), absolute house,  
9 Niemegk church, outdoor pillar, observation hut (former Seddin absolute house). Source:  
10 Bock, 1939





1



2

3 Fig. 13. View from the attic floor of the main building on the electric laboratory. Source:  
4 Helmholtz Centre Potsdam – GFZ

5



6

7 Fig. 14. Photo of the workshop building, view from the north-east. It was taken in 2005.  
8 Source: Helmholtz Centre Potsdam – GFZ



1




Fig. 15. Ground plan of the observatory compound, situation in 2003. Source: Helmholtz Centre Potsdam – GFZ





Fig. 16. Ground plan of the observatory compound, present situation. Source: Helmholtz Centre Potsdam – GFZ

**No. Building**

- 1 Main building
- 2 Electric laboratory
- 3 Computer centre
- 4 Storage house
- 5 Magnetic laboratory
- 6 Variation house
- 7 Absolute house
- 8 Heating house
- 9 Small hut
- 10 Adjustment hut
- 11 Thermal adjustment hut
- 12 Garage
- 14 Equipment shed
- 15 Proton magnetometer hut
- 16 Control hut No. 1
- 17 Coil hut No. 1
- 18 Control hut No. 2
- 19 Measurement centre
- 20 Teluric hut
- 21 Coil hut No. 2
- 22 Small control hut
- 23 Control hut No.3
- 24 Coil hut No.3
- 25 Power unit house
- 26 Workshop building




1


2	Pillar No.	Instrument
3	2	Galvanometer for the earth inductors
4	3	Oscillation box Wanschaff
5	4	Oscillation box Schulze (Fürstenfeldbruck)
6	5	Theodolit Schulze No. 65 (Fürstenfeldbruck)
7	6	Collimator (azimuth mark in case of invisible towers)
8	7	Theodolit Bamberg
9	8	Theodolit Schmidt
10	9	Theodolit Wanschaff
11	10	Earth inductor Schulze No. 550 (Fürstenfeldbruck)
12	11	Earth inductor Schulze No. 1
13	13	Earth inductor Schulze No. 65
14	14	Journey theodolit Schulze No. 541

15 Fig. 17. Interior view of the absolute house in 1932. The table contains the assignment of the  
16 visible instruments to the pillars. Source: Bock, 1939





1  
2 Fig. 18. DI-flux on pillar No. 2 of the absolute house with the Niemegek church tower in the  
3 background (left) and Overhauser proton magnetometer GSM19 (right, sensor up and  
4 electronic unit down). Source: Helmholtz Centre Potsdam – GFZ.  
5




6  
7 Fig. 19. Photo of the interior of the north-west room of the variation house. Source: Bock,  
8 1939



1  
2 Fig. 20. Fluxgate magnetometer FGE sensor (left) and electronic unit (right). Source:  
3 Helmholtz Centre Potsdam – GFZ.

4  
5




6  
7 Fig. 21. One of the first photographic recordings of the horizontal intensity and declination  
8 (top) and the vertical intensity (bottom) of the time interval 25 March 1931 at 08:00 till 26  
9 March 1931 at 07:20 (Greenwich local mean time) taken at the Niemegek Adolf Schmidt  
10 Geomagnetic Observatory. Source: Helmholtz Centre Potsdam – GFZ.






1



2

3 Fig. 22. First photographic recordings after the operation gap caused by World War II of the  
4 horizontal (H) and vertical (Z) intensity and declination (D) of the time interval 27 February  
5 1946 at 10:30 till 28 February 1946 at 9:00 (Greenwich local mean time) taken at the  
6 Niemeck Adolf Schmidt Geomagnetic Observatory. Source: Helmholtz Centre Potsdam –  
7 GFZ.

8



9

10 Fig. 23. Last photographic recordings of the north (X), east (Y) component and the vertical  
11 (Z) intensity of the time interval 27 May 2006 at 09:00 till 28 May 2006 at 9:00 (Greenwich  
12 local mean time) taken at the Niemeck Adolf Schmidt Geomagnetic Observatory. Source:  
13 Helmholtz Centre Potsdam – GFZ.

14



1

2 Fig. 24. Photo of the survey van Phänomen Granit 30K. Source: Helmholtz Centre Potsdam –  
3 GFZ.

4



5


6 Fig. 25. Heinrich Soffel, the National Representative of Germany for IAGA (right), hands  
7 over the Long Service Award of IAGA to Walter Zander (left). Source: IAGA News No. 32,  
8 [https://iaga-aiga.org/data/uploads/pdf/newsletter/iaganews\\_32\\_1993.pdf](https://iaga-aiga.org/data/uploads/pdf/newsletter/iaganews_32_1993.pdf)

9



1  
2  
3  
4  
5  
6

Fig. 26. From left to right: Kathy Whaler (IAGA President 2011-2015), Mioara Manda (IAGA Secretary General 2009-2019) and Hans-Joachim Linthe after receiving the IAGA Long Service Medal. Source: Manda, 2015, [https://iaga-aiga.org/data/uploads/pdf/newsletter/iaganews\\_52.pdf](https://iaga-aiga.org/data/uploads/pdf/newsletter/iaganews_52.pdf)



7  
8  
9

Fig. 27. Julius Bartels' portrait (left) and Richard Bock's portrait (right). Source: Helmholtz Centre Potsdam – GFZ



1



2

3 Fig. 28. Gerhard Fanselau's portrait (left) and Horst Wiese's portrait (right). Source:  
4 Helmholtz Centre Potsdam – GFZ

5



6

7 Fig. 29. Herbert Schmidt's portrait (left) and Klaus Lengning's portrait (right). Source:  
8 Helmholtz Centre Potsdam – GFZ






1  
2 Fig. 30. Armin Grafe's portrait (left) and Adolf Best's portrait (right). Source: Helmholtz  
3 Centre Potsdam – GFZ  
4



5  
6 Fig. 31. Monika Korte's portrait (left) and Richard Holme's portrait (right). Source:  
7 Helmholtz Centre Potsdam – GFZ



1  
2 Fig. 32. Eberhard Ritter's portrait (left) and Hans-Joachim Linthe's portrait (right). Source:  
3 Helmholtz Centre Potsdam – GFZ  
4



1  
2 Fig. 33. Jürgen Matzka's portrait next to the Adolf Schmidt bust at the Niemegek observatory  
3 compound. Source: Helmholtz Centre Potsdam – GFZ  
4